

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B315

GAGETOWN NB (Heli)

CYCX

REF	N45 50 W66 26 5SE 19°W UTC-4(3) Elev 166' A5003	
OPR	DND 506-422-1422 CSN 319-432-1422 Mil PPR	
FLT PLN	<p>FIC NOTAM FILE CYCX Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)</p> <p>MIL on site Ltd hrs</p> <p>WX WD2 Ltd hrs Mon-Fri exc hols LWIS (see COMM)</p>	
PF	B-1 C-2,3,4,5	
SERVICES	403 Sqn svcg call "FIVE" 321.8 ltd hrs Mon-Fri exc hols	
FUEL	F-34	
OIL	156	
ARFF	2	
MIL ADV	403 Sqn Ops call "ZERO" 321.8 ltd hrs Mon-Fri exc hols	
PAD DATA	150' x 150' Ctr of Pad N45 50.2 W66 26.2 Twy A 097°. Twy B 014°.	
LIGHTING	DR RY(HI) Non std	
COMM	<p>RCO Halifax rdo 126.7 (FISE)</p> <p>MF 120.2x 126.4 263.3 321.8x (E) ltd hrs O/T tfc 126.4 Gagetown Advy 126.4 263.3</p> <p>PAL (E) ltd hrs O/T tfc 126.4</p> <p>MIL Moncton Ctr 124.3 135.5 270.8</p> <p>VDF 46.8FM call sign Fit Following ltd hrs 49.9FM call sign Rng Ctl</p> <p>PMSV 120.2 126.4 (E) ltd hrs 344.6 ltd hrs</p>	
PRO	Over fit of built up area 1.0NM W of heli proh below 1000 AGL Autorotation area lctd 0.5NM NNE of helipad. Circuits for helipad are left hand or opposite to Autorotation circuit when Autorotation area active. Autorotation area only active when Gagetown Advsy open.	
CAUTION	<p>HELI TRAFFIC: Extv heli activity around Gagetown day & night.</p> <p>RESTRICTED AREAS: Live firing in CYR 724 & CYR 725. Unless specifically authorized remain clear.</p> <p>JET TRAFFIC: Presence of mil jet acft in the range often unannounced.</p> <p>Unsked dly radiosonde balloon lauches with an ascent rate of 1000 ft/min in the vic of Heli.</p>	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B316 AERODROME/FACILITY DIRECTORY

GAINSBOROUGH SK

CKY6

REF	N49 11 W101 26 Adj NE 9°E UTC-6 Elev 1650' A5007 E-16
OPR	Village 306-685-2010 Reg
FLT PLN	NOTAM FILE CYQV
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
PF	C-1,2,4,5
RWY DATA	Rwy 08(081°)/26(261°) 2425x100 turf Rwy 17(171°)/35(351°) 1680x100 turf
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 4700 ASL




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B317

GALORE CREEK / BOB QUINN LAKE VFR TERMINAL PROCEDURES CHART



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B318 AERODROME/FACILITY DIRECTORY

GALORE CREEK (Helicopter) BC

CGC2


REF	N57 07 24 W131 27 09 Adj NW 24°E UTC -8(7) Elev 2601' A5021
OPR	Novagold Canada Inc., Aviation Department 604-669-6227 Reg PPR
FLT PLN	NOTAM FILE CYXT
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	100' x 100' Gravel
COMM	ATF tfc 123.0 8000' ASL (see Galore Creek/Bob Quinn Lake VTPC)
PRO	High density tfc & blasting activity - see Galore Creek/Bob Quinn Lake VTPC. Blind transmission of intentions required within defined area.
CAUTION	High volume of helicopter traffic in defined area.



GAMÈTI / RAE LAKES NT

CYRA

REF	N64 06 58 W117 18 35 25°E GV142°E UTC-7(6) Elev 723' A5029 A5035 C-10 LO5 CAP
OPR	Govt of Northwest Territories Gamèti 867-997-3004 or Yellowknife 867-873-4680 Emerg/Incident rpt ctc Govt of Northwest Territories 867-445-5518 or 877-989-1400 Cert
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYZF
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
CARS	867-997-3028 ltd hrs (see COMM)
WX	METAR dur CARS hrs ops
RWY DATA	Rwy 14T(136°T)/32T(316°T) 3000x100 gravel Rwy 14T up 0.31% to mid-point, rwy 32T up 0.33% to mid-point.
RCR	Opr win maint avbl 16-01Z± Sun-Fri O/T 1 hr PNR 867-445-5518 Call out chg may be levied. PLR/PCN
LIGHTING	14T-AS(TE ME)JAP, 32T-AS(TE ME)JAP, ARCAL-122.1 type K APAPI 14T/32T avbl low intensity only
COMM	MF aprt rdo ltd hrs O/T tfc 122.1 5NM 3700 ASL (CAR 602.98) APRT RDO 122.1 (V) 15-01Z± Sun-Fri, 16-21Z± Sat
CAUTION	Caribou may be on or in vic of rwy.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B319

GANANOQUE ON

CNN8


REF	N44 24 07 W76 14 39 4.3NW 13°W UTC-5(4) Elev 395' A5000 F-21	
OPR	Thousand Island Recreational Avn Centre Inc. 613-382-5114 Reg	
PF	B-1 C-2,3,4,5 D-6	
CUST	AOE/15 888-226-7277 (DT 16-24Z) May 15-Sep 15; 14-22Z‡ Sep 16-May 14	
FLT PLN	NOTAM FILE CYGK	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES		
FUEL	100LL	
S	1,4,5	
RWY DATA	Rwy 06/24 2530x100 asphalt Rwy 12/30 2530x100 asphalt Rwy 18/36 2530x100 asphalt	
RCR	Opr No win maint. PLR/PCN	
COMM		
ATF	tfc 123.2 5NM 3400 ASL	
PRO	Parachuting on A/D. Glider activity within 10NM.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B320 AERODROME/FACILITY DIRECTORY

GANDER VFR TERMINAL PROCEDURES CHART - TRAINING AREAS




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B321

GANDER INTL NL

CYQX



REF	N48 56 13 W54 34 05 Adj SE 22°W UTC-31/2 (21/2) Elev 496' A5012 E-19 F-22 LO8 HI6 T2 CAP OC
OPR	Gander International Airport Authority Inc 709-256-6666 Cert DND CSN 319-622-3342
PF	A-1,2,3,6 C-4,5

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B322 AERODROME/FACILITY DIRECTORY

GANDER INTL NL (Cont'd)

CYQX

CUST	AOE 888-226-7277
FLT PLN	NOTAM FILE CYQX
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Gander 709-651-5225 or 888-751-5225. Flt plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
WX	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Mil acft hg space very ltd, PPR for hg space req coordination thru Gander Wg Ops CSN 301-622-3227 or 709-256-1703 Ext 227 1130-20Z± Mon-Fri exc hols. Cdn mil tran svcg not avbl 103 Sqn, ctc Odgen Allied Aviation 129.10, comm 709-256-3041. F-34, 100LL, JA-1, JB, HPR (CON IRVING IP JA-1, FSII)
FUEL OIL S	All 1,2
ARFF	7 (CAT 8 avbl 1 hr PNR)
SUP FL	ADI, D & A-ice
JASU	10/15, CE13, 14, 15, CA1
MIL ADV	Outcast Ops 128.85 252.8 1130-20Z± Mon-Fri exc hols O/T 30 min prior to sked arr.
PVT ADV	Allied Avn 129.1; Esso 122.7; Gander Avn 122.55; Irving Avn Svcs 122.9; Shell Avn 123.3; GFT Avn Svcs 123.35 709-256-7484/709-424-5074
MIL CON	Irving Avn (Irving Oil) 709-651-5000
RWY DATA	Rwy 03(033°)/21(213°) 10200x200 asphalt Rwy 21 down 0.34%. Rwy 03 RVR 1200 (1/4sm) / Rwy 21 RVR 1200 (1/4sm) Rwy 13(130°)/31(310°) 8900x200 asphalt Rwy 13 down 0.50%. Rwy 13 RVR 1200 (1/4sm) / Rwy 31 RVR 1200 (1/4sm) Rwy 09(085°)/27(265°) 1875x50 asphalt Rwy 09 down 0.82%. Clsd Dec 1- Apr 30. Rstd to 12,500 lbs or less. Sfc is rough. Sfc ruf on Gander Flight Training's pvt twy Opr CRFI, PLR/PCN. TDT800
LIGHTING	03-AN(TE HI), 13-AN(TE HI), 21-AO(TE HI) P3, 31-AO(TE HI) P3
COMM	
RCO	Halifax rdo 123.475 (FISE) 126.7 (bcst)
ATIS	124.8
GND	121.9 275.8
TWR	118.1 236.6 (E) (emerg only 709-651-5329)
ARR	128.5 132.1 384.5
DEP	128.5 132.1 384.5
MIL	Outcast Ops 128.85 252.8
INTL AIR	For a description of HF Aeromobile Operations in the NAT & associated hrs of operation for Gander IFSS, refer to TC AIM COMM Section 6.
NAV	
VOT	114.8
NDB	QX 280 (M) N48 57 52 W54 40 06 123° 3.3NM to thld 13
VORTAC	YQX 112.7 Ch 74 N48 53 59 W54 32 06 (600') 002° 2.5NM to A/D
DME	IQX 109.5 Ch 32 N48 57 02 W54 33 37
ILS	IQX 109.5 (Rwy 03) RVR; IGN 109.9 (Rwy 13) RVR
CAUTION	Snow banks on N side of Apron III Nov-Apr.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B323

GANDER CENTRE (emerg only 709-651-5207)

CZQX

(132.1 extended range) **124.175 125.9** 128.5 **132.6 133.9** 289.4 **294.5 342.9** 384.5

Brevoort 132.025 (FL290 & above) 2330-0730Z ‡ O/T Montreal Centre

Churchill Falls 126.025 (**128.7** Cinc Del 2330-0730Z ‡)

Deer Lake 134.6

Goose Bay 120.4 (**127.675 132.4 133.425** FL290 & above) 294.5

Hibernia 118.25

Hopedale 128.325 132.65 (FL290 & above) 135.4

Kuuujuaq 134.2 (FL290 & above) 2330-0730Z ‡ O/T Montreal Centre

Natashquan 135.45 (FL180 to FL280) (**135.45** Cinc Del 2330-0730Z ‡)

St. Anthony 124.725 128.6 133.0 **134.3** 371.9

St. John's (NL) 125.075 128.175 132.05 133.15 227.3 **230.3 (134.7 245.0)** (FL290 & above)

St. Pierre (Allen's Is) (**128.45** Cinc Del 2330-0730Z ‡) 134.9

Stephenville 132.3 (**135.05** Cinc Del 2330-0730Z ‡) 247.0

Sydney (119.42 Cinc Del 2330-0730Z ‡)

Wabush 134.0 (FL290 & above)

GANDER RADIO-RCO

Cambridge Bay Intl Air 2971 4675 8891 11279 Nat 'D' (SELCAL)

Iqaluit Intl Air 2971 4675 8891 11279 Nat 'D' (SELCAL)

Gander Intl Air 126.9 127.1

Hopedale Intl Air 132.65

Iqaluit Intl Air 126.9

Prins Christian Sund, Greenland Intl Air 127.9

Frederiksdal, Greenland Intl Air 127.9

St. Anthony Intl Air 127.1 122.37

St. John's Intl Air 126.9 122.37

Gander Radio Intl Air HF

Nat 'A' 3016 5598 8906 13306 (SELCAL)

Nat 'B' 2899 5616 8864 13291 (SELCAL)

Nat 'C' 2872 5649 8879 11336 13306 (SELCAL)

Nat 'D' 2971 4675 8891 11279 (SELCAL)

Nat 'F' 3476 6622 8831 13291 (SELCAL)

VOLMET 3485 6604 10051 13270

GANDER RADIO / INTERNATIONAL (NAT and Anchorage Arctic FIR)

For hours of operation and a description of HF Radiotelephony Network Operations for the North Atlantic and Anchorage Arctic Flight FIR refer to TC AIM COMM Section 6. SATCOM voice may be used to contact Gander Radio for non-routine flight safety calls or during periods of poor HF propagation. INMARSAT Code 431613 Public Phone 709-651-5328.

GANDER RADIO / DOMESTIC (CANADIAN NORTHERN AIRSPACE)

Gander Radio is responsible for (ICAO) HF communication in Canadian Northern Airspace. Aircraft operating within Canadian Northern Airspace may use SATCOM voice as an alternative to HF for routine communications. During periods of HF unreliability, the use of SATCOM voice for all communications is strongly encouraged. INMARSAT Code 431613, Public Phone 709-651-5328.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B324 AERODROME/FACILITY DIRECTORY

GANDER (JAMES PATON MEM HOSP) NL (Heli)

CGH2




REF	N48 57 19 W54 37 38 Adj W 22°W UTC-3½(2½) Elev 432' A5012 E-19
OPR	James Paton Mem Hosp 709-256-5552/2500 Cert PNR
PF	A-1,2,3,4 C-5,6
FLT PLN	NOTAM FILE CYQX
 FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
 ACC	Gander 709-651-5225 or 888-751-5225 Fit Pln by Fax 709-651-5205 & include phone number where pilot can be reached prior to dep.
PAD DATA	79' x 79' asphalt Rstd to 52' max heli overall length.
 RCR	Opr Ltd win maint
COMM	
 TWR	Gander 118.1 at Gander Intl A/D 2.4NM SE
PRO	Arr/dep btwn 130° & 245° fr heli.

GANGES (HOSP) BC (Heli)

CAL7

REF	N48 51 46 W123 30 33 19°E UTC-8(7) Elev 150' aprx VTA
OPR	Lady Minto Gulf Island Hosp Administrator 250-538-4800 Cert PPR
PF	B-1,4 C-2,3,5,6
FLT PLN	NOTAM FILE CYCD
 FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	40' x 40' cement 118' dia
LIGHTING	RY(LO) DR O/R
COMM	
 ATF	tfc 123.2 2NM 1200 ASL
PRO	Arr/dep fr NE, slope 12%. (Note: DR lghts align with 040° fr heli). Rstd to multi engine heli (CAR 602.96).
CAUTION	120' xmsn lines 1000' N of heli. Trees all quad.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B325

GANG RANCH BC

CAY2


REF	N51 33 06 W122 19 37 Adj NE 20°E UTC-8(7) Elev 2150' aprx A5004 E-15
OPR	Gang Ranch 250-459-7923 Reg
FLT PLN	NOTAM FILE CYWL
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
RWY DATA	Rwy 08/26 1800x60 gravel
COMM	
ATF	tfc 123.2 5NM 5200 ASL



GARDEN RIVER AB

CFU4

REF	N58 42 50 W113 52 34 1N 20°E UTC-7(6) Elev 790' A5023 D-13
OPR	Little Red Air Svc Ltd Ft. Vermilion 780-927-4630 Reg PPR
FLT PLN	NOTAM FILE CYOJ
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 07(070°)/25(250°) 3000x75 turf Opr
COMM	
ATF	tfc 123.2 5NM 3800 ASL



GARTNER AB — See EDMONTON / GARTNER

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B326 AERODROME/FACILITY DIRECTORY

GASPÉ QC

CYGP

REF	N48 46 31 W64 28 47 3.5W 21°W UTC-5(4) Elev 112' A5011 E-19 F-22 LO7 LO8 HI6 CAP	
OPR	Muni 418-368-2104/0200 Cert	
PF	A-1,2 B-6 C-3,4,5	
FLT PLN	(bil) NOTAM FILE CYGP Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 800-633-1353 WX METAR H24. LWIS (see comm) TAF H24, issue times: 02, 08, 14, 20Z.	
SERVICES	Svcs chg may be levied for one or more svcs	
FUEL	100LL, JA-1 30 min. PNR 418-368-8110 or Page 418-360-2487	
OIL	65, 80, 100	
S	1,4	
RWY DATA	Rwy 11(105°)/29(285°) 4490x150 asphalt Rwy 11 down 0.5%.	
RCR	Opr 10-03Z† Mon-Fri, 10-21Z† Sat, 13-03Z† Sun, Oct 1-Apr 30; 13-21Z Mon-Fri, May 1-Sep 30. CRFI, PLR/PCN	
LIGHTING	11-AO(TE ME) P2, 29-AD AS(TE ME) P2 ARCAL-122.3 type K	
COMM	(bil) RCO Mont-Joli rdo 122.3 (RAAS) Québec rdo 123.475 (FISE) 126.7 (bcst) MF Mont-Joli rdo 122.3 5NM 3100 ASL (CAR 602.98) LWIS (Wind & altimeter) 127.8 (English) 124.9 (French)	
NAV	NDB GP 232 (M) N48 46 05 W64 23 07 299° 3.4NM to thld rwy 29 VOR/DME YGP 115.4 Ch 101 N48 45 47 W64 24 17 310° 2.7NM to thld rwy 29 LOC IGP 110.3	
PRO	Tfc ptns 1600 ASL. Acft opr Northbound/Southbound on V382 btwn CYGR/CYGP may remain on FSS freq if requesting IFR ATC messages in French.	

GATINEAU QC — See OTTAWA / GATINEAU

GEORGETOWN (GEORGETOWN & DISTRICT HOSP) ON (Heli)

CNZ6

REF	N43 38 40 W79 56 04 Adj SW 10°W UTC-5(4) Elev 878' VTA A5000	
OPR	Georgetown & District Hosp 905-873-0111 Cert PPR	
FLT PLN	NOTAM FILE CYBM LOC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
PAD DATA	69.5' x 82' concrete/asphalt 81' x 93.5' Rstd max heli length 55'	
RCR	Opr	
LIGHTING	DR RY(LO) RF(FL)	
PRO	Single arr/dep path brg 256° fr heli.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B327

GERALDTON (DISTRICT HOSP) ON (Heli)

CPJ4


REF	N49 43 18 W86 57 26 Adj W 6°W UTC-5(4) Elev 1101' A5008 RCAP
OPR	Geraldton District Hosp 807-854-1862 Cert PPR
FLT PLN	NOTAM FILE CYGQ FIG London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	circular 86' dia Rstd max heli length 57.5'
LIGHTING	RY(LO) RF(FL)
COMM	A/G Ambulance dispatch 129.275
PRO	Arr/dep btwn 252°-262° fr heli.



GERALDTON (GREENSTONE REGIONAL) ON

CYGQ

REF	N49 46 42 W86 56 22 3N 6°W UTC-5(4) Elev 1144' A5008 E-17 LO4 HI4 CAP RCAP
OPR	Town 807-854-1694 after hrs 807-854-6727 Cert
PF	B-1,6 C-2,3,4,5
FLT PLN	NOTAM FILE CYGQ FIG London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) WX METAR H24. TAF H24, issue times: 02, 08, 14, 20Z.
SERVICES	13-23Z± exc Jan 1 & Dec 25 O/T 1 hr PNR. Call out chg after hrs.
FUEL	100LL, JA-1, FSII 13-23Z± dly ctc 807-854-1694 O/T ctc 807-854-6727 or 807-854-0094
OIL	All
S	4,5,6
RWY DATA	Rwy 08(079°)/26(259°) 5000x100 asphalt
RCR	Opr 13-23Z±. APM 807-854-1694 CRFI
LIGHTING	08-AS(TE ME) P2, 26-AS(TE ME) P2 ARCAL-122.8 type K
COMM	RCO London rdo 126.7 (FISE) ATF UNICOM (AU) Ltd hrs O/T tfc 122.8 5NM 4100 ASL
NAV	NDB C7 362 (M) N49 46 20 W86 58 17 080° 0.8NM to A/D Pvt Unmonitored VOR/DME YGQ 114.2 Ch 89 N49 46 11 W86 59 03 079° 1.4NM to A/D



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B328 AERODROME/FACILITY DIRECTORY

GILBERT PLAINS MB

CJH2


REF	N51 08 W100 30 Adj S 8°E UTC-6(5) Elev 1310' A5007 E-16 E-17
OPR	Gilbert Plains Aprt Comsn 204-548-2940 Reg
PF	B-1 C-2,4,5
FLT PLN	NOTAM FILE CYDN
FIG	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 08(082°)/26(262°) 2525x90 turf
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 4400 ASL



GILLAM MB

CYGX

REF	N56 21 27 W94 42 38 Adj NNW 1°E UTC-6(5) Elev 476' A5016 A5024 A5025 D-14 E-16 E-17 LO3 HI2 HI4 CAP
OPR	Town of Gillam 204-652-2020 Cert
PF	A-1 tml opr hrs of ops C-2,3,5
FLT PLN	NOTAM FILE CYIV
FIG	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	METAR H24. TAF H24, issue times: 01, 07, 13, 19Z.
SERVICES	Call out chg levied after normal hrs of ops
FUEL	100LL, JA-1, Gillam Air Svc 204-652-2109 Fax 204-652-2980. 100LL(D), JA-1(D), self svc, bring your own pump, PNR, Doak Bulk Fuel 204-652-2305 Fax 204-652-2308.
OIL	80, 100, 15W50
S	4,6
RWY DATA	Rwy 05(046°)/23(226°) 5000x150 gravel
RCR	Opr 14-18Z† & 19-23Z† Mon-Fri exc hols CRFI, PLR/PCN
LIGHTING	05-AD(TE ME) V1, 23-AS(TE ME) V1 ARCAL-122.1 type K
COMM	
RCO	Winnipeg rdo 123.375 (FISE)
MF	tfc 122.1 (no ground station) 5NM 3500 ASL (CAR 602.98)
NAV	
NDB	YGX 212 (M) N56 21 12 W94 42 00 306° 0.4NM to A/D
DME	GX 114.4 Ch 91 N56 21 27 W94 42 14 (511') at A/D
PRO	Rgt hand circuits rwy 05 (CAR 602.96).



GILLIES BAY BC — See TEXADA / GILLIES BAY

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B329

GIMLI INDUSTRIAL PARK AIRPORT MB

CYGM

REF	N50 37 41 W97 02 36 2W 4°E UTC-6(5) Elev 753' A5007 E-16 E-17 LO4 HI4	
OPR	Rural Muni of Gimli 204-642-6697/6688 Mon-Fri 1400-2230Z† O/T 204-641-4222 Cert	
PF	B-1,6 C-2,3,4,5	
FLT PLN	NOTAM FILE CYDN	
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)	
ACC	IFR, 204-983-8337 or 888-834-3344 or Flt Pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.	
SERVICES	Call out chg may be levied for one or more svcs. 100 LL Mon-Fri 12-24Z First Nations Transport (FNT) 204-642-4960 or 130.875	
FUEL	15/50	
OIL	1,2,3 Skyline Maint & Avionics 204-642-8755	
S	First Nations Transport (FNT) 130.875 204-642-4960	
PVT ADV		
RWY DATA	Rwy 15(146°/33(326°) 6800x150 asphalt	
RCR	Opr Snow cleared 1430-2230Z† Mon-Fri.	
LIGHTING	15-(TE ME), 33-(TE ME) ARCAL-122.15 type K	
COMM		
MF	UNICOM ltd hrs O/T ftc 122.15 5NM 3800 ASL (CAR 602.98)	
NAV		
NDB	M4 296 (L) N50 38 03 W97 02 37 at A/D Pvt	
PRO	Rgt hand circuits rwy 33 (CAR 602.96). Gliders & tow acft opr fr infield W of rwy 15/33. Glider & tow acft circuits W of rwy 15/33. ATS REQUIREMENTS: VFR & IFR Flt Plns, file at least 30 min prior to ETD. All non-flight planned acft intending flt within Winnipeg class "D" airspace (Winnipeg ctl zone & tml) refer to ATS requirements under Winnipeg/James Armstrong Richard Intl, CYWG, PRO.	
CAUTION	Gliding ops Apr 1-Oct 31, intsv gliding ops Jun 1-Aug 31. All glider ops within 3NM W of A/D, max alt 4000 ASL. USE EXTREME CAUTION WHEN JOINING CIRCUIT FROM WEST. Civilian parajump activity dly Apr 15-Oct 31, activated by NOTAM. Max alt 12,000 ASL. Drop zone NE of thld rwy 15. Lgt tower 1128 ASL (377 AGL) 2.5NM W of A/D. Military parajump activity year round dur daylight hrs 3000 ASL ocsl up to 10,000 ASL.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B330 AERODROME/FACILITY DIRECTORY

GJOA HAVEN NU

CYHK

REF	N68 38 08 W95 51 01 1.5W 8°W GV88°E UTC-7(6) Elev 154' A5042 C-11 LO5 HI1 HI2 CAP	
OPR	Govt of Nunavut 867-983-4184/4014 Cert	
PF	C-1,2,3,4,5	
FLT PLN	NOTAM FILE CYHK	
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
CARS	867-360-6321 Ltd hrs (see COMM). Lcl wx only, other wx O/R	
WX	METAR dur CARS hrs (see COMM) O/T Legacy AWOS. TAF H24, issue times: 00, 06, 12, 18Z.	
SERVICES	Call out chg may be levied outside oprg hrs.	
FUEL	JA-1 1630-01Z† Mon-Fri exc hols, PNR 867-360-7271/7616/6321 or 867-983-7259/7285. Credit cards not accepted. Credit by prior arng only, ctc 867-645-5169, allow 7 working days.	
RWY DATA	Rwy 13T(127°T)/31T(307°T) 4400x100 gravel Rwy 31T up 0.59%	
RCR	Hamlet mgr 867-360-7141 A/D maint avbl 15-24Z† Mon-Fri exc hols O/T PNR & call out chg rqrd. PLR/PCN	
LIGHTING	13T-AS(TE ME) AP, 31T-AS(TE ME) AP ARCAL-122.1 type K (See CAUTION)	
COMM		
MF	aprt rdo ltd hrs O/T tfc 122.1 5NM 3200 ASL (CAR 602.98)	
APRT RDO	122.1 (V) 13-01Z† Mon, Tue, Thu, Fri & Sun 13-23Z† Wed, clsd Sat	
Legacy AWOS	128.7	
NAV		
NDB	YHK 236 (M) N68 37 34 W95 51 30 021°T 0.5NM to A/D Unmonitored	
CAUTION	Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge).	

GLADSTONE MB

CJR5

REF	N50 09 49 W98 56 33 3S 6°E UTC-6(5) Elev 900' A5007 E-16 E-17	
OPR	R.M. of Westbourne 204-385-2388 (Phone & Fax no) Reg	
PF	B-1 C-2,4,5	
FLT PLN	NOTAM FILE CYDN	
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
SERVICES	For svcg 204-385-2153/2146/2962	
FUEL	100LL, MG-1	
OIL	All	
S	2,3,4,5,6	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B331

GLADSTONE MB (Cont'd)


CJR5

RWY DATA	Rwy 18(182°)/36(002°) 2695x95 asphalt/turf, centre 50' asphalt Rwy 08(084°)/26(264°) 2050x75 turf/snow
RCR	G. Friesen 204-385-2116 or J. Teichrib 204-385-2153/2146
LIGHTING	18-(TE LO), 36-(TE LO) SS-0530Z± O/T PNR
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3900 ASL

GLASLYN SK

CJE5


REF	N53 22 38 W108 20 32 1NE 14°E UTC-6 Elev 2250' aprx A5015 E-16
OPR	Village 306-342-2144 Reg
PF	C-1,2,5
FLT PLN	NOTAM FILE CYP FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 16(166°)/34(346°) 2600x180 turf
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 5300 ASL
CAUTION	Lgtd twr 2610 ASL (360 AGL) 1.0NM SSW



GLENBORO MB

CJJ2

REF	N49 33 W99 20 1.5SW 7°E UTC-6(5) Elev 1240' A5007 E-16 E-17
OPR	Glenboro Muni Apt Comsn 204-827-2083 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYBR FIC Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 17(173°)/35(353°) 2650x100 turf
RCR	Opr Ltd maint
COMM	
ATF	tfc 123.2 5NM 4300 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B332 AERODROME/FACILITY DIRECTORY

GLENDON AB

CFP5


REF	N54 16 15 W111 04 00 2.5NE 16°E UTC-7(6) Elev 1835' A5015 E-16
OPR	D & W Woycenko 780-635-2165 Reg PPR
PF	B-1, C-2,4,5
FLT PLN	NOTAM FILE CYLL
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 16(164°)/34(344°) 2200x70 turf
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 4900 ASL
CAUTION	P-lines 30 AGL 150' S thld rwy 34. P-lines/trees 30 AGL 200' N thld rwy 16.



GODERICH ON

CYGD

REF	N43 46 01 W81 42 38 1.5N 9°W UTC-5(4) Elev 712' A5000 F-21 LO6 HI5 CAP
OPR	Muni 519-524-2915 Reg
PF	B-1,2 C-3,4,5,6
CUST	AOE/15 888-226-7277 14-22Z‡ Mon-Fri exc hols
FLT PLN	NOTAM FILE CYGD
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	Call out chg for one or more svcs may be levied after hrs.
FUEL	100LL, JA-1
OIL	All
S	1,6, Ltd hrs
PVT ADV	Sky Harbour Aircraft 122.9
RWY DATA	Rwy 10/28 3000x50 asphalt Rwy 10 up 0.33% Rwy 14(137°)/32(317°) 5000x100 asphalt Rwy 14 up 0.5% Rwy 05(048°)/23(228°) 1870x80 turf
RCR	Opr 13-22Z‡ Mon-Fri O/T 14-22Z‡. APM 519-524-2915 No win maint rwy 05/23.
LIGHTING	10-(TE LO) AP 3.5', 28-(TE LO) AP, 14-AS(TE LO) AP, 32-AS(TE LO) AP ARCAL-122.7 type J
COMM	
ATF	UNICOM (AU) ltd hrs O/T tfc 122.7 5NM 3700 ASL
NAV	
NDB	GD 261 (L) N43 44 47 W81 43 51 047° 1.3NM to A/D
PRO	Rgt hand circuits rwy 05 (CAR 602.96).
CAUTION	Possible wind shear on apch rwy 14. Ocsl wildlife crossing rwys.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B333

GODS LAKE MB


CJB6

REF	N54 46 45 W93 43 01 0.5E 0° UTC-6(5) Elev 605' A5017 E-17
OPR	Olafson's Gods Lake Lodge 888-463-7525 Reg
PF	C-1,2,5 PNR May 24-Sep 20
FLT PLN	NOTAM FILE CYIV FIC Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 16(163°)/34(343°) 2500x65 gravel/sand RCR Opr No win maint
COMM	ATF tfc 123.2 5NM 3700 ASL



GODS LAKE NARROWS MB

CYGO



REF	N54 33 32 W94 29 29 1°E UTC-6(5) Elev 617' A5017 E-17 LO3 RCAP
OPR	Govt of Manitoba 204-677-6722 Cert

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B334 AERODROME/FACILITY DIRECTORY

GODS LAKE NARROWS MB (Cont'd)

CYGO

PF	A-1 C-2,4,5 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols
FLT PLN FIC	NOTAM FILE CYIV Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 14(140°)/32(320°) 3420x100 crushed rock. Rwy 14 up 0.44%. APM 204-335-2024 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-335-2369
LIGHTING	14-(TE ME) AP, 32-(TE ME) AP ARCAL-122.8 type K
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3700 ASL
NAV NDB	YGO 343 (L) N54 33 21 W94 28 55 at A/D Unmonitored
CAUTION	Lgtd twr 788 ASL (164 AGL) 1.2NM ESE.

GODS RIVER MB

CZGI

REF	N54 50 23 W94 04 43 Adj SE 0° UTC-6(5) Elev 627' A5017 E-17 LO3 CAP	
OPR	Govt of Manitoba 204-677-6722 Reg	
PF	A-1 C-1.5 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols	
FLT PLN FIC	NOTAM FILE CYIV Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 09(090°)/27(270°) 3540x80 crushed rock Rwy 27 down 0.62% APM 204-366-2216 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-366-2879	
LIGHTING	09-(TE LO), 27-(TE LO) ARCAL-122.8 type J (see CAUTION)	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3700 ASL	
NAV NDB	5O 350 (M) N54 50 31 W94 04 09 at A/D Pvt	
CAUTION	Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge). Tower 410 AGL 0.5NM N.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B335

GOLDEN BC

CYGE

REF	N51 17 57 W116 58 56 Adj W 18°E UTC-7(6) Elev 2575' A5005 E-15 LO2 RCAP	
OPR	Town 250-344-2271/6017 Reg	
PF	A-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYKA FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) WX METAR 14-24Z (DT12-24Z).	
SERVICES	FUEL 100LL, JA, FSII East Kootenay Fuel Sales Ltd. Automated credit card processing. Single point (sp) refueling upon request. S 4, 5	
RWY DATA	Rwy 14/32 4500x75 asphalt	
RCR	East Kootenay Fuel Sales Ltd 250-344-2534	
COMM		
DRCO	Pacific rdo 126.7 (FISE)	
MF	tfc 122.8 5NM 5600 ASL	
PRO	Rgt hand circuits rwy 32 (CAR 602.96), circuit hgt 4000 ASL.	
CAUTION	Blasting ops aprx 4NM N & aprx 7SE of aprt. Hang gliding & para sailing all year. Deer on rwy.	

GOLDEN (CANADIAN HELICOPTERS) BC (Heli)

CGN2

REF	N51 18 11 W116 58 54 Adj NW 18°E UTC-7(6) Elev 2575' A5005	
OPR	Canadian Helicopters Western 250-344-5311 Reg PNR	
FLT PLN	NOTAM FILE CYKA FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) WX 250-344-5665 METAR 14-23Z (DT 12-23Z).	
PAD DATA	35' x 200' concrete 300' x 400'	
RCR	250-344-5311	
COMM		
DRCO	Pacific rdo 126.7 (FISE)	
MF	tfc 122.8 5NM 5600 ASL	
CAUTION	P-line adj W side, parallel train tracks.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B336 AERODROME/FACILITY DIRECTORY

GOLDEN (GOLDEN & DISTRICT GEN HOSP) BC (Heli)

CBT5


REF	N51 17 48 W116 58 05 18°E UTC-7(6) Elev 2575' A5005
OPR	Golden & District Health Care Society 250-344-6066 Cert PNR
FLT PLN FIC	NOTAM FILE CYKA Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA RCR	64' dia asphalt 85' dia max length 43' Opr
COMM DRCO MF A/G	Pacific rdo 126.7 (FISE) tfc 122.8 5NM 5600 ASL centred on Golden A/D Ambulance dispatch 130.275
PRO	Arr/dep to/fr N.
CAUTION	P-line adj S side. Obst to 100 AGL all quads. Fence borders safety area.



GOODSOIL SK

CKF4

REF	N54 25 W109 14 1NNW 15°E UTC-6 Elev 1750' A5015 E-16
OPR	Village 306-238-2094 Reg
PF	C-1,2,4,5
FLT PLN FIC	NOTAM FILE CYLL Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 07(075°)/25(255°) 2950x100 turf Opr Ltd win maint
COMM ATF	tfc 123.2 5NM 4800 ASL
PRO	Rgt hand circuits rwy 25 (CAR 602.96).
CAUTION	Fence 75' fr thld 07. Lgt'd tower 2290 ASL (365 AGL) 4.2NM W of A/D.




GOODWINS FARM AB — See SUNDRE / GOODWINS FARM

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B337

GOOSE BAY VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
HELO 1	VCHLA	N53° 20.33 W60° 24.95
HELO 2	VCHLB	N53° 18.25 W60° 21.95
HELO 3	VCHLC	N53° 17.00 W60° 24.45
HELO 4	VCPTR	N53° 18.00 W60° 33.00
HELO 5	VCHLD	N53° 15.00 W60° 19.00
INIT 08	VCATE	N53° 16.67 W60° 30.95
INIT 26	VCINI	N53° 20.67 W60° 20.95


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B338 AERODROME/FACILITY DIRECTORY

GOOSE BAY NL

CYYR



REF	N53 19 09 W60 25 33 4.5NNW 24°W UTC-4(3) Elev 160' A5020 E-19 L07 HI1 CAP OC
OPR	DND 709-896-6900 Ext 7331 CSN 319-555-7331 e-mail csc@forces.gc.ca , for civ ctc Goose Bay Airport Corp 709-896-5445 e-mail gbacss@hvgb.net 12-21Z± Mon-Fri O/T 709-896-5755 Fax 709-896-2434 Ldg fees thru PVT ADV
PF	A-1,6 C-2,3,4,5
CUST	AOE/15 709-896-6907 12-20Z±, 709-256-6583 (Gander) 20-12Z± Pvt, corporate & charter less than 15 pax 888-226-7277.
FLT PLN	NOTAM FILE CYYR
FIG	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Gander 709-651-5225 or 888-751-5225. Fit plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
MIL	Flt ops 709-896-6900 Ext 7331 CSN 319-555-7331, e-mail csc@forces.gc.ca
WX	WD2 CSN 319-555-7397 or 709-896-6900 Ext 7397. All svcs avbl 24 hrs. Met brief for mil only.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B339

GOOSE BAY NL (Cont'd)

CYYR

SERVICES	All acft carrying dangerous goods, Class 1, division 1.1, 1.2, 1.3, 1.4 explosives 24 hr PPR thru 709-896-6900 Ext 7331 CSN 319-555-7331. Hg space avbl. Civ acft co-ordination thru FBO at PVT ADV. Mil acft co-ordination thru MIL ADV. 100LL, JA-1 (FSII avbl), F-34, SP, HPR (CON I IP F-34, FSII). All (128, 133, 156)
FUEL	1,2
OIL	8
S	
ARFF	LOX, LHOX, D & A-ice (24 hrs PNR thru opr).
SUP FL	CE13, 14, CA1
JASU	Fit Ops 129.85 350.5 5680 709-896-6900 Ext 7331 CSN 319-555-7331. Tran svcg thru Woodward Avn unicom 122.9 800-563-5202, 709-896-5036.
MIL ADV	Irving Avn 123.3 709-896-9090 Page 1-553-1092; Woodward Avn 122.9 709-896-5036, 800-563-5202 or 709-896-1328
PVT ADV	Imperial Oil (Woodward's Avn 709-896-5036)
MIL CON	
RWY DATA	Rwy 08(079°)/26(259°) 11051X200 concrete with asphalt overlay Rwy 16(157°)/34(337°) 9580x200 concrete with asphalt overlay A-cable: rwy 08 BAK-12B(1300'); rwy 26 BAK-12B(1350'); rwy 16/34 BAK-12B (1476'). Nov 1-Mar 31 acft requiring cable 24 hr PNR. Apr 1-Oct 31 1 hr PNR thru opr.
TWY	Twys J, K, L and H south of J uncontrolled. Twys A1, K & L unlit. Uncontrolled vehicle rte on twy G.
RCR	Opr CRFI No win maint on twy A1. Ltd win maint on rwy 16/34, twy M, N, Q fr Nov 30-Mar 1. PLR/PCN Rwy 08/26 PCN 86/F/B/W/T RWY 16/34 PCN 59/R/B/W/T.
LIGHTING	08-AN (non-std 3000' (1600' SF)) (TE HI) P2, 16-AS(TE HI) P2, 26-AN(TE HI) P2, 34-AD (TE HI) P2
COMM	
RCO	Halifax rdo 126.7 (FISE)
ATIS	128.1 340.8
CLNC DEL	118.1 336.5
GND	121.9 275.8
TWR	119.1 236.6 (E)
TML	119.5 267.1 257T (E) 11-03Z± Mon-Sat O/T Gander Ctr
PAL	Gander Ctr 120.4 294.5
PMSV	344.6
NAV	
VOT	111.8
NDB	GOOSE YR 257 (M) N53 20 16 W60 21 57 259° 1.8NM to A/D
VOR/DME	GOOSE YYR 117.3 Ch 120 N53 19 11 W60 17 41 (92') 294° 4.7NM to A/D
TACAN	GOOSE UYR 110.3 Ch 40 N53 19 11 W60 25 00 (200') at A/D Preventive maint 12-16Z± Tue exc dur IFR. Unrel btwn 096°-036° beyond 30NM below 3500'; 356°-036° beyond 35NM below 4100'; 106°-136° beyond 35NM below 4100'; 136°-356° beyond 35NM below 5000'.
ILS	IYR 110.3 (Rwy 08-26) RVR. Maint 12-16Z± Thu exc dur IFR.
PAR	119.9 124.5 255.4 324.5 289.8 (E) PAR avbl 11-03Z± Mon-Sat, Apr 1-Oct 15. Oct 16-31 Mar PAR 2hr PNR thru opr. PAR maint Apr 1-Oct 31 Sun 12-16Z±, Nov 1-Mar 31 Mon12-16Z±.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B340 AERODROME/FACILITY DIRECTORY

GOOSE BAY NL (Cont'd)

CYYR

PRO	Rgt hand circuits rwy 26 (CAR 602.96). Tfc ptns: jets 1500 ASL, convl 1000 ASL. Mil jet tfc VFR recovery points; N – Hill (051° R/10NM); E – East of Lake (124° R/13NM); W – Falls (276° R/14NM); S – Lake (241° R/13NM). Acft should land beyond apch end arrestor cable when in up posn. Noise abatement rwy 08 climb rwy hdg to 2000 ASL before turning. Noise abatement pro for sensitive area in vicinity of Northwest River/Sheshatshui N53 31.5 W60 09 (aprx YVR 046° R/14NM) & Mud Lake N53 18 W60 10 (aprx YVR 116° R/4.5 NM). All mil acft avoid flt below 2000 ASL within 2NM radius. Helo reporting pts - Helo will report over pts at 500 AGL: Helo 1 - CN Wharf; Helo 2 - Newfoundland Tel Twr; Helo 3 - Pumping Station; Helo 4 - Alexander Lake; Helo 5 - Abm Little Muskrat Lake. Unmarked fur farm loc N53 18.0 W60 22.0: Unmarked chicken farm loc N53 17.0 W60 24.0: Acft requested to avoid overflight of these farms below 1000 ASL within 0.5NM.
CAUTION	Snow bank on apron btwn twy B & C Nov-May. Daily radiosonde balloon launches with an ascent rate of 1000 ft/min between the hrs of 1115-1345Z and 2315-0145Z.

GORDON FIELD BC — See FORT NELSON / GORDON FIELD

GORDON LAKE AB

CFW2

REF	N56 37 W110 30 17°E UTC-7(6) Elev 1600' aprx A5023 D-13 E-16	
OPR	Alberta Sustainable Resource Development, Forest Protection Division Fort McMurray 780-743-7125 Reg	
FLT PLN	NOTAM FILE CYMM	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
RWY DATA	Rwy 15(150°)/33(330°) 2200x50 turf	
RCR	Opr Ltd maint. No win maint.	
COMM		
ATF	tfc 123.2 5NM 4600 ASL	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B341

GORE BAY-MANITOULIN ON

CYZE

REF	N45 52 54 W82 34 02 5WSW 9°W UTC-5(4) Elev 635' A5000 A5001 F-21 LO4 HI4 HI5 CAP RCAP	
OPR	Gore Bay-Manitoulin Aprt Comsn Tel/Fax 705-282-2101 APM or 705-282-0111 Hangar, after hrs 705-282-0882/7281/2292 Cert	
PF	A-1 C-2,3,4,5,6	
CUST	AOE/15 888-226-7277 (DT 14-22Z), May 1-Jun 15; (DT 14-24Z), Jun16-Sep 15; 15-23Z† Thu-Mon, Sep 16-Oct 31	
FLT PLN	NOTAM FILE CYZE	
FIK	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
WX	METAR H24. Legacy AWOS (see COMM). TAF 11-23Z, issue times: 11, 18Z.	
PIK	ATB, dur regular hrs of operation of the aprt 0800-1800 lcl.	
SERVICES	13-23Z† dly exc 25 Dec & 1 Jan O/T call out chg may be levied for one or more svcs. Courtesy car avbl.	
FUEL	100LL, JA-1, SP	
OIL	100, 15W50, 20W50	
S	1,2,4,5,6	
RWY DATA	Rwy 11(106°)/29(286°) 4924x100 asphalt	
RCR	Opr Ltd win maint. PLR/PCN	
LIGHTING	11-(TE ME), 29-(TE ME) ARCAL-122.8 type K	
COMM		
RCO	London rdo 126.7 (FISE) (U)	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3600 ASL	
Legacy AWOS	128.725	
NAV		
NDB	GORE BAY YZE 245 (M) N45 55 42 W82 36 55 154° 3.2NM to A/D	

GOYER FIELD AB — See EDMONTON / GOYER FIELD

GRACE LAKE MB — See THE PAS / GRACE LAKE

GRANBY / ARTOPEX PLUS QC (Helicopter)

CTRA

REF	N45 23 27 W72 45 58 16°W UTC-5(4) Elev 295' aprx VTA A5002
OPR	Le groupe Pro Plus Inc 450-973-9655/378-0189 Cert PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	(bil) NOTAM FILE CYSC
FIK	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	58' x 58' asphalt

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B342 AERODROME/FACILITY DIRECTORY

GRANBY / ARTOPEX PLUS QC (Heli) (Cont'd)


CPL4

COMM	
ATF	tfc 123.2 5NM 3300 ASL outside Bromont MF/ATF zone
PRO	Arr/dep btwn 260°-060°.

GRAND BEND ON

CPL4

REF	N43 17 13 W81 42 51 2.3SE 8°W UTC-5(4) Elev 642' A5000 F-21
OPR	Aprt Committee 519-238-8610 Reg PPR
PF	B-1 C-2,3,4,5 D-6
FLT PLN	NOTAM FILE CYXU London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
S	2,4,5
RWY DATA	Rwy 07/25 2340x150 gravel Thld 07 displ 100'.
RCR	Opr No win maint




COMM	
ATF	tfc 123.2 5NM 3600 ASL
PRO	Parachute jumps vary up to 12,500 ASL, advertised by NOTAM and announced on 123.2. Remain at least 2NM fr A/D unless intentions announced on 123.2 due possible conflicts with parajumps.
CAUTION	Beware of ocsl vehicles on rwy unannounced. CYA 529(P) within 1.5NM radius N43 17 00 W81 43 00 (0.2NM SW A/D) to 12,500 ASL ocsl daylight hr by NOTAM.

GRAND FALLS NB

CCK3

REF	N47 04 30 W67 41 06 2.6NE 19°W UTC-4(3) Elev 712' A5002 A5003 F-22 LO8
OPR	Grand Falls Avn 506-473-2566 Reg
PF	B-1,5 C-2,3,4,6
CUST	AOE/15 888-226-7277
FLT PLN	NOTAM FILE CYCL (bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
SERVICES	
FUEL	100
OIL	All



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B343



GRAND FALLS NB (Cont'd)

CCK3

RWY DATA	Rwy 16/34 4000x75 turf/gravel/asphalt, centre 40' asphalt first 3000' rwy 34. Thld 34 displ 720'.
RCR	Opr Ltd win maint
COMM	
DRCO	(bil) Québec rdo 126.7 (FISE)
ATF	UNICOM ltd hrs O/T tfc 123.0 5NM 3700 ASL
CAUTION	Parachuting below 9500 ASL 5NM SSE.

GRAND FALLS-WINDSOR NL (Heli)

CFW8




REF	N48 55 29 W55 38 50 Adj 22°W UTC-3½(2½) Elev 157' A5011 E-19 F-22
OPR	Town of Grand Falls-Windsor 709-489-0427/0430 Reg
PF	C-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYYT
FIG	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
SERVICES	S 4
PAD DATA	64' x 64' asphalt
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 3200 ASL
PRO	Arr/dep btwn 108° & 318° fr heli.
CAUTION	Trees & brush in SE & SW arr/dep paths.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B344 AERODROME/FACILITY DIRECTORY

GRAND FORKS VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B345

GRAND FORKS BC

CZGF

REF	N49 00 56 W118 25 50 1SSE 18°E UTC-8(7) Elev 1720' A5005 E-15 LO2 CAP	
OPR	City 250-442-8266/5344 Cert	
PF	A-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYCG Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) AWOS (Pvt) 250-442-0043 (see COMM)	
SERVICES		
FUEL	100LL, JA 250-442-5344/8266/6718	
OIL	80, 100, 15W-50	
S	1,3,4,5	
RWY DATA	Rwy 07(072°)/25(252°) 4300x100 asphalt	
RCR	Opr Ltd win maint 15-2330Z Mon-Fri exc hols. O/T 2 hrs PNR. Call out chg may be levied. 250-442-2033 follow instructions.	
LIGHTING	07-(TE ME) P1 4°, 25-(TE ME) P1 4°, PPR (see PRO).	
COMM		
RCO	Pacific rdo 126.7 (FISE)	
ATF	tfc 123.2 5NM 4700 ASL	
AWOS (Pvt)	122.97	
NAV		
NDB	2J 250 (L) N49 01 03 W118 25 25 225° 0.3NM to A/D Pvt	
PRO	Restrictions: Pursuant to CARs 602.96 (3)(d), only pilots authorized by the Aprt Opr in accordance with the pros in the approved Aprt Ops Manual can use this aprt dur hrs of darkness. Ngt circuit alt W 3200 ASL, E 2800 ASL. See VTCP ngt circuit pro. Rgt hand circuits rwy 25 (CAR 602.96).	
CAUTION	Radio controlled aircraft flying, monitoring ATF.	

GRAND MANAN NB

CCN2

REF	N44 42 48 W66 47 47 2NW 18°W UTC-4(3) Elev 238' A5003 F-22 LO8 CAP	
OPR	Grand Manan Aprt Comsn 506-662-7059/8115 Reg	
PF	B-1 C-2,4,5,6	
CUST	AOE/15 888-226-7277	
FLT PLN	NOTAM FILE CYSJ Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
RWY DATA	Rwy 06(057°)/24(237°) 3000x75 asphalt	
RCR	Opr Ltd win maint PNR	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B346 AERODROME/FACILITY DIRECTORY

GRAND MANAN NB (Cont'd)


CCN2

LIGHTING	06-AS (TE ME), 24-AS(TE ME) ARCAL-123.2 type K key mic 7 times for RIL.
COMM	
ATF	tfc 123.2 5NM 3200 ASL
NAV	
NDB	6E 387 (L) N44 42 56 W66 48 08 136° 0.3NM to A/D Pvt Unmonitored
CAUTION	Deer in vic of rwy. Extensive bird activity in vic of aerodrome

GRAND RAPIDS MB

CJV8


REF	N53 10 21 W99 19 23 2SW 7°E UTC-6(5) Elev 860' A5016 E-16 E-17 RCAP
OPR	Manitoba Hydro 204-639-4121/4131 Fax 204-639-4101 Reg PPR
FLT PLN	NOTAM FILE CYQD
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	LWIS (Pvt) (See COMM) 204-639-2232
RWY DATA	Rwy 13(128°)/31(308°) 3120x75 gravel
RCR	Opr Ltd win maint
LIGHTING	13-AS(TE ME)AP, 31-AS(TE ME)AP ARCAL-122.8 type K
COMM	
ATF	UNICOM 122.8 5NM 3900 ASL
LWIS (Pvt)	129.175
CAUTION	Lgtd twr 1087 ASL (321 AGL) 0.8NM SE of A/D.



GRAND RIVER PE

CCA9

REF	N46 28 51 W63 57 10 20°W UTC-4(3) Elev 50' A5003 F-22
OPR	G. Moose 902-436-3881/3888, 902-888-7999 Reg PNR
PF	D-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYYG
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
RWY DATA	Rwy 17/35 1800x150 grass
RCR	Opr
COMM	
ATF	tfc 123.2 5NM 3100 ASL
CAUTION	Trees 40' on the button rwy 17.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B347

GRAND VALLEY / LUTHER FIELD ON

CGV2

REF	N43 58 35 W80 23 07 6NNW 10°W UTC-5(4) Elev 1602' VTA A5000 F-21
OPR	Jon & Kay Welch 519-928-2542 Reg PNR
PF	B-1 D-2,4
FLT PLN FIC	NOTAM FILE CYBM London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES S	1,4,5
RWY DATA RCR	Rwy 08(084°)/26(264°) 1885x70 turf Thld 26 displ 460' Rwy 18(178°)/36(358°) 2108x70 turf Opr No win maint




CAUTION P-lines marked 63' from rwy 26. Hydro twrs aprx 150' AGL 3000'- 3500' E & N of A/D.

GRANDE AB

CFA5

REF	N56 18 W112 14 18°E UTC-7(6) Elev 1750' aprx A5015 A5023 D-13 E-15 E-16
OPR	Alberta Sustainable Resource Development, Forest Protection Division Fort McMurray 780-743-7125 Reg
FLT PLN FIC	NOTAM FILE CYMM Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 03(031°)/21(211°) 2400x100 turf Opr Ltd maint. No win maint.
COMM ATF	tfc 123.2 5NM 4800 ASL




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B348 AERODROME/FACILITY DIRECTORY


GRANDE CACHE VFR TERMINAL PROCEDURES CHART



GRANDE CACHE AB

CEQ5

REF	N53 55 01 W118 52 28 9E 20°E UTC-7(6) Elev 4117' A5014 E-15 LO1 HI3
OPR	Town 780-827-3362/5229 Reg
PF	B-1 D-2,5
FLT PLN	NOTAM FILE CYEG
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
SERVICES	
FUEL	100LL 780-827-5353
RWY DATA	Rwy 08(084°)/26(264°) 5000x100 asphalt
RCR	Opr
LIGHTING	08-(TE ME)V1, 26-(TE ME)V1 ARCAL-123.2 type K. Night ops not recommended unless all 4 hazard beacons oprg
COMM	
ATF	tfc 123.2 5NM 7100 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B349

GRANDE CACHE AB (Cont'd)

CEQ5

NAV	<p>NDB Q5 300 (L) N53 55 05 W118 52 05 234° 0.2NM to A/D Pvt Unmonitored</p> <p>DME Q5 110.8 (M) Ch 45 N53 55 03 W118 52 50 (4145') 0.2NM to A/D Pvt Unmonitored</p>
PRO	Rgt hand circuits rwy 26 (CAR 602.96). Night - follow VTPC. Do not descend below 5100 ASL until on final approach.
CAUTION	Only pilots familiar with lcl terrain should use this aprt dur hrs of darkness. Water bomber activity at or in vic of A/D Apr thru Sep. Acft at opposite ends of rwy may not be visible to each other.

GRANDE PRAIRIE AB

CYQU

REF	N55 10 47 W118 53 06 3WNW 20°E UTC-7(6) Elev 2195' A5014 E-15 LO1 HI3 CAP	
OPR	Grande Prairie aprt comsn 780-539-5270 Cert Ldg fees	
PF	A-1,2,3,6 avbl 13-05Z‡ C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYQU	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	METAR H24. TAF H24, issue times: 01, 07, 13, 19Z.	
SERVICES	<p>FUEL 100, JA, JA-1(FSII avbl), JB, SP</p> <p>OIL All</p> <p>S 1,2,3,4,5,6</p> <p>ARFF Cat 5, 1245-0545Z‡ O/T 3 hrs PNR</p> <p>SUP FL D & A - ice</p> <p>PVT ADV Swan Aero 123.0 780-532-3607; Grande Prairie Shell Avn 122.35 780-814-6812; Adventure Avn (Esso) 129.45 780-876-3776</p>	
RWY DATA	Rwy 12(115°)/30(295°) 6500x200 asphalt Rwy 07(070°)/25(250°) 6200x200 asphalt	
TWY	Twy C uncontrolled	
APRON	ATB Apron: Aircraft parking stands with painted numbers require marshall in and pushback out. No exceptions.	
RCR	Opr Maint 12-0515Z dly, O/T 1 hr PNR. Call out fee may be levied. CRFI, PLR/PCN	
LIGHTING	07-AO(TE ME) P2, 12-AO(TE HI) P2, 25-AO(TE ME) P2, 30-AN(TE HI) P2	
COMM	<p>RADIO 118.1 (V) (emerg only 780-539-5185)</p> <p>RCO Edmonton rdo 123.475 (FISE) 126.7 (bcst)</p> <p>ATIS 128.6</p> <p>CLNC DEL 121.9 ltd hrs</p> <p>MF rdo 118.1 5NM 5200 ASL (CAR 602.98)</p> <p>PAL Edmonton Ctr 134.5</p> <p>VDF 118.1</p>	
NAV	<p>NDB QU 221 (M) N55 08 16 W118 48 51 294° 3.0NM to A/D</p> <p>VOR/DME YQU 113.1 Ch 78 N55 10 27 W119 01 49 (2515') 062° 4.5NM to A/D</p> <p>ILS IQU 109.9 (Rwy 30-12)</p>	
CAUTION	Acft to avoid overflying Flyingshot Lake aprx 2NM SSE thld 30. Trumpeter Swan nesting area.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B350 AERODROME/FACILITY DIRECTORY

GRANDE PRAIRIE (FORESTRY) AB (Heli)

CEZ9

REF	N55 09 13 W118 49 24 Adj SW 20°E UTC-7(6) Elev 2151' A5014	
OPR	Dept of Environment Land & Forest Service 780-538-8080 Cert PPR	
FLT PLN	NOTAM FILE CYQU Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
PAD DATA	Dual pads 50' x 50'	
COMM	RCO Edmonton rdo 122.5 (FISE) 126.7 (FISE)	
	MF Grande Prairie rdo 118.1 5NM centered on Grande Prairie A/D 2.7NM WNW 5200 ASL (CAR 602.98)	

GRANDE PRAIRIE (QUEEN ELIZABETH II HOSP) AB (Heli)

CGP2

REF	N55 10 34 W118 47 16 20°E Adj UTC-7(6) Elev 2194' A5014	
OPR	Queen Elizabeth II Hospital 780-538-7100 (Security) or 780-538-7246 or 780-832-2104 Cert PNR	
FLT PLN	NOTAM FILE CYQU Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RCR	55.1' dia concrete 110.2' dia grass/asphalt Opr 15-22Z†	
LIGHTING	RY(LO) green	
COMM	MF Grande Prairie rdo 118.1 5NM centred on Grande Prairie A/D 3.4NM W 5200 ASL (CAR 602.98)	
PRO	Single arr/dep path brg 168° fr heli, becoming 122° (parallel railway S of heli), slope 12%. Rstd to multi-engine heli.	
CAUTION	Overhead P-line N of heli. Light poles S of heli. Hosp bldg SE of heli.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B351

GRANDES-BERGERONNES QC

CTH3

REF	N48 13 56 W69 32 34 1S 19°W UTC-5(4) Elev 69' A5010 E-18 F-21 F-22
OPR	Village 418-232-6244 Reg
PF	C-1,2,3 D-4,5
FLT PLN FIC	(bil) NOTAM FILE CYYY Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 10/28 1500x50 asphalt Thld 10 displ 150'. Opr No win maint
COMM ATF	tfc 123.2 5NM 3100 ASL
CAUTION	Lac Gobeil water A/D 4.2 NM W




GRANT QC — See ST-MATHIAS / GRANT

GRAVELBOURG SK

CJM4

REF	N49 52 W106 34 1SW 12°E UTC-6 Elev 2296' A5006 E-16
OPR	Town 306-648-3301 Reg
PF	C-2,4,5
FLT PLN FIC	NOTAM FILE CYYN Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES FUEL OIL S	For svcg 306-648-2246 100LL All 4,5,6
RWY DATA RCR	Rwy 17(168°)/35(348°) 2500x75 asphalt Opr
LIGHTING	17-(TE LO), 35-(TE LO) SS-SR with photo cell.
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 5300 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B352 AERODROME/FACILITY DIRECTORY

GREAT BEAR LAKE NT

CFF4

REF	N66 42 11 W119 43 02 1S 28°E GV148°E UTC-7(6) Elev 551' A5035 C-10 LO5 CAP	
OPR	Plummers Great Bear Lake Lodge 204-774-5775 Reg PPR	
FLT PLN FIC	NOTAM FILE CYZF North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 10T(099°T)/28T(279°T) 5197x100 gravel Rwy 10T up 0.71% Opr No win maint	
COMM ATF	UNICOM (AU) ltd hrs O/T tfc 122.8 5NM 3600 ASL	
NAV NDB	D1 367 (L) N66 42 32 W119 40 20 252°T 1.1NM to A/D Pvt	

GREATER MONCTON INTL NB — See MONCTON / GREATER MONCTON INTL

GREENBANK ON

CNP8

REF	N44 08 W79 01 1S 11°W UTC-5(4) Elev 975' VTA A5000 F-21	
OPR	Greenbank Airways Ltd 416-984-6449 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN FIC	NOTAM FILE CYKZ London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES FUEL S	100LL, JA-1, MG-4 Cardlock dispenser 4,5,6	
RWY DATA RCR	Rwy 16/34 2230x80 turf Rwy 03/21 1800x80 turf Opr 12-22Z±. Rwy 16/34 ltd win maint. Rwys soft in spring, ctc opr.	
LIGHTING	16-(TE ME), 34-(TE ME) ARCAL-122.725 type J	
COMM ATF	UNICOM ltd hrs O/T tfc 122.725 5NM 4000 ASL	
PRO	Rgt hand circuits rwys 03 & 16 (CAR 602.96). Tng activity btwn Toronto/Buttontville Municipal & Oshawa apts. See Planning, Ontario, Hazards to acft operations, Claremont tng area.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B353

GREEN LAKE BC

CBG2

REF	N51 25 46 W121 12 35 0.5E 19°E UTC-8(7) Elev 3550' A5004 E-15
OPR	Flying U Guest Ranch 250-456-7717 Reg PPR
PF	B-1,2,5
FLT PLN FIC	NOTAM FILE CYWL Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES S	4,5
RWY DATA RCR	Rwy 18/36 2575x40 turf Opr Apr 1-Nov 1 No win maint. Rwy lower in ctr.
COMM ATF	tfc 123.2 5NM 6600 ASL
PRO	Arr rwy 36, dep rwy 18.
CAUTION	Unprepared rwy shoulders. Trees 60' high 50' fr centreline along N end of rwy.




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B354 AERODROME/FACILITY DIRECTORY

GREENWOOD HELI VFR TERMINAL PROCEDURES CHART




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B355

GREENWOOD NS

CYZX



REF	N44 59 04 W64 55 01 1.5E 19°W UTC-4(3) Elev 92' A5003 F-22 LO8 HI6 CAP
OPR	DND 902-765-1494 Ext 5457 CSN 319-568-5457 Mil Fax DND 902-765-5492, CSN 319-568-5492
PF	B-1 D-2,3,4,5,6
CUST	AOE 12-21Z± Mon-Fri, exc hols, mil flt only, 4hr PNR Mandatory thru Wg Ops 902-765-1494 Ext 5457 Fax 5492 CSN 319-568-5457/5469.
FLT PLN	NOTAM FILE CYZX
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
MIL	902-765-1494 Ext 5457
WX	WD1 902-765-1494 Ext 5529 Fax 902-765-5949 (see COMM)

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B356 AERODROME/FACILITY DIRECTORY

GREENWOOD NS (Cont'd)

CYZX

SERVICES	Except unusual circ, 48 hr PNR for all acft thru Wg Ops. 902-765-1494 Ext 5457 or CSN 319-568-5457/5469. Tran svcg very ltd (mil acft only). Mil acft NOVA/Fit adv rqrd essential arrivals only outside of 11-01Z± Mon-Fri (including hols). F-34 All 128, 148, 156 ltd supply 6 LHOX LOX D-Ice PRESAIR CE 12, 13, 16 MA-1A Greenwood Wg Ops 308.6 all mil acft advs ramp time, requirements 20 min prior ldg. Acft requiring gnd wash fac lctd btwn twy C & D advise line servicing freq 308.6 dur taxi. Tusker Ops 129.775 1130-20Z± Mon-Fri exc hol. Eagle ops 308.6 11-20Z± Mon-Fri exc hol.
RWY DATA	Rwy 08(083°)/26(263°) 8000x200 asphalt Rwy 12(124°)/30(304°) 8000x200 asphalt A-cable rwy 26 BLISS 500 (1510'); rwy 08 BAK 12 (2625'). All acft requiring cable 1 hr PNR CSN 319-568-5457, 902-765-1494 Ext 5457.
RCR	Opr CRFI Expect water on E 1/2 of rwy 08/26 dur rain or melting snow. S100, T200, ST248, TT325. Rwy 08/26 PCN 120/F/A/X/T. Rwy 12/30 PCN 120/F/A/X/T.
PAD DATA	North Pad: 98' x 98' asphalt 50,000 lbs. South Pad: 98' x 98' asphalt 50,000 lbs.
LIGHTING	08-AN (non-std 3000' (1600' SF)) (TE HI) P2 rgt side only GPI 954' TCH 50', 12-(TE HI) P2 left side only GPI 954' TCH 50', 26-AN (non-std 3000' (1600' SF)) (TE HI) P2 GPI 965' TCH 50', 30-AN (non-std 3000' (1600' SF)) (TE HI) P2 3.2° GPI 895' TCH 50'
COMM	ATIS 128.85 244.3 11-24Z± CLNC DEL 128.025 283.9 GND 133.75 289.4 TWR 119.5 126.2 236.6 324.3 (E) TML 120.6 335.9 (E) PMSV 344.6 ltd hrs
NAV	NDB YZX 266 (M) N44 55 22 W65 06 07 083° 8.0NM to A/D AYLESFORD GF 341 (L) N45 01 26 W64 48 37 263° 4.5NM to A/D TACAN UZX 117.6 Ch 123 N44 59 00 W64 55 11 (117') at A/D Preventive maint first Wed every month 12-18Z± ILS IZX 110.7 (Rwy 26/08) RVR PAR 118.1 258.6 283.9 378.5 (E) PSR/SSR/PAR preventive maint 22-02Z± Mon exc dur IFR, Mon hol altn Tue.
PRO	Tfc Ptns; convl 1500 ASL exc lgt acft 1100 ASL (Daylight hrs only), Jet 2000 ASL overhead breaks-away fr the TWR for all rwys, max 300 kt at initial. Glider activity to 3000 A/D north to Hwy 101. Moderate to severe turbulence & wind shear may be experienced to apch to rwys 12 & 30 dur cond of high sfc winds. Unmarked fur farm lctd N44 51 24 W65 10 18 (UZX 254R/13.1 DME), elev 580 ASL. Acft requested to remain outside 2NM and/or overfly min 2000 ASL. Radar Square: refer to dep pro; Rwy 08; clnc limit DURUN IF, maintain 2500 ASL, after completion of dep or missed apch rwy 08, turn left 330°. Rwy 26; clnc limit EMPIK IF, maintain 2500 ASL, after completion of dep or missed apch rwy 26, turn rgt 030°. Rwy 30; clnc limit ILUMI IF, maintain 2500 ASL, after completion of dep or missed apch rwy 30, turn left 180°.
HELI	VFR-Arr/Dep req November or Sierra routes. See VTPC-Dep/Arr maintain 500 AGL within "ZX" CZ or as cleared by ATC. Acft to remain clear of all apch corridors.
NOISE ABATEMENT	Arr rwy 12 rstd unless operationally necessary. Dep/low apch rwy 30 rstd for high performance acft unless operationally necessary.
CAUTION	Painted & lgted twr 895 ASL (325 AGL) 2.7NM S; loc in VFR tfc ptn of rwy 30. During periods of hvy rain, rwys 08/26 experience excessive pooling on both sides of centerline. Pooling areas are as deep as 1/4 inch.

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B357

GRENFELL SK

CKU6


REF	N50 25 09 W102 56 07 0.3N 10°E UTC-6 Elev 1964' A5006 E-16
OPR	Town 306-697-2815 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYQV
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES	
S	5
RWY DATA	Rwy 08(080°)/26(260°) 2200x100 turf
RCR	Opr No win maint. Rwy ruf.
COMM	
ATF	tfc 123.2 5NM 5000 ASL
PRO	Rgt hand circuits rwy 26 (CAR 602.96).



GRIMSBY AIR PARK ON

CNZ8

REF	N43 09 36 W79 35 57 10°W UTC-5(4) Elev 640' VTA A5000 F-21 LO6 CAP
OPR	R. Meyer 905-945-6161/643-1313/3696 Reg
PF	C-2,3,4,5,6
FLT PLN	NOTAM FILE CYHM
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	13-23Z
OIL	100LL
S	All 1,2,3,4,5,6
RWY DATA	Rwy 04(037°)/22(217°) 2870x75 gravel/asphalt, centre 40' asphalt
RCR	Opr Ltd win maint
LIGHTING	04-(TE LO), 22-(TE LO) Opr dusk to 04Z± O/T PNR.
COMM	
ATF	UNICOM ltd hrs O/T tfc 123.35 5NM 3600 ASL
NAV	
NDB	BINBROOK ZHM 266 (LZ) N43 08 39 W79 47 38 095° 8.6NM to A/D



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B358 AERODROME/FACILITY DIRECTORY

GRISE FIORD NU

CYGZ

REF	N76 25 34 W82 54 33 60°W GV23°E UTC-5(4) Elev 146' A5047 A5049 B-8 LO9 HI1 RCAP	
OPR	Govt of Nunavut 867-897-3606 Reg	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYGZ	
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
CARS	867-980-9946 Ltd hrs (see COMM).	
WX	Lcl wx only, other wx O/R.	
SERVICES	Call out chg may be levied outside oprg hrs.	
FUEL	JA-1 1330-23Z± Mon-Sat exc hols O/T call out chg PNR ctc 867-980-4040/4037 or 867-979-1222. Credit cards not accepted. Credit by prior arng only, ctc 867-645-5169/5187, allow 7 working days.	
RWY DATA	Rwy 14T(138°T)/32T(318°T) 1950x75 gravel Rwy 32T up 0.64%	
RCR	Opr Ltd win maint. PLR/PCN	
LIGHTING	14T-(TE LO), 32T-AJ(TE LO) only 1550' lgt V1 ARCAL-122.1 key mic 3 times in 5 sec for all A/D lgtg for 15 min duration. Yellow apch lgtg commence at flashing hdg of 009°T & curve left to rwy hdg of 318°T. Overshoot bar, 1000' from thld, marked by two red lgtg left & rgt of apch lgtg. Outer VASIS lgtg angled 15° rgt are visible on curved final apch. (See CAUTION).	
COMM		
MF	aprt rdo ltd hrs O/T tfc 122.1 5NM 3200 ASL (CAR 602.98)	
APRT RDO	122.1 (V) 13-21Z± Tue, Thu, Fri & Sat; 17-01Z± Wed, exc hols.	
NAV		
NDB	YGZ 365 (M) N76 25 24 W82 53 14 298°T 0.4NM to A/D Unmonitored	
PRO	Only opr with considerable experience in area should plan on using this A/D due to the unusual apch path surrounding terrain & variable lcl cond. If ldtg not assured by Overshoot Bar, immediate left climbing turn to 187°T.	
CAUTION	Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge).	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B359

GRIST LAKE AB

CFY2

REF	N55 24 W110 29 16°E UTC-7(6) Elev 2000' A5015 E-16
OPR	Grist Haven Lodge 780-594-1254 Reg
FLT PLN	NOTAM FILE CYEG
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 13(134°)/31(314°) 3000x75 sand
RCR	Opr Ltd maint. No win maint.
COMM	
ATF	tfc 123.2 5NM 5000 ASL
CAUTION	A/D in Cold Lake Air Weapons Range.




GROUP CAPTAIN R.W McNAIR AB — See COLD LAKE/GROUP CAPTAIN R.W McNAIR

GUELPH ON

CNC4

REF	N43 33 50 W80 11 46 1.3NE 10°W UTC-5(4) Elev 1100' VTA A5000 F-21 LO6
OPR	Avn Intl (Canada) Inc 519-824-2660 Reg
PF	B-1,2 C-3,4,5,6
CUST	AOE/15 888-226-7277 13-22Z† Mon-Fri exc hols
FLT PLN	NOTAM FILE CYKF
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100 13-01Z† Mon-Fri, 12-22Z† Sat-Sun
OIL	65, 80, 100, 120
S	1,2,3,5
RWY DATA	Rwy 14/32 2500x100 turf/asphalt, centre 40' asphalt
RCR	Rwy 05/23 2100x40 asphalt Thld 23 displ 730'. Opr
LIGHTING	14-(T LO), 32-(T LO) Ngt thld 253' fr end of rwy 14 & 252' fr end of rwy 32. Only 1995' lgtd.
COMM	
ATF	UNICOM ltd hrs O/T tfc 123.0 3NM 3000 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B360 AERODROME/FACILITY DIRECTORY

GUELPH ON (Cont'd)

CNC4

PRO	Tng rwy 05/23 proh without prior authorization fr Transport Canada via ops specifications.
CAUTION	Trees & antennas 234' N centreline rwy 14/32 aprx 45 AGL. Trees 280' S centreline rwy 05/23 aprx 65 AGL. Trees aprx 1100 ASL NE thld rwy 23 & 250' N centreline rwy 23 aprx 1220 ASL. Ditch & culvert 36' SSE thld rwy 23. Non-std thld/end lgtd rwy 14/32. Acft flying at Waterloo Regional apt (10NM SW of Guelph apt) rwy 26 inst apch may overfly Guelph apt at 3100 ASL. Glider activity 4NM WNW wknds & hols May-Nov. Aerobatics may be in progress within 1NM radius N43 34 W80 11 (immediately SE rwy 05/23), 500 AGL-3500 ASL, Sat & Sun.

GULL LAKE SK

CJK5

REF	N50 03 28 W108 29 24 2S 14°E UTC-6 Elev 2665' A5006 E-16	
OPR	Rural Muni of Gull Lake 306-672-4430 Reg	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYYN FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 17(167°)/35(347°) 2650x40 treated gravel Rwy 03(032°)/21(212°) 2175x30 treated gravel/clay RCR Opr Ltd win maint. Rwy edges soft when wet.	
COMM	ATF tfc 123.2 5NM 5700 ASL	

GUN LAKE BC (Heli)

CGL5

REF	N50 53 23 W122 50 48 19°E UTC-8(7) Elev 2950' A5004 E-15
OPR	Studio Air Group Inc 604-453-5012 or 250-238-0186 Reg PPR
FLT PLN	NOTAM FILE CYKA FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	S 4,6 16-0430Z
PAD DATA	50' x 15' concrete, 100' x 100' grass Heli max length 60'. RCR Opr 250-238-0186 16-05Z
COMM	ATF tfc 123.2 2NM 4000 ASL A/G 131.5 Ctc Gun Lake Heli 5 mins prior to ldg.
PRO	Arr/dep over water. Arr keep pink marker buoy on right, dep on left. Avoid noise sensitive areas 600' E and 1500' SW. Ltd ops to 07-2030 lcl (16-0430Z).

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B361

GUNISAO LAKE MB

CJK2

REF	N53 31 12 W96 22 16 3°E UTC-6(5) Elev 886' A5016 E-16 E-17	
OPR	Budd's Gunisao Lake Lodge Ltd 204-791-2779 or 517-676-3474 Reg PPR	
PF	C-1,2,5 PNR Opr May 1-Oct 1	
FLT PLN FIC	NOTAM FILE CYIV Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 12(118°)/30(298°) 3600x60 sand/gravel Opr Soft spots 500' fr each rwy thld. No win maint.	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3900 ASL	
NAV NDB	B5 254 (L) N53 31 20 W96 22 31 at A/D Pvt Unmonitored oprg O/R May 1-Oct 1 24 hr PNR	
CAUTION	Only opr experienced in area should plan on using this A/D. Men & eqpt on rwy dly Apr 15-Oct 15.	