

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B526 AERODROME/FACILITY DIRECTORY

MABEL LAKE BC

CBF9


REF	N50 36 32 W118 43 52 18°E UTC-8(7) Elev 1410' A5005 E-15
OPR	Mabel Lake Resort 250-838-6234 or 250-549-1178 Reg PPR
PF	B-1, B-2,5 avbl Jul-Aug
FLT PLN	NOTAM FILE CYKA FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	S 1,5
RWY DATA	Rwy 16/34 2900x100 turf/dirt Rwy 34 up 1%
RCR	Opr No win maint
COMM	ATF tfc 123.2 5NM 3400 ASL
PRO	Rgt hand circuits rwy 34 (CAR 602.96). Land on rwy 34 & tkof rwy 16.
CAUTION	Rwy ocsl used for unrelated A/D activities, verify rwy unobstructed prior to ldg. Trees to 100 AGL along full-length, both sides & N end of rwy.



MACDONALD MB

CJU3

REF	N50 05 47 W98 30 03 2NW 6°E UTC-6(5) Elev 840' aprx A5007 E-16 E-17
OPR	T.R. Bailey 204-274-2170 Reg
PF	B-1 D-2,3,4,5,6
FLT PLN	NOTAM FILE CYDN FIC Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 16(158°)/34(338°) 2400x60 gravel/turf
RCR	Opr No win maint
COMM	ATF tfc 123.2 5NM 3900 ASL



MACDONALD-CARTIER INTL ON — See OTTAWA / MACDONALD-CARTIER INTL

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B527

MacGREGOR MB

CKF6


REF	N49 58 W98 45 0.5E 6°E UTC-6(5) Elev 950' A5007 E-16 E-17
OPR	MacGregor Airfield Inc 204-685-2143 Fax 204-685-2905 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYDN
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 07(076°)/25(256°) 2350x60 turf Rwy 17(174°)/35(354°) 2400x50 turf
RCR	Gordon MacDonald 204-685-2143 or Opr Ltd maint
COMM	
ATF	tfc 122.8 5NM 4000 ASL



MACKENZIE BC

CYZY

REF	N55 17 58 W123 08 00 2N 22°E UTC-8(7) Elev 2264' A5014 E-15 LO1 HI3 CAP
OPR	District of Mackenzie 250-997-3761 Cert
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYXS
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
ACC	Vancouver IFR 604-586-4590/4591 or 800-668-1333
WX	Legacy AWOS TAF 15-09Z, issue times: 15, 19, 01, 07Z.
SERVICES	Call out chg may be levied for one or more svcs.
FUEL	100LL, JA 16-24Z± O/T call out fee
OIL	15W50
PVT ADV	Northern Thunderbird Air 130.9 250-997-3247; Williston Lake Air 250-997-5557
RWY DATA	Rwy 16/34 5033x100 asphalt
RCR	Opr Ltd win maint
LIGHTING	16-(TE ME) P1, 34-(TE ME) P1 ARCAL-123.5 type K
COMM	
RCO	Pacific rdo 126.7 (FISE)
MF	tfc 123.5 5NM 5300 ASL (CAR 602.98)
NAV	
NDB	2U 284 (L) N55 18 18 W123 08 15 at A/D Pvt



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B528 AERODROME/FACILITY DIRECTORY

MACKLIN SK

CJJ8


REF	N52 20 34 W109 55 08 1NE 15°E UTC-6 Elev 2280' A5015 E-16 LO2
OPR	Rural Muni # 382 306-753-2075/2412 Reg
PF	A-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYYN FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES	For svcg 306-753-2471/2078/2412 S 4,5,6
RWY DATA	Rwy 11(108°)/29(288°) 3000x75 asphalt
RCR	R. Dawson 306-753-2078 Ltd win maint
LIGHTING	11-(TE LO), 29-(TE LO) ARCAL 123.2 type K
COMM	ATF tfc 123.2 5NM 5300 ASL



MACMILLAN PASS YT

CFC4

REF	N63 10 52 W130 12 07 27°E UTC-8(7) Elev 3810' aprx A5028 D-12
OPR	Govt of Yukon 867-634-2450 or 867-969-2446 Reg
FLT PLN	NOTAM FILE CYXY FIC Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)
RWY DATA	Rwy 02(027°)/20(207°) 1500x50 gravel
RCR	Opr No maint
COMM	ATF tfc 123.2 5NM 6800 ASL



MADAWASKA VALLEY AIRPARK ON — See BARRY'S BAY / MADAWASKA VALLEY AIRPARK

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B529

MADRONA BAY BC (Heli)

CBW9

REF	N48 51 21 W123 29 08 19°E UTC-8(7) Elev 35' aprx VTA
OPR	I. Levin 250-538-5565 Reg PPR
FLT PLN FIC	NOTAM FILE CYCD Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	20' x 20' turf 200' x 200' 10,000 lbs
COMM ATF	tfc 123.2 5NM 2500 ASL Exc area within class "C" airspace.
PRO	Arr/dep over water.




MAGNY QC — See AMOS / MAGNY

MAIDSTONE SK

CJH3

REF	N53 05 40 W109 19 31 1.2NW 15°E UTC-7(6) Elev 1975' A5015 E-16
OPR	Town 306-893-2373/4254/4411 Reg
PF	C-1,2,3,5
FLT PLN FIC	NOTAM FILE CYLL Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 12(118°)/30(298°) 2732x130 turf Opr
LIGHTING	12-(TE LO), 30-(TE LO) TE non-std. SS-SR
COMM ATF	tfc 123.2 5NM 5000 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B530 AERODROME/FACILITY DIRECTORY

MAKKOVIK NL

CYFT

REF	N55 04 38 W59 11 15 0.5W 26°W UTC-4(3) Elev 228' A5020 E-19 LO7 HI1 CAP	
OPR	Govt of Newfoundland & Labrador 709-896-7840 Cert	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYJR	
ACC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Gander 709-651-5225 or 888-751-5225. Flt Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep. METAR 10-21Z	
RWY DATA	Rwy 10(093°)/28(273°) 2597x75 gravel	
APRON	Acft prkg not permitted S portion apron within 150' fr rwy edge lights.	
RCR	Opr 709-923-2328/2367 Ltd win maint, ctc opr	
LIGHTING	10-AS(TE ME) AV 4°, 28-AS(TE ME) AV 4° ARCAL-122.8 type K, key mic 7 times for RIL.	
COMM		
ATF	ffc 122.8 5NM 3200 ASL	
NAV		
NDB	YFT 339 (M) N55 04 50 W59 11 18 189° 0.2NM to A/D	
CAUTION	Soft when wet.	

MALCOLM ISLAND SK

CJS2

REF	N56 56 58 W102 14 21 9°E UTC-6 Elev 1120' A5024 D-13	
OPR	Arctic Lodge Ltd 702-248-2432 Reg	
FLT PLN	NOTAM FILE CYVC	
ACC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 18(179°)/36(359°) 4625x50 gravel/clay/sand Opr Jun 1-Aug 1, 7 days PNR. No win maint.	
RCR		
COMM		
ATF	UNICOM ltd hrs O/T ftc 128.85 5NM 4200 ASL	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B531

MANIC-5 QC

CMN5


REF	N50 39 27 W68 49 57 4WNW 21°W UTC-5(4) Elev 1332' A5010 E-18 F-22
OPR	Société de protection forêts contre le feu 418-871-3304 Ext 5425 Fax 418-874-2629 email cm_yqb@sopfeu.qc.ca Reg PNR
FLT PLN FIC	(bil) NOTAM FILE CYZV Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 10/28 4004x100 gravel Opr No wint maint.
COMM ATF	tfc 122.8 5NM 3600 ASL
PRO	A/D is only in service during forest fire operations.



MANITOU MB

CKG5

REF	N49 15 W98 32 0.5N 6°E UTC-6(5) Elev 1592' A5007 E-16 E-17
OPR	Manitou Flying Club 204-242-2047 or 204-797-4561 Reg
PF	C-1,2,4,5
FLT PLN FIC	NOTAM FILE CYDN Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 08(084°)/26(264°) 2570x100 turf Opr Rwy soft in spring, ltd win maint.
COMM ATF	tfc 123.2 5NM 4600 ASL
PRO	Rgt hand circuits rwy 26 (CAR 602.96).
CAUTION	Lgt'd twr 2015 ASL (375 AGL) 1.6NM ESE of A/D. Wind turbines to 2100 ASL (400 AGL) 5NM NNW of A/D.



MANITOU LIN EAST MUNI ON — See MANITOWANING / MANITOU LIN EAST MUNI

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B532 AERODROME/FACILITY DIRECTORY

MANITOUWADGE ON

CYMG

REF	N49 05 02 W85 51 38 2.8SW 7°W UTC-5(4) Elev 1198' A5008 E-17 F-21 LO4 HI4 CAP	
OPR	Township 807-826-4041 807-228-0706 807-229-6057 Reg 12-16Z± Mon-Fri, Sep 6-May 14; 16-20Z± Mon-Fri, May 15-Sep 5.	
PF	A-1,6 C-2,3,4,5	
FLT PLN	NOTAM FILE CYXZ FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES	12-16Z± Mon-Fri, Sep 6-May 14; 16-20Z± Mon-Fri, May 15-Sep 5. O/T call out chg will be levied. No staff on duty all stat hols.	
FUEL	JA-1	
RWY DATA	Rwy 05(050°)/23(230°) 3600x100 asphalt	
RCR	Opr	
LIGHTING	05-AS(TE ME) P1, 23-AS(TE ME) P1 ARCAL-122.8 7 keys activate all lgts exc RILS & PAPI 23.	
COMM	ATF UNICOM (AU) ltd hrs O/T tfc 122.8 5NM 4200 ASL	
NAV	NDB YMG 219 (M) N49 02 55 W85 54 03 044° 2.3NM to A/D	
CAUTION	Rdo controlled model acft flown in vic of aprt after pub hrs of ops.	

MANITOUWADGE (GEN HOSP) ON (Heli)

CPU4

REF	N49 07 20 W85 49 20 Adj NE 7°W UTC-5(4) Elev 1052' A5008	
OPR	Manitouwadge Gen Hosp 807-826-3251 Reg PPR	
FLT PLN	NOTAM FILE CYXZ FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
PAD DATA	86' dia asphalt 114' Rstd max heli length 57.5'	
LIGHTING	RY (LO) RF (FL)	
COMM	A/G Ambulance dispatch 129.275	
PRO	Arr/dep btwn 331°-061°.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B533

MANITOWANING / MANITOULIN EAST MUNI ON

CYEM

REF	N45 50 34 W81 51 29 7.5N 9°W UTC-5(4) Elev 869' A5000 A5001 F-21 LO4 CAP	
OPR	Manitoulin East Muni Aprt Comsn 705-859-3009 705-368-2806 APM Cert Opr ltd hrs	
PF	A-1,2,6 D-3,4,5	
FLT PLN	NOTAM FILE CYZE	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES	Call out chg may be levied for svcs.	
FUEL	100LL, JA-1, SP, HPR	
OIL	All	
S	1,4,5,6	
RWY DATA	Rwy 02(021°)/20(201°) 3500x100 asphalt	
RCR	Opr Ltd win maint	
LIGHTING	02-AS(TE ME) AP, 20-AS(TE ME) AP ARCAL-123.2 type K	
COMM		
ATF	UNICOM ltd hrs O/T ftc 122.8 5NM 3900 ASL	
NAV		
NDB	H7 388 (L) N45 50 29 W81 51 10 at A/D Pvt	
CAUTION	Large wildlife in vic including bears. Spring & summer hazard - large nesting birds in area and seagulls on Rwy.	

MANIWAKI QC

CYMW

REF	N46 16 22 W75 59 26 5.3S 14°W UTC-5(4) Elev 656' A5000 A5001 A5002 F-21 LO6 LO7 HI5 CAP RCAP	
OPR	Régie Intermunicipale de l'aprt Maniwaki 819-449-6103 or 819-441-4567/6184 Reg	
PF	A-1 13-22Z† C-3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYND	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 800-633-1353	
SERVICES	13-22Z† O/T call out chg 819-449-6103 or 819-441-4567/6184	
FUEL	100LL, JA-1, FSII	
OIL	All	
S	1,2,4,5,6	
RWY DATA	Rwy 03(031°)/21(211°) 4920x150 asphalt Rwy 03 up 0.87%	
RCR	Opr Ltd win maint. 13-22Z† Apr-Nov O/T 819-441-4567/6184	
LIGHTING	03-AD(TE ME), 21-(TE ME) V2 3.5° ARCAL-122.8 type J	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B534 AERODROME/FACILITY DIRECTORY

MANIWAKI QC (Cont'd)

CYMW

COMM	(bil) DRCO (bil) Québec rdo (Mont-Laurier) 122.1 (FISE) ATF UNICOM ltd hrs O/T tfc 122.8 5NM 3700 ASL
NAV	NDB YMW 366 (M) N46 12 27 W75 57 23 351° 3.8NM to thld rwy 03
CAUTION	LAND: Lgtd prominent hill 825 ASL 0.5NM fr thld & E of rwy 03 centreline. WILDLIFE: Possibility of wild animals on rwy. RADIOSONDE: Daily radiosonde balloon launches with an ascent rate of 1000 ft/min between the hours of 1115-1345Z & 2315-0145Z.

MANNING AB

CFX4

REF	N56 57 03 W117 38 39 1.8NW 21°E UTC-7(6) Elev 1612' A5022 D-13 LO1 HI2 HI3 CAP	
OPR	Muni District of Northern Lights 780-836-3348 Cert Ldg fees	
PF	A-1 C-2,4,5,6	
FLT PLN	NOTAM FILE CYPE	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	LWIS (Pvt) (see COMM)	
SERVICES	780-836-3235/3348 call out chg may be levied for svcs. FUEL 100LL, JB 780-836-2872 OIL All S 4,5,6 PVT ADV Swan Aero Motive 123.0 780-836-2872	
RWY DATA	Rwy 07(069°)/25(249°) 5577x100 asphalt Rwy 25 up 0.63%	
TWY	Twy B rstd to Alberta Lands & Forest Service	
RCR	Opr CRFI avbl ltd hrs.	
LIGHTING	07-(TE LO) V1, 25-(TE LO) V1 ARCAL-123.2 type K	
COMM	ATF tfc 123.2 5NM 4700 ASL LWIS (Pvt) 122.55	
NAV	NDB M5 307 (L) N56 56 55 W117 37 42 263° 0.5NM to A/D Pvt DME M5 111.2 (M) Ch 49 N56 56 58 W117 37 42 (1620') 0.5NM to A/D Pvt	
CAUTION	Water bomber activity at or in vic of A/D Apr thru Sep.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B535

MANSFIELD ON

CPV4


REF	N44 09 00 W80 01 11 1.5SSE 10°W UTC-5(4) Elev 995' VTA A5000 F-21
OPR	Carl & Doreen Lovett 705-435-9460 Reg PPR
PF	B-1 C-2 D-3,4,5,6
FLT PLN FIC	NOTAM FILE CYBM London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES S	1,4,5
RWY DATA RCR	Rwy 08/26 1900x80 turf Rwy 15/33 1400x80 turf Rwy 33 up 2% Opr No win maint. Rwy may be soft in spring.
LIGHTING	08-(LO), 26-(LO), 15-(LO), 33-(LO), PNR Opr
COMM ATF	tfc 123.2 5NM 4000 ASL
CAUTION	P-lines poles (red/white striped) aprx 30 AGL either side thld 08. Apchs to thlds 26 & 33 significant upslope to thlds. 50' sloping descent E of thld 26. 15' sloping descent S of thld 33 to pond. Downslope apch to thld 08. Trees aprx 30 AGL aprx 125' fr thld 15. Trees aprx 40 AGL aprx 350' fr thld 26.



MANSONVILLE QC

CSK4

REF	N45 01 35 W72 24 07 16°W UTC-5(4) Elev 575' A5002 F-21
OPR	Mansonville Flying Club 450-292-5777/3521 Reg PPR
PF	C-1,2,3,5,6 D-4
FLT PLN FIC	(bil) NOTAM FILE CYSC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES S	1
RWY DATA RCR	Rwy 09/27 2800x50 asphalt Opr No win maint. Rough sfc & tall weeds growing thru cracks.
COMM ATF	(bil) tfc 123.2 5NM 3600 ASL
CAUTION	Large cracks on rwy.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B536 AERODROME/FACILITY DIRECTORY

MAPLE CREEK SK

CJQ4

REF	N49 53 45 W109 28 30 Adj S 14°E UTC-6 Elev 2517' A5006 E-16 LO2 RCAP	
OPR	Town 306-662-2244 Fax 306-662-4131 Reg	
PF	B-1 C-2,3,4,5	
FLT PLN	NOTAM FILE CYYN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES	For svcg ctc opr 100LL	
FUEL	All	
OIL	1(ltd), 4,5,6	
S		
RWY DATA	Rwy 05(055°)/23(235°) 3100x75 asphalt Rwy 17(172°)/35(352°) 1565x75 turf/clay Opr	
RCR		
LIGHTING	05-(TE LO), 23-(TE LO) ARCAL-122.8 key mic 3 times within 5 secs for 15 min duration.	
COMM		
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 5600 ASL	
NAV		
NDB	K5 238 (L) N49 53 49 W109 29 01 at A/D Pvt Unmonitored	
PRO	Rgt hand circuits rwys 05 & 35 (CAR 602.96).	

MARATHON ON

CYSP

REF	N48 45 19 W86 20 40 2.6NE 6°W UTC-5(4) Elev 1035' A5008 E-17 F-21 LO4 HI4 CAP	
OPR	Corp of the Town of Marathon 807-229-1183 after hrs 807-229-6125 Reg	
PF	A-1,6 C-2,3,4,5	
FLT PLN	NOTAM FILE CYXZ	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
WX	METAR 13-22Z† TAF 15-22Z† issue times: 15, 20Z (DT 14, 20Z)	
SERVICES	Mon-Fri ltd hrs. After hrs call out chg may be levied for one or more svcs. 807-229-1183 after hrs 807-229-6125	
FUEL	100LL, JA-1 with FSII (self-serve H24)	
RWY DATA	Rwy 16(159°)/34(339°) 3933x100 asphalt Thld 34 displ 200'. Opr	
RCR		
LIGHTING	16-AS(TE ME) AP 4°, 34-AS(TE ME) AP 4° ARCAL-122.8 7 keys in 5 secs activates all A/D lgtg exc RIL.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B538 AERODROME/FACILITY DIRECTORY

MARGAREE NS

CCZ4


REF	N46 20 28 W60 58 47 0.8ESE 20°W UTC-4(3) Elev 181' A5003 A5012 F-22
OPR	Municipality of the County of Inverness 902-787-2274 Reg
PF	C-1,2,5 D-4
FLT PLN	NOTAM FILE CYQY
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTEO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
RWY DATA	Rwy 01/19 2500x75 asphalt
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 3200 ASL
CAUTION	Hi terrain up to 1400 ASL (1219' AAE) within 3NM of A/D.



MARGARET LAKE AB

CFV6

REF	N58 57 W115 15 21°E UTC-7(6) Elev 2750' A5023 D-13
OPR	Caribou Mountain Wilderness Lodge 780-927-4630 Reg
FLT PLN	NOTAM FILE CYOJ
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 10(101°)/28(281°) 4000x100 turf & soil Thld 10 displ 1500'
RCR	Opr Ltd maint. No win maint
COMM	
ATF	tfc 123.2 5NM 5800 ASL
CAUTION	Bldgs near thld rwy 10 S side of rwy.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B539

MARKDALE (CENTRE GREY GEN HOSP) ON (Heli)

CPD9

REF	N44 18 54 W80 39 29 Adj SW 10°W UTC-5(4) Elev 1395' A5000
OPR	Centre Grey Gen Hosp 519-986-3040 Cert PPR
FLT PLN	NOTAM FILE CYVV
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' x 86' asphalt 114' x 114' Rstd max heli length 57.5'
LIGHTING	DR RY(LO) RF(FL) All portable PNR
COMM	
A/G	Ambulance dispatch 129.275
PRO	Arr/dep btwn 311°-321° fr heli.




MARKHAM ON — See TORONTO / MARKHAM

MARY RIVER NU

CMR2

REF	N71 19 27 W79 21 25 Adj SE 46°W UTC-5(4) Elev 584' A5043 A5044 LO9 RCAP
OPR	David McCann 647-723-2069 Reg PPR
FLT PLN	NOTAM FILE CYIO
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 12T(124°T)/30T(304°T) 4800x148 gravel
RCR	Opr
LIGHTING	12T-(TE ME) P2, 30T-(TE ME) P2 ARCAL-123.35 type K
COMM	
ATF	UNICOM ltd hrs O/T tfc 123.35 5 NM 3600 ASL
AWOS (Pvt)	122.35



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B540 AERODROME/FACILITY DIRECTORY

MARY'S HARBOUR NL

CYMH

REF	N52 18 10 W55 50 52 0.5S 24°W UTC-4(3) Elev 38' A5020 E-19 LO7 HI1 HI6 CAP	
OPR	Govt of Newfoundland & Labrador 709-896-7840 Cert	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYAY	
FIG	Halifax 866-WXBRIEF or (French) 866-GOMÉTEO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
ACC	Gander 709-651-5225 or 888-751-5225. Flt Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.	
WX	Legacy AWOS (see COMM) METAR 12-20Z‡ TAF 10-04Z‡, issue times: 11, 14, 20, 02Z	
SERVICES		
FUEL	JA-1 ctc 709-921-6220	
RWY DATA	Rwy 11(110°)/29(290°) 2546x75 gravel	
RCR	Opr 709-921-6961/6929 Ltd win maint	
LIGHTING	11-AS(TE ME) AV 4°, 29-AS(TE ME) AV 4° ARCAL-122.8 type K, key mic 7 times for RIL.	
COMM		
ATF	tfc 122.8 5NM 3000 ASL	
Legacy		
AWOS	122.55	
NAV		
NDB	YMH 250 (M) N52 18 55 W55 49 56 240° 0.9NM to A/D	
PRO	Rgt hand circuits rwy 11 (CAR 602.96).	

MASCOUCHE QC — See MONTRÉAL / MASCOUCHE


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B541

MASSET BC

CZMT



REF	N54 01 38 W132 07 30 1.5SW 22°E UTC-8(7) Elev 25' A5013 E-15 LO1 CAP
OPR	Village 250-626-3995, Aprt attendant 250-626-5100 Reg Ldg fees
PF	A-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYZP
FWX	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	METAR 15-02Z† TAF 16-02Z†, issue times: 16, 19Z (DT 15, 19Z).
SERVICES	
FUEL	JA-1 16-02Z† O/T ctc arpt attendant, call out chg
S	4,5
RWY DATA	Rwy 13(127°)/31(307°) 4854x100 asphalt Thld 31 displ 250'
TWY	Twy B daylight only.
RCR	Aprt attendant 16-24Z† Mon-Fri O/T 3 hrs PNR, call out chg
LIGHTING	13-AS (TE ME) P1, 31 (TE ME) P1 3.5" ARCAL-122.7 type K exc RIL on high and medium settings only.
COMM	
MF	UNICOM ltd hrs O/T tfc 122.7 5NM 3000 ASL (CAR 602.98) Special VFR tfc advsy procedures apply outside MF zone, see Section C British Columbia
NAV	
NDB	1U 278 (M) N54 01 54 W132 07 38 at A/D Pvt

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B542 AERODROME/FACILITY DIRECTORY

MASSET BC (Cont'd)

CZMT

PRO	Rgt hand circuits rwy 31 (CAR 602.96).
CAUTION	Ridge of high gnd rises 243' above aprt elev aprx 1NM SE of aprt. 100' trees within 600' of rwy edge. Only pilots familiar with lcl terrain should use this A/D dur hrs of darkness. Extv deer and geese activity in vic of rwy. Verify rwy unobstructed.

MATAGAMI QC

CYNM

REF	N49 45 42 W77 48 10 6W 15°W UTC-5(4) Elev 918' A5009 E-18 F-21 LO3 LO7 HI1 HI4 CAP	
OPR	Govt of Quebec 819-739-2926 Reg	
PF	A-1 D-2,3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYUY Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 800-633-1353 WX Legacy AWOS (English) 819-739-5767, (French) 819-739-5766 (see COMM) METAR H24	
SERVICES	Call out chg may be levied for one or more svcs	
FUEL	100LL, JA-1 Mon-Fri 13-22Z ‡ ctc 819-739-2905 O/T Page 819-280-2305	
RWY DATA	Rwy 15(149°)/33(329°) 5000x100 asphalt Rwy 15 down 0.5% first 2441' Rwy 33 down 0.84% first 2559'	
RCR	Opr (French only) NORDO vehicle ops dur win maint.	
LIGHTING	15-AS (TE ME) P2, 33-AD AS (TE ME) ARCAL-122.8 type K	
COMM		
DRCO	(bil) Québec rdo 123.55 (FISE)	
ATF	UNICOM (French only) ltd hrs O/T tfc 122.8 5NM 4000 ASL	
Legacy AWOS	127.45 (English), 125.3 (French)	
NAV		
NDB	NM 278 (M) N49 43 26 W77 44 30 329° 2.9NM to thld rwy 33	

MATANE QC

CYME

REF	N48 51 25 W67 27 12 2.5E 20°W UTC-5(4) Elev 102' A5010 E-19 F-22 LO7 HI6 CAP	
OPR	Ville 418-562-2333 Reg	
PF	C-1,2,3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYYY Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 800-633-1353	
RWY DATA	Rwy 09(091°)/27(271°) 5500x150 asphalt	
RCR	Opr Ltd win maint 418-560-2271 PLR/PCN	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B543

MATANE QC (Cont'd)


CYME

LIGHTING	09-(TE LO), 27-(TE LO)
COMM	(bil)
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3200 ASL
NAV	
NDB	ME 216 (M) N48 50 00 W67 32 58 090° 3.6NM to thld rwy 09
CAUTION	Rwy: Ups & downs on rwy 1 to 2 inches at aprx 1200' fr thld rwy 27. Ldg rwy 27 not recommended for high performance acft. Wind Turbines: Wind turbine group 5NM SW of A/D, max alt 998 ASL. Paramotors: Activities between St-Fabien, Rimouski, Mont-Joli and Matane, sfc up to 500 ASL ocsl 1200 ASL.

MATHESON ISLAND MB

CJT2


REF	N51 43 56 W96 56 04 Adj W 4°E UTC-6(5) Elev 725' A5007 E-16 E-17
OPR	WamAir 204-276-2410 Reg
PF	A-1 C-2,5
FLT PLN	NOTAM FILE CYDN
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL, JA-1
RWY DATA	Rwy 03(028°)/21(208°) 3500x110 gravel
RCR	Opr No win maint
COMM	
ATF	tfc 122.8 5NM 3800 ASL



MATTAWA ON

CMA2

REF	N46 17 59 W78 44 52 1.6SW 12°W UTC-5(4) Elev 600' A5000 A5001 F-21
OPR	Chris Whalley 705-744-2009/2893 Reg
PF	B-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYXB
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
OIL	15W50
S	1,4,5,6
RWY DATA	Rwy 06(065°)/24(245°) 2000x100 turf Thld 06 displ 400'
RCR	Opr Ltd win maint. Soft in spring, ocsl standing water.
COMM	
ATF	tfc 123.2 5NM 3600 ASL
CAUTION	Trees 800' W of thld 06. Twr 400 AGL 1 mile SW of A/D.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B544 AERODROME/FACILITY DIRECTORY

MAYERTHORPE AB

CEV5

REF	N53 56 15 W115 10 44 1.3SW 18°E UTC-7(6) Elev 2432' A5014 E-15 E-16	
OPR	Town 780-786-2416 Reg	
PF	B-1 C-2,4,5	
FLT PLN	NOTAM FILE CYEG Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES		
FUEL	100LL, JB(D) 888-778-8765	
OIL	All	
S	6	
RWY DATA	Rwy 12/30 2950x75 asphalt	
RCR	Opr Ltd maint	
LIGHTING	12-(TE ME), 30-(TE ME) ARCAL-123.2 type K	
COMM		
ATF	tfc 123.2 5NM 5400 ASL	
CAUTION	Rwy slopes up from thlds, acct on opposite ends of the rwy may not be visible.	

MAYERTHORPE (HEALTHCARE CENTRE) AB (Heli)

CMC3

REF	N53 56 54 W115 07 54 Adj 18°E UTC-7(6) Elev 2432' A5014 RCAP	
OPR	Mayerthorpe Healthcare Centre 780-786-2261 Cert PPR	
FLT PLN	NOTAM FILE CYEG Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
PAD DATA	64' dia concrete/grass max length 42'	
LIGHTING	RF(FH)	
COMM		
ATF	tfc 123.2 5NM 5400 ASL centred on Mayerthorpe land A/D	
PRO	Arr/dep 353° & 173° from pad. Certified for twin engine (H2) helicopters up to an overall length of 42'.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B545

MAYNE ISLAND (MEDICAL EMERGENCY) BC (Heli)

CBF5


REF	N48 50 48 W123 17 03 Adj 19°E UTC-8(7) Elev 100' VTA A5004
OPR	Mayne Island Fire Dept. 250-539-5156 Reg PPR
PF	A-1,3,4 C-2,5
FLT PLN	NOTAM FILE CYYJ
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	50' x 50' 120' x 120'
RCR	Heli max length 57'. MEDEVAC only.
LIGHTING	DR RY(LO) edge lighting green
COMM	
ATF	tfc 123.2 5NM 2500 ASL Exc area within class "C" airspace.
PRO	Arr/dep 243°/063° with 7° apch recommended for obst.
CAUTION	Trees & rising gnd all quad exc arr/dep rte.



MAYO YT

CYMA

REF	N63 36 59 W135 52 06 1.5N 27°E UTC-8(7) Elev 1653' A5028 D-12 LO5 HI2 CAP
OPR	Govt of Yukon 867-634-2450 or 867-996-2232/2334 Reg
PF	A-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYMA
FIC	Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)
CARS	867-996-2334
WX	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Call out chg may be levied for one or more svcs.
FUEL	100LL, F-34, JB
S	4,5,6
RWY DATA	Rwy 06(063°)/24(243°) 4856x100 gravel
RCR	CARS
LIGHTING	06-(TE LO) V1, 24-(TE LO) V1
COMM	
RCO	Whitehorse rdo 126.7 (FISE)
MF	aprt rdo 122.1 5NM 4700 ASL (CAR 602.98)
PAL	Edmonton Ctr 134.65
APRT RDO	122.1 (V)
NAV	
NDB	MA 365 (M) N63 37 43 W135 53 35 113° 1.0NM to A/D
CAUTION	Cracks in vicinity of rwy edge lgts and frost heaves 2000' fr thld rwy 24 dur win.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B546 AERODROME/FACILITY DIRECTORY

McARTHUR RIVER SK

CKQ8

REF	N57 46 03 W105 01 27 1.5E 12°E UTC-6 Elev 1729' A5024 D-13 LO1 HI2 RCAP	
OPR	Cameco Corp 306-956-6502 306-633-2001 Ext 8801 Reg PPR	
PF	C-1,2,4,5	
FLT PLN FIC	NOTAM FILE CZWL Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 18(182°)/36(002°) 5278x115 gravel/sand/clay Rwy 36 up 0.5% 306-633-2001	
LIGHTING	18-AS(TE LO) AP, 36-AS(TE LO) AP ARCAL-122.7 type J	
COMM ATF	UNICOM (AU) call sign "78 McArthur River" ltd hrs O/T tfc 122.7 5NM 4800 ASL	
NAV NDB	D5 406 (M) N57 46 09 W105 01 13 at A/D Pvt Unmonitored	
PRO	Rgt hand circuits rwy 36 (CAR 602.96)	
CAUTION	Terrain rises rapidly to the W. Expect severe turbulence & downdrafts with strong W winds. Lgtd twr atop hill 2094' ASL (191' AGL) 1.2NM SW of A/D.	

McBRIDE / CHARLIE LEAKE FIELD BC

CAV4

REF	N53 18 54 W120 10 14 1NNW 20°E UTC-8(7) Elev 2350' A5014 E-15 LO1 LO2	
OPR	Village 250-569-2229 Reg	
PF	B-1 C-2,4,5	
FLT PLN FIC	NOTAM FILE CYKA Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES FUEL S	100LL self serve 4,5	
RWY DATA RCR	Rwy 11/29 2700x75 asphalt Opr Ltd win maint	
COMM ATF	tfc 123.2 5NM 5400 ASL	
PRO	Night circuits, rgt hand circuits rwy 11.	
CAUTION	Paraglider activity in NE area adj to aprt. Watch for animals on rwy. Hydro lines across centreline, 2000' W of thld rwy 11. Lgtd windsock midfield N side.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B547

McCREARY MB

CJR8

REF	N50 45 53 W99 29 48 Adj SW 7°E UTC-6(5) Elev 1000' aprx A5007 E-16 E-17
OPR	M. Slawinski 204-835-2493 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYBR
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 17(173°)/35(353°) 2600x50 turf
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 4000 ASL
CAUTION	P-line across apch to rwy 17 unmarked.




McEWEN NB — See MONCTON / McEWEN

McNEILL CONOCO PHILLIPS AB — See EMPRESS / McNEILL CONOCO PHILLIPS

McQUESTEN YT

CFP4

REF	N63 36 W137 34 26°E UTC-8(7) Elev 1500' A5028 D-12
OPR	Govt of Yukon 867-634-2450 or 867-996-2334 Reg
FLT PLN	NOTAM FILE CYDA
FIC	Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)
RWY DATA	Rwy 09(099°)/27(279°) 3000x75 gravel/turf
RCR	Opr No maint
COMM	
ATF	tfc 123.2 5NM 4500 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B548 AERODROME/FACILITY DIRECTORY

MEADOW LAKE SK

CYLJ

REF	N54 07 31 W108 31 22 2W 15°E UTC-6 Elev 1576' A5015 E-16 LO1 HI3 CAP RCAP	
OPR	Ministry of Hwys & Infrastructure 306-953-3263 Cert	
PF	A-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYPA	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Winnipeg IFR 204-983-8337 or 888-834-3344	
WX	METAR 12-24Z	
SERVICES	Call out chg may be levied for one or more svcs after hrs	
FUEL	100LL, JB(D) 12-24Z self svc. O/T prior arng req ctc AV-NOR Fuel Services 306-240-9037 or 306-236 6963	
S	4,5,6	
RWY DATA	Rwy 09(085°)/27(265°) 5006x100 asphalt Rwy 17(165°)/35(345°) 2297x75 asphalt	
RCR	APM 306-236-7649 or area office 306-236-7650 13-2130Z Mon-Fri	
LIGHTING	09-(TE ME) P1, 27-(TE ME) P1, 17-(TE ME), 35-(TE ME) ARCAL-122.8 type K	
COMM	ATF tfc 122.8 5NM 4600 ASL	
NAV	NDB YLJ 406 (L) N54 08 18 W108 39 00 086° 4.2NM to A/D	
CAUTION	Extv bird activity Apr-Oct.	

MEAFORD (GEN HOSP) ON (Heli)

CPA7

REF	N44 36 25 W80 35 56 Adj 10°W UTC-5(4) Elev 675' A5000	
OPR	Meaford Gen Hosp 519-538-1311 Cert PPR	
FLT PLN	NOTAM FILE CYVV	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
PAD DATA	86' dia asphalt 114' x 114' Rstd max heli length 57.5'	
LIGHTING	DR RY(LO) RF(FL)	
PRO	Single arr/dep flt path 041° fr heli	
CAUTION	Hydro lines & poles N. Hydro pole 041° fr heli marked with fluorescent triangles. Lgtd water twr S.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B549

MEDICINE HAT AB

CYXH

REF	N50 01 08 W110 43 15 2SW 15°E UTC-7(6) Elev 2352' A5005 A5006 E-16 LO2 HI3 CAP	
OPR	Muni 403-526-4664/529-8177 Cert Ldg fees	
PF	A-1,2,3,6 C-4,5	
FLT PLN	NOTAM FILE CYXH	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	METAR 1245-0345Z† O/T Legacy AWOS (See COMM). TAF H24, issue times: 00, 06, 12, 18Z.	
PIK	ATB, main floor, airside access 1245-0345Z†	
SERVICES	Call out chg may be levied for one or more svcs after hrs 100LL, JA-1 14-24Z† Bar XH Air 403-527-3328	
FUEL	All	
OIL	1,2,3,4,5	
S	Bar XH Air 122.925	
PVT ADV		
RWY DATA	Rwy 03(030°)/21(210°) 5000x150 asphalt Rwy 09(093°)/27(273°) 2820x100 asphalt	
TWY	Aprons & portion of twy B fr apron to point 600' W of apron uncontrolled. Twy B & west apron ltd to 30,000 lbs; twy A & main apron ltd to 150,000 lbs.	
RCR	Opr CFRI, PLR/PCN 15-23Z† Mon-Fri exc hols, O/T 2 hrs PNR. Call-out fees may be levied.	
LIGHTING	03-AO(TE ME) P1, 21-AO(TE ME) P1, 09-(TE ME), 27-(TE ME) O/R thru FSS ARCAL 122.2 type K when FSS clsd	
COMM		
RADIO	122.2 (E) 1245-0345Z† (emerg only 403-526-3040)	
RCO	Edmonton rdo 126.7 (FISE)	
MF	rdo 122.2 1245-0345Z† O/T tfc 5NM 5400 ASL (CAR 602.98)	
Legacy		
AWOS	124.875 0345-1245Z†	
NAV		
NDB	XH 332 (L) N50 00 47 W110 47 57 068° 2.8NM to A/D Pvt	
VOR/DME	YXH 116.5 Ch 112 N49 57 53 W110 48 52 (2474') 031° 4.4NM to A/D	
PRO	Arr/dep reports & IFR clearances 0345-1245Z† ctc Edmonton rdo 126.7.	
CAUTION	Non-registered A/D (Harrison Field) 4.5NM SW CYXH aprt, 0.5NM SE VOR. Frequent light/ultralight acft activity. Turf rwy, orientation 17/35. Ditches N & S edges rwy 27 E of rwy 03/21. Ditches N edge twy A & along N of rwy 21 running E aprt 525' from twy A.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B550 AERODROME/FACILITY DIRECTORY

MEDICINE HAT / SCHLENKER AB

CFZ3

REF	N49 58 20 W110 43 25 5S 15°E UTC-7(6) Elev 2365' A5005 A5006 E-16	
OPR	Aevult Schlenker 403-527-8332 Reg	
FLT PLN	NOTAM FILE CYXH	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
RWY DATA	Rwy 07(069°)/25(249°) 1636x75 turf Rwy 18(178°)/36(358°) 1662x75 turf	
RCR	Opr Ltd maint	
COMM		
RCO	Edmonton rdo 126.7 (FISE)	
MF	rdo 122.2 1245-0345Z± O/T tfc 122.2 5NM centred on Medicine Hat A/D 3.1NM N 5400 ASL (CAR 602.98)	
PRO	Arr/dep reports & IFR clearances 0345-1245Z± ctc Edmonton rdo 126.7.	

MELBOURNE ON

CNM2

REF	N42 49 27 W81 32 55 Adj NE 8°W UTC-5(4) Elev 735' A5000 F-21	
OPR	B. Carruthers 519-289-5961/5837 Reg PPR	
PF	C-1,2,5 D-3,4,6	
FLT PLN	NOTAM FILE CYXU	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES		
S	4,5	
RWY DATA	Rwy 14/32 1800x50 turf Opr Ltd win maint. Rwy may be soft when wet.	
RCR		
COMM		
ATF	tfc 123.2 5NM 3700 ASL	
CAUTION	Hi tension hydro twr (200-250 AGL) & P-lines aprx 1000' S of thld 32 running SE. P-line 30 AGL aprx 50' fr thld 32. Fence 5' high at N end. Cultivated fields at both edges of rwy 14/32. Silo adj E to rwy 14/32 within 100' of rwy centreline. Rwy surface uneven.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B551

MELFORT (MILLER FIELD) SK

CJZ3

REF	N52 51 52 W104 42 03 2.6W 12°E UTC-6 Elev 1495' A5016 E-16 LO2 CAP	
OPR	City 306-752-5911 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYP Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES	For svcg PNR 306-752-3989. Call out chg may be levied for one or more svcs 100LL FUEL OIL S All 1,4,5,6	
RWY DATA	Rwy 08(078°)/26(258°) 3025x75 asphalt RCR Opr	
LIGHTING	08-(TE LO), 26-(TE LO) ARCAL-122.8 type J	
COMM	ATF UNICOM ltd hrs O/T tfc 122.8 5NM 4500 ASL	
NAV	NDB D5 391 (L) N52 52 17 W104 48 23 084° 3.9NM to A/D Pvt Unmonitored	
CAUTION	Twy ocsl used for ldg & tkof.	

MELITA MB

CJT5

REF	N49 15 42 W101 00 50 Adj SW 8°E UTC-6(5) Elev 1475' A5007 E-16	
OPR	D. Reddaway 204-522-8247 Reg	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYBR Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
RWY DATA	Rwy 17(172°)/35(352°) 2250x65 turf Rwy 08(080°)/26(260°) 2000x40 turf RCR W. Elliott 204-522-3673 No win maint	
COMM	ATF tfc 123.2 5NM 4500 ASL	
CAUTION	Trees cross apch rwy 26 aprx 150' fr thld.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B552 AERODROME/FACILITY DIRECTORY

MELVILLE MUNI SK

CJV9

REF	N50 56 29 W102 44 16 1.5E 10°E UTC-6 Elev 1800' A5006 E-16 LO2	
OPR	City 306-728-6840 Fax 306-728-5911 Reg	
PF	C-2,3,4,5	
FLT PLN	NOTAM FILE CYQV Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES	S 6	
RWY DATA	Rwy 10(103°)/28(283°) 2600x75 asphalt Rwy 02(018°)/20(198°) 2165x75 asphalt	
RCR	Opr Rwy 02/20 rstd to 5,000 lbs or less.	
LIGHTING	02-(TE LO), 20-(TE LO), 10-(TE LO), 28-(TE LO) ARCAL-123.2 type J	
COMM	ATF tfc 123.2 5NM 4800 ASL	

MERRITT BC

CAD5

REF	N50 07 22 W120 44 50 2E 19°E UTC-8(7) Elev 2080' A5004 E-15	
OPR	City 250-378-4224 Reg	
PF	A-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYKA Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES	250-378-7173 Daylight hrs	
FUEL	100LL, JA	
S	4,5,6	
RWY DATA	Rwy 03/21 4000x73 asphalt Rwy 21 down 1.17% Twy B gravel	
TWY	Merritt Flying Club 250-378-7173, Twy B no win maint	
RCR		
COMM	ATF tfc 123.2 2NM 3600 ASL	
PRO	Rgt hand circuits rwy 03 (CAR 602.96).	
CAUTION	Rdo antenna 227 AGL (2227 ASL) lctd 1.9NM SW thld 03. Ocs1 rdo ctl model acct, monitoring ATF.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B553

MIDDLETON (SOLDIERS MEMORIAL HOSP) NS (Heli)

CMS2

REF	N44 56 48 W65 03 34 Adj 19°W UTC-4(3) Elev 53' A5003 F-22	
OPR	Soldiers Memorial Hosp 902-825-3411 Cert PPR	
FLT PLN	NOTAM FILE CYHZ Halifax 866-WXBRIEF or (French) 866-GOMÉTIÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) ACC Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
PAD DATA	92' circular asphalt/concrete (rstd to twin engine heli with max overall length of 61.3'	
LIGHTING	RY(LO) ARCAL-123.0 type J	
COMM	TWR Greenwood Twr 119.5 & 126.2 at Greenwood 6.4NM NE	
PRO	Arr/dep 138° fr heli. Heli falls within Greenwood CZ.	

MIDLAND / HURONIA ON

CYEE

REF	N44 41 00 W79 55 42 4SSW 11°W UTC-5(4) Elev 770' A5000 F-21 LO6 HI5 CAP	
OPR	Huronia Airport Comsn 705-526-8086 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYEE London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) FIC	
SERVICES	FUEL 100LL, JA-1 OIL 65, 80, 100, 15W50 S 1,2,3,4,5,6	
RWY DATA	Rwy 16/34 3998x75 asphalt Rwy 34 first 998' up 1.14% RCR Opr	
LIGHTING	16-AS(TE ME) AP, 34-AS(TE ME) AP ARCAL-122.85 type J, all lgt exc RIL, RR on twy B	
COMM	DRCO London rdo 126.7 (FISE) ATF UNICOM (AU) ltd hrs O/T tfc 122.85 5NM 3800 ASL	
NAV	VOR/DME YEE 112.8 Ch 75 N44 34 54 W79 47 35 (800') 327° 8.0NM to A/D	
CAUTION	Due to rwy slope on 16/34, acft on rwy ends may not be visible to pilots at opposite ends of rwy.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B554 AERODROME/FACILITY DIRECTORY

MIDLAND (HURONIA DISTRICT HOSP) ON (Heli)

CPW6

REF	N44 44 30 W79 54 52 Adj W 11°W UTC-5(4) Elev 775' A5000
OPR	Huronia District Hosp 705-526-3751 Cert PPR
FLT PLN FIC	NOTAM FILE CYEE London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA RCR	86' dia concrete 114' dia Max heli length 57.25' Opr
LIGHTING	DR RY(LO) RF(FL) (DR portable, PNR)




PRO Single arr/dep path 061° fr heli. Rstd to multi-engine heli capable of remaining at least 15' abv all obstacles within arr/dep area when oprg in accordance with the acft ft manual with one engine inop.

CAUTION Trees on apch/dep obstacle limitation surface based on 12%.

MIDWAY BC

CBM6

REF	N49 00 36 W118 47 23 Adj W 18°E UTC-8(7) Elev 1896' A5005 E-15
OPR	Village of Midway 250-449-2222 Reg
PF	C-1,2,4,5
FLT PLN FIC	NOTAM FILE CYYF Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
RWY DATA RCR	Rwy 08/26 3500x125 turf Opr No win maint
COMM ATF	tfc 123.2 2NM 3400 ASL
CAUTION	Rdo-ctl acft oprg fr A/D. Model acft activity next to rwy.



MILDRED LAKE AB — See FORT McMURRAY / MILDRED LAKE

MILE 422 (ALASKA HIGHWAY) BC — See TOAD RIVER / MILE 422 (ALASKA HIGHWAY)

MILLER FIELD SK — See MELFORT (MILLER FIELD)

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B555

MILK RIVER AB

CEW5


REF	N49 08 00 W112 03 00 1.5SE 15°E UTC-7(6) Elev 3449' A5005 E-16
OPR	Town of Milk River 403-647-2339
PF	B-1 D-2,3,5
FLT PLN	NOTAM FILE CYQL
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 05(054°)/23(234°) 2953x75 asphalt
RCR	Opr Ltd maint
LIGHTING	05-(TE ME), 23-(TE ME) ARCAL-123.2 type K
COMM	
ATF	tfc 123.2 5NM 6500 ASL



MILTON (AFI) ON (Heli)

CMH2

REF	N43 31 56 W79 54 10 Adj N 10°W UTC-5(4) Elev 687' VTA A5000
OPR	AFI Group International Inc 905-693-0746 Reg PNR
PF	A-1 B-2,3,4,5
FLT PLN	NOTAM FILE CYBM
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	60' x 60' concrete 80' x 80' turf rstd max length 40'
RCR	Opr
LIGHTING	RY(LO)
COMM	Toronto tml 119.3
PRO	Arr/dep btwn 210°-270° fr heli.
CAUTION	Numerous twr within 5NM.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B556 AERODROME/FACILITY DIRECTORY

MILTON (DISTRICT HOSP) ON (Heli)

CPY2


REF	N43 29 46 W79 52 11 Adj S 10°W UTC-5(4) Elev 657' VTA A5000
OPR	Milton District Hosp 905-878-2383 Cert PPR
FLT PLN	NOTAM FILE CYBM
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' dia asphalt 114' dia Rstd max heli length 57.5'
RCR	Opr
LIGHTING	RY(LO) RF(FL)
PRO	Arr/dep btwn 041°-101° & 159°-161° fr heli.



MIMINISKA ON

CPS5


REF	N51 36 16 W88 34 56 5°W UTC-5 Elev 1000' aprx A5008 E-17
OPR	Miminiska Lodge 705-752-2700 or 800-263-3474 Reg PPR
PF	C-1,2,5 PNR Opr May 15-Sep 30
FLT PLN	NOTAM FILE CYPL
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 09(093°)/27(273°) 2400x50 turf Rwy 09 slopes down
RCR	Opr No win maint
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 4000 ASL



MINDEMOYA (HOSP) ON (Heli)

CNW4

REF	N45 44 20 W82 10 00 Adj S 9°W UTC-5(4) Elev 675' A5001
OPR	Mindemoya Hosp 705-377-5311 Cert PPR
FLT PLN	NOTAM FILE CYZE
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' x 86' concrete/turf 114' x 114' Max heli length 57.25'
LIGHTING	RY(LO) RF(FL)
COMM	
A/G	Ambulance dispatch 129.275
PRO	Arr/dep btwn 211°-221° & 341°-051° fr heli. Arc 211°-221° rstd to multi-engine heli only due obstacles.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B557

MINDEN (HOSP) ON (Heli)

CMI2


REF	N44 55 29 W78 43 46 Adj S 12°W UTC-5(4) Elev 905' A5000
OPR	Haliburton Highlands Health Services 705-286-2140 Cert PPR
FLT PLN	NOTAM FILE CYQA
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' dia 114' dia asphalt Rstd max heli length 57.5'
RCR	Opr
LIGHTING	DR RY(LO) RF(FL)
PRO	Arr/dep 128° fr heli.



MINNEDOSA MB

CJU5

REF	N50 16 19 W99 45 47 3NE 7°E UTC-6(5) Elev 1840' aprx A5007 E-16 E-17
OPR	K. Kane 204-867-3147 Fax 204-867-2640 Reg PPR
PF	B-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYBR
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	S 5,6
RWY DATA	Rwy 10(103°)/28(283°) 2750x75 turf/snow
RCR	Opr Ltd win maint
COMM	ATF tfc 123.2 5NM 4800 ASL



MINTY FIELD AB — See DIDSBUYRY / MINTY FIELD

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B558 AERODROME/FACILITY DIRECTORY

MIQUELON FRANCE

LFVM

REF	N47 05 38 W56 23 10 Adj SW 21°W UTC-3(2) Elev 10' A5012 F-22 LO8
OPR	Direction de l'équipement, PPR Twr St-Pierre, tel 41-23-81
PF	A-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYQX Flt Pln & NOTAM avbl fr St-Pierre TWR tel 41-23-81
FIC	Halifax 902-873-6109 or (French) 418-871-6760
SERVICES ARFF	1
RWY DATA RCR	Rwy 12/30 3280x65 asphalt Opr Aprt Twr tel 41-64-60
LIGHTING	12-(TE HI), 30-(TE HI)
COMM	TWR Miquelon Info 119.1 Bil Comm Mon-Fri 1030-15Z†, 16-1930Z† O/T French Comm only ATF tfc 119.1 5NM 6000 ASL TML St-Pierre 119.1 11-22Z (DT 10-22Z) O/T Gander Ctr 134.9 PAL Gander Ctr 134.9
NAV	NDB MQ 402 (L) N47 05 45 W56 23 14 at A/D
PRO	Rgt hand circuits rwy 12 (CAR 602.96).




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B559

MIRAMICHI NB

CYCH



REF	N47 00 28 W65 26 57 1.6S 20°W UTC-4(3) Elev 108' A5003 F-22 LO8 HI6 CAP
OPR	Miramichi Aprt Comsn 506-778-1031/9189 Cert
PF	A-1 (ltd hrs) C-2,3,4,5,6
FLT PLN	NOTAM FILE CYCH
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA-1
S	1,2,4,5
RWY DATA	Rwy 09(091°)/27(271°) 5899x150 asphalt Rwy 09 down 0.40%
TWY	Twy B avbl daytime only Twy B ltd win maint
RCR	Opr CRFI Ltd win maint, PNR
LIGHTING	09-AO(TE ME) P2, 27-AO(TE ME) P2 ARCAL-122.7 type K
COMM	
ATF	UNICOM (AU) ltd hrs O/T tfc 122.7 5NM 3100 ASL
PAL	Moncton Ctr 123.7
NAV	
NDB	F9 520 (L) N47 00 36 W65 28 03 at A/D Pvt
DME	F9 110.9 Ch 46 N47 00 34 W65 28 01 at A/D Pvt
PRO	Rgt hand circuits rwy 09 (CAR 602.96). Do not overfly A/D during glider ops.
CAUTION	Glider operations on abandoned area N of rwy 09/27 weekends May-Jun & Sep-Nov, vehicle & acft launching. Ctc glider ops 122.7 during activity.

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B560 AERODROME/FACILITY DIRECTORY

MISSION (MEM HOSP) BC (Heli)

CBU6


REF	N49 08 10 W122 19 53 Adj 19°E UTC-8(7) Elev 174' VTA A5004
OPR	Mission Mem Hosp 604-826-6261 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN FIC	NOTAM FILE CYXX Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA RCR	86' dia asphalt/turf 115' dia cert for multi-engine heli max length 56'. Opr Heli ltd to 84' length.
COMM ATF	tfc 123.2 1NM 1000 ASL
PRO	Single arr/dep path brg 250°/070° fr heli. .
CAUTION	P-line adj W.



MISSION (PUBLIC SAFETY) BC (Heli)

CBF4

REF	N49 08 W122 21 Adj 19°E UTC-8(7) Elev 85' aprx VTA A5004
OPR	District of Mission 604-826-6271 Call RCMP 604-826-7161 or 604-820-3522 Reg PPR exc RCMP
PF	C-1,2,3,4,5,6
FLT PLN FIC	NOTAM FILE CYXX Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA RCR	65' diameter asphalt/turf Rstd to heli length of 43'.
COMM ATF	tfc 123.2 1NM 1000 ASL
PRO	Arr/dep btwn 202°-292° fr heli.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B561

MOBIL BISTCHO AB

CFV3


REF	N59 29 W119 01 23°E UTC-7(6) Elev 2000' A5022 D-12 D-13
OPR	Alberta Sustainable Resource Development, Forest Protection Division High Level 780-926-3761 Reg
FLT PLN	NOTAM FILE CYOJ
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 10(107°)/28(287°) 3600x75 turf
RCR	Opr Ltd maint. No win maint
COMM	
ATF	tfc 123.2 5NM 5000 ASL



MOLSON LAKE MB

CKJ8

REF	N54 15 29 W97 00 40 2NW 4°E UTC-6(5) Elev 750' aprx A5016 E-16 E-17
OPR	Molson Lake Lodge, Mobile JL6-2337 Cross Lake or SATCOM 600-700-0968. Winter 701-282-7154. Reg
PF	C-1,2,5 PNR Opr
FLT PLN	NOTAM FILE CYIV
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	
PVT ADV	Molson Lake Lodge 122.8
RWY DATA	Rwy 09(094°)/27(274°) 4360x90 gravel
RCR	Opr No win maint
COMM	
ATF	tfc 122.8 5NM 3800 ASL




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B562 AERODROME/FACILITY DIRECTORY

MONCTON VFR TERMINAL PROCEDURES CHART




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B563

MONCTON VFR TERMINAL PROCEDURES CHART - TRAINING AREAS MONCTON FLIGHT COLLEGE - EAST PORTION




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B564 AERODROME/FACILITY DIRECTORY

MONCTON VFR TERMINAL PROCEDURES CHART - TRAINING AREAS MONCTON FLIGHT COLLEGE - WEST PORTION



MONCTON NB — See MONCTON / GREATER MONCTON INTL


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B565

MONCTON / GREATER MONCTON INTL NB

CYQM



REF	N46 06 44 W64 40 43 4ENE 20°W UTC-4(3) Elev 232' A5003 F-22 LO8 HI6 T2 CAP RCAP
OPR	Greater Moncton International Airport Authority Inc 506-856-5444 Cert
PF	A-1,2,6 C-3,4,5
CUST	AOE/75 888-226-7277
FLT PLN	NOTAM FILE CYQM
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
WX	METAR H24 TAF H24, issue times: 00, 06, 12, 18Z

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B566 AERODROME/FACILITY DIRECTORY

MONCTON / GREATER MONCTON INTL NB (Cont'd)

CYQM

SERVICES	Call out chg may be levied for one or more svcs. 100LL, JA-1, FSII PNR PLH Aviation Services 506-857-9140 All 1,2 7 (8 avbl 1 hr PNR) 0945-0345Z± O/T aprt clsd to acft 20 seats & abv, exc for diversions or as an altn A/D, without PPR. O & D-ice (Hobart 1400 amp 30-40 volts), Elect Start 10/25, GTC/GTE-85 & NC-10A/A1/B/C Shell Aerocentre 122.15, Bulmer Acft Svc 131.75 Moncton Flight College 123.5 (Ltd hrs) Air Canada gnd hldg 130.37 506-857-1065 Prince Edward Air 131.37, ltd hangarage avbl
RWY DATA	Rwy 11(107°)/29(287°) 8000x200 asphalt Rwy 06(062°)/24(242°) 6150x200 asphalt Rwy 06 down 0.47% Twy D rstd to acft with max tkof weight 175,000 lbs or less. Acft manoeuvring on apron VIII must maintain a listening watch & are to broadcast their movement intentions on Apron VIII Advisory 122.075. Ctc Ground Control 121.8 prior to entering twy E. Itinerant acft wishing to use Apron VIII ctc Airport Security 506-856-5429 - 2 hr PNR. Apron IV (Moncton Flight College) restricted to acft 8,000 lbs or less. RCR Opr CRFI, PLR/PCN
LIGHTING	06-AN(TE HI), 24-AD(TE HI) P2, 11-AO(TE HI) P2, 29-AN(TE HI)
COMM	RCO Halifax rdo 122.5 (FISE) ATIS 128.65 506-867-7224 APRON ADV Apron VIII 122.075 GND 121.8 275.8 TWR 120.8 236.6 (E) (emerg only 506-867-7220) ARR 124.4 384.8 DEP 124.4 384.8
NAV	VOT 115.7 NDB QM 224 (M) N46 06 38 W64 34 55 288° 3.4NM to thld 29 RIVERVIEW ZQM 304 (L) N46 02 18 W64 47 00 062° 5.5NM to thld 06 LEWISVILLE ZMN 366 (L) N46 06 15 W64 47 31 108° 4.1NM to thld 11 VORTAC YQM 117.3 Ch 120 N46 11 20 W64 34 15 (172°) 249° 6.2NM to thld 24 ILS IQM 109.3 (Rwy 29) RVR; IFG 109.7 (Rwy 06-24) RVR
PRO	De-icing apron VIII - Prior to pushback, broadcast intentions & monitor all movements on Apron Advisory 122.075. Proceed to de-icing pad. Ctc Ground 121.8 prior to entering twy E.
CAUTION	Para activity from 12,500 ASL, 6NM NW. Training areas around CZ, see Moncton VTPC - Training areas.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B567

MONCTON CENTRE (emerg only 506-867-7173)

CZQM

132.2 127.125 132.7 290.6 294.5
 Caledonia Mtn 132.5
 Charlo 134.25
 Charlottetown 135.65
 Churchill Falls **132.95** (FL 290 & above)
 Fredericton 124.3 135.5 270.8
 Grindstone **132.8** (FL 290 & above) 134.35
 Halifax **133.95** (FL 290 & above) 135.3
 Miramichi 123.7
 Natashquan (**132.525 118.875** FL 290 & above)
 Saint John 124.3 135.5 270.8
 Sept-Îles **126.325 133.35 368.5** (FL 290 & above)
 Stephenville (**120.325 133.55 135.775** FL 290 & above)
 Sydney 118.6 (**125.25 132.75 133.3 133.7** FL 290 & above) 266.3
 Trenton 135.3 135.65
 Yarmouth 123.9 **128.375 132.45 135.2 368.5**

MONCTON / McEWEN NB

CCG4

REF	N46 09 14 W64 46 07 Adj 3N 20°W UTC-4(3) Elev 214' A5003 F-22	
OPR	Maritime Airways 506-389-9088 Reg PPR	
PF	A-1 C-2,3,4,5,6	
FLT PLN FIG ACC	NOTAM FILE CYQM Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Moncton 506-867-7176 or 866-480-8200 Fit PLns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
RWY DATA RCR	Rwy 08/26 3000x80 asphalt/grass, centre 35' asphalt Thld 08 displ 395'. Opr Ltd win maint	
LIGHTING	08-(TE LO), 26-(TE LO)	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3200 ASL excluding that portion in the Moncton CZ.	
PRO	Rgt hand circuit rwy 26 (CAR 602.96). IFR dep clnc ctc Moncton gnd 121.8	
CAUTION	Parajump activity to 12,500 ASL. Ctc Moncton twr for current info. Grass area of rwy soft when wet. Training areas around A/D, see Moncton VTPC - Training areas.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B568 AERODROME/FACILITY DIRECTORY

MONCTON / SALISBURY NB (Heli)

CDB5


REF	N46 02 58 W65 03 45 1.5NW 19°W UTC-4(3) Elev 230' A5003	
OPR	Irving Oil Ltd 506-632-7777 Reg	
PF	B-1,2 D-3,4,5,6	
FLT PLN	NOTAM FILE CYQM	
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
PAD DATA	80' x 80' Gravel	
RCR	Opr No win maint	
COMM		
ATF	tfc 123.2 5NM 3200 ASL	
PRO	Arr/dep btwn 098° & 343° fr heli.	
CAUTION	Training areas around heliport, see Moncton VTPC - Training areas. Unmarked fur farm 2 NM S of helipad, within the published arr/dep path.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B569

MONT-JOLI - RIMOUSKI VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
BIC	VCBIC	N48° 22.30 W68° 42.40
LUCEVILLE	VCLCV	N48° 31.73 W68° 20.62
MONT COMI	VCCMS	N48° 27.92 W68° 12.52
POINTE-AU-PÈRE	VCPAP	N48° 30.63 W68° 27.57
POINTE MITIS	VCMIT	N48° 40.83 W68° 02.13
ST-ANACLET	VCANA	N48° 28.63 W68° 25.43
STÉ-ANGÈLE-DE-MÉRICI	VCMRC	N48° 31.52 W68° 04.85
STÉ-BLANDINE	VCSBD	N48° 21.68 W68° 27.65

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B570 AERODROME/FACILITY DIRECTORY

MONT-JOLI QC

CYYY

REF	N48 36 32 W68 12 27 1.5NNW 20°W UTC-5(4) Elev 172' A5010 E-19 F-22 LO7 HI6 CAP	
OPR	Régie Intermunicipale 418-775-3347 Cert Ldg fees except for private and piston aircraft	
PF	A-1,2,6 12-20Z‡ C-4,5 ltd hrs Sat-Sun	
FLT PLN	(bil) NOTAM FILE CYYY	
ACC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
WX	Montréal 800-633-1353 METAR H24. TAF H24, issue times: 02, 08, 14, 20Z. ATB airside access	
SERVICES	418-775-4020	
FUEL	100LL, JA Petro-T 122.95 418-775-4020 1230-01Z‡ O/T svc chg	
OIL	All	
S	4,5,6	
RWY DATA	Rwy 06(058°)/24(238°) 5000x150 asphalt. Rwy 06 down 0.32%. Rwy 15(152°)/33(332°) 3934x150 asphalt Rwy 15 up 1.03% Thld 33 displ 230'. RCR Opr 12-02Z‡ Mon-Fri exc hols O/T 3 hrs snow removal 418-727-0001 CRFI. Rwy 15/33 and twy E,C,D clsd fr Jan 6 to Mar 31.	
LIGHTING	06-AO (TE HI) P2, 24-AS (TE HI) P2, 15-(TE ME), 33-(TE ME)	
COMM	(bil)	
RADIO	122.1 (V) (emerg only 418-775-0055)	
RCO	Québec 123.25 (FISE) 126.7	
MF	rdo 122.1 5NM joined to Rimouski MF circle by a corridor equal to the width of their diameter 3200 ASL, see Mont-Joli - Rimouski VTPC. (CAR 602.98)	
PAL	Montréal Ctr 134.65 227.2	
NAV		
VOT	111.2	
NDB	YY 340 (M) N48 34 00 W68 15 31 058° 3.0NM to thld rwy 06	
VOR/DME	YYY 115.9 Ch 106 N48 36 44 W68 12 32 (190') at A/D	
LOC	IYY 109.7 (Rwy 06-24) RVR	
PRO	Rgt hand circuits rwy 24 (CAR 602.96).	
HELH	Helicopter parking NE corner of apron	
CAUTION	Paramotors activities between St-Fabien, Rimouski, Mont-Joli and Matane, sfc up to 500 ASL ocsl 1200 ASL. Ultra-light activities 2.0NM SW, max alt 700 ASL.	

MONT-JOLI FSS – RCO

Baie-Comeau 118.3 (RAAS) (N49 08 W68 12)

Gaspé 122.3 (RAAS) (N48 47 W64 29)

Îles-de-la-Madeleine 123.15 (RAAS) 0330-10Z‡ (N47 22 W61 54)

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B571

MONT-LAURIER QC

CSD4

REF	N46 33 52 W75 34 40 3W 15°W UTC-5(4) Elev 815' A5000 A5002 F-21 LO6 LO7 CAP	
OPR	A.P.P.A. 819-623-5475 Reg	
PF	A-1,2 12-02Z‡ Mon-Sat 13-03Z‡ Sun C-3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYND	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 800-633-1353	
SERVICES	13-22Z‡ O/T 819-623-5475	
FUEL	100LL, JA	
OIL	15W30	
S	1,2,4,5,6	
RWY DATA	Rwy 08/26 4000x75 asphalt Thld 08 displ 200'.	
RCR	Opr Expect delays for snow removal.	
LIGHTING	08-(TE ME), 26-(TE ME) (no setting to ME) ARCAL-122.8 type J	
COMM		
DRCO	(bil) Québec rdo (Mont-Laurier) 122.1 (FISE)	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3900 ASL	
PAL	(bil) Montréal Ctr 126.575	
NAV		
NDB	2Q 373 (L) N46 36 09 W75 28 14 258° 4.6NM to thld rwy 26	
CAUTION	Possibility of deer on rwy.	

MONTMAGNY QC

CSE5

REF	N47 00 05 W70 30 57 1.7NE 18°W UTC-5(4) Elev 37' A5002 F-21 LO7 LO8		
OPR	Govt of Quebec 418-248-3545/598-3318 Cert		
PF	A-1 (daylight) C-2,3,4,5,6		
FLT PLN	(bil) NOTAM FILE CYQB		
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)		
SERVICES	Air Montmagny 418-248-3545 12-22Z‡ Apr 1-Sep 30 Mon-Fri O/T 1 hr PNR call out chg; 13-22Z‡ Oct 1-Mar 31 Mon-Fri O/T 1 hr PNR call out chg.		
FUEL	100LL		
S	1,4,5,6		
RWY DATA	Rwy 08/26 3000x75 asphalt		
RCR	Air Montmagny 418-248-3545 Ltd win maint. Possibility of ice on rwy.		
LIGHTING	08-(TE ME), 26-(TE ME) ARCAL-122.8 type K		
COMM			
ATF	(bil) UNICOM ltd hrs O/T tfc 122.8 5NM 3100 ASL		

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B572 AERODROME/FACILITY DIRECTORY

MONTMAGNY QC (Cont'd)

CSE5



PRO	Rgt hand circuits rwy 08 (CAR 602.96).
CAUTION	Extv bird activity May-Oct. Obst 420 ASL (250 AGL) 2.9NM SW of thld rwy 08.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B573

MONTRÉAL VFR TERMINAL PROCEDURES CHART



- 1 ST-JÉRÔME (HYDRO-QUÉBEC)
- 2 MONTRÉAL (BELL)
- 3 MONTRÉAL / LES CÈDRES
- 4 VALLEYFIELD (TRANSPORT BRS INC)
- 5 MONTRÉAL (SACRÉ-COEUR)
- 6 MONTRÉAL EAST (AIM)
- 7 MONTRÉAL / LAVAL (ARTOPEX PLUS)
- 8 MONTRÉAL / KRUGER

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B574 AERODROME/FACILITY DIRECTORY

MONTRÉAL VFR TERMINAL PROCEDURES CHART (Cont'd)

VFR FLIGHT PROCEDURES

ARRIVAL: Arriving aircraft should establish contact 5NM prior to entering class "C" airspace.
DEPARTURE: Departing aircraft should advise twr of intentions to operate in class "C" airspace prior to taxi.

VFR ROUTE DESCRIPTIONS:

ROUTE ALPHA: (Mascouche/Oka)

Southwestbound: fr Mascouche to the west then following the north shore until Oka.
Northeastbound: fr Oka to the south shore of the Mille Îles River (Laval) then to a point west of Mascouche then to the east to Mascouche aprt.

ROUTE BRAVO: (Mascouche/St-Hubert)

Northbound: fr St-Hubert aprt to Repentigny then westbound to Mascouche aprt.
Southbound: fr Mascouche aprt to Repentigny then to the southeast to the base of the CYHU control zone extension then to the aprt.

ROUTE CHARLIE: (Les Cèdres/St-Hubert/Verchères)

Bidirectional route Les Cèdres/St-Hubert CZ via towns of St-Timothée, Ste-Martine, St-Rémi & St-Philippe-de-Laprairie. The portion within St-Hubert CZ and Verchères above 3000 ASL only (in tml class C & D airspace).

VFR FLIGHTS IN MONTRÉAL CLASS C AND TERMINAL CLASS D AIRSPACE

In order to minimize delays, ATC frequency congestion and for better airspace management, as well as to improve safety, a procedure is available allowing VFR aircraft to obtain a transponder code prior to take off. This mandatory procedure applies to VFR aircraft that did not file a flight plan or flight itinerary with Nav Canada and wishing to penetrate or operate in the Montréal Class C and terminal Class D airspace. All acft not respecting mandatory transponder code procedure will not be accepted in Montréal Class C and terminal Class D airspace.

To obtain a transponder code:

Ctc the Montréal ACC at 877-YUL-CODE (877-985-2633) to provide ATC with information pertaining to your flight to obtain your transponder code at least 30 min prior to a flight into Montréal Class C and terminal Class D airspace.

Flight procedure:

1. Set your transponder to the assigned code prior to your first communication with ATC.
2. Ctc ATC at least 5NM prior to entering Montréal Class C and terminal Class D airspace.

MONTRÉAL CLASS G AIRSPACE


To standardize the use of freq in uncontrolled airspace (class G), within an area between eastern extremity of Montréal Island & Pointe-Calumet / Ile Bizard to the west, (excluding Mascouche MF zone), it is recommended that you broadcast intentions & monitor, if possible, 123.2. It is suggested that landing lights be turned on.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B575


MONTREAL VFR TERMINAL PROCEDURES CHART - GLIDER OPERATIONS



GLIDER OPERATIONS

Glider ops will occur in one or many areas described abv (A, B, C), fr May 1 to Dec 1, fr the surface up to 2500 ASL exclusively, occasionally higher according to the agreement previously signed with the Montreal Control Ctr. Ctc Montreal tml (freq 134.15) to inquire about the status of these areas in class C airspace.

MONTREAL VFR TERMINAL PROCEDURES CHART - TRAINING AREAS



HOWICK & ST-RÉMI AREAS: 5000 ASL & BELOW
 STE-MARTINE AREA: 2000 ASL & BELOW

TRAINING OPERATIONS
 Training flight will be carried out in one or many areas described on the VTTC, fr the surface to 5000 ASL in the Howick & St-Rémi areas & surface to 2000 ASL in the Ste-Martine area. Ctc Montréal tml (freq 134.15) to inquire about the status of these areas. Acft that wish to train in one of these areas will, when obtaining their VFR codes, specify the requested area & altitude.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B578 AERODROME/FACILITY DIRECTORY

MONTRÉAL / AÉROPARC ÎLE PERROT QC

CSP6

REF	N45 22 34 W73 54 26 1.2SE 15°W UTC-5(4) Elev 100' VTA A5002 F-21	
OPR	Paul Fréchette 514-425-2300 Reg PPR	
PF	C-1,2,3,4,5,6	
FLT PLN FIC	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 07(067°)/25(247°) 2200x50 turf/snow Opr No win maint	
COMM TWR ATF VFR ADV	Montréal 119.9 (CZ bdry at less than 2NM NE of thld 25) tfc 123.2 5NM outside class C airspace Montréal Tml 134.15	
PRO	Rwy 25 preferential for take-off, rwy 07 preferential for ldg. Touch & go not permitted. Rgt hand circuits rwy 07 (CAR 602.98).	
CAUTION	Rwy: Rough rwy. Rwy soft when wet. Model acct: Rdo controlled model acct adj NW. P-line: Cross apch to rwy 07 unmarked. Wildlife: Cultivated fields at both ends of rwy, extv bird activity Apr-Oct.	

MONTRÉAL (BELL) QC (Heli)

C5W5

REF	N45 41 06 W73 55 52 15°W UTC-5(4) Elev 221' VTA	
OPR	Bell Helicopter Textron 450-437-3400 Reg PPR	
PF	A-1 C-2,3,4	
FLT PLN FIC ACC	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) 514-633-3211	
SERVICES ARFF	3	
PAD DATA	100' x 800' 100' x 1000' asphalt	
COMM RADIO A/G	(bil) Mirabel 119.1 Tour de Bell 130.25 382.6 5560.4 4242 12-2230Z†	
PRO	Avoid Bell Heli test areas. See Montréal Intl (Mirabel) VTPC.	



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B579

MONTREAL EAST (AIM) QC (Heli)

CSH9



REF	N45 38 09 W73 33 44 16°W UTC-5(4) Elev 179' aprx VTA
OPR	American Iron & Metal Inc 514-494-2000 Cert PPR
PF	B-1,4 C-3,5,6
FLT PLN	(bil) NOTAM FILE CYUL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	64' dia wood 9,000 lbs max Heli on roof
RCR	Ltd win maint
COMM	
TWR	Montréal 119.9
ATF	tfc 123.2 5NM outside Montréal CZ1300' & outside TCA 2000'
TML	Montréal 134.15
PRO	Arr/dep tracks see sketches.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B580 AERODROME/FACILITY DIRECTORY

MONTREAL CENTRE (emerg only 514-633-3365)

CZUL

118.9 **118.9** & 124.65 **124.65** (Below FL240) 125.15 **125.15** (Below FL290) 126.9 **126.9** & 132.85 **132.85** (Below FL240) 134.15 **134.15** (Below FL290) **134.4** (FL290 & above) 135.6 **135.6** & 229.2 **229.2** & 245.0 **245.0** (Below FL290) 268.3 **268.3** (Below FL240) **287.2** (FL290 & above) 294.0 **294.0** (Below FL290) **350.7** (FL290 & above)
Brevoort 132.025 (FL290 & above) 0730-2330Z† O/T Gander Centre **134.85 (FL290 & above)**
Brisay 119.4 & 126.5 (FL290 & above)
Brockville-Thousand Islands Regional 134.675 134.675 & 231.95 231.95 (Below FL240)
Campbellford 135.05 135.05 & 398.4 398.4 (Below FL240)
Chibougamau 127.3 **127.3** (Below FL290) **133.025 & 253.2** (FL290 & above)
Chisasibi 132.325 (FL290 & above)
Inukjuak 132.675 (FL290 & above)
Iqaluit 132.8 (FL290 & above) 134.55 **134.55** (Below FL290)
Kapuskasig 133.975 (FL290 & above)
Kuujuuaq 132.45 & 133.2 (FL290 & above) **134.2** (FL290 & above) 0730-2330Z† O/T Gander Centre 135.1 **135.1** (Below FL290) **135.8** (FL290 & above)
La Grande Rivière (LG-2) 132.1 **132.1** (Below FL290) **133.775** (FL290 & above)
La Tuque 134.5 **134.5** (Below FL290)
Lac Levesque 134.225 (FL290 & above)
Mont-Joli 132.625 (FL290 & above) 134.65 **134.65 & 227.2 227.2** (Below FL290)
Mont-Laurier 126.575 **126.575** (Below FL290) **127.875** (FL290 & above)
Moosonee 118.975 (FL290 & above)
Ottawa 124.275 124.275 (Below FL290) 127.7 127.7 (Below FL290) 128.175 (Below 14,000) 128.775 128.775 (Below FL240) 134.975 134.975 (Below FL290) 135.15 & 247.0 & 252.5 (Below 14,000) 266.8 **266.8** (Below FL290)
Pembroke 135.2 135.2 & 278.5 278.5 (Below FL240)
Puvirnituq 134.725 (FL290 & above)
Québec 124.0 & **127.85** (Below 14,000) 135.025 **135.025 & 270.9 270.9** (Below FL290) **322.8** (Below 14,000)
Rivière-du-Loup 125.1 **125.1** & 299.6 **299.6** (Below FL290)
Rouyn 120.725 (FL290 & above)
St-Adrien 123.925 (FL290 & above) 132.35 **132.35** (Below FL290) **133.225** (FL290 & above)
Schefferville 132.9 **132.9** (Below FL290)
Sept-Iles 135.55 **135.55 & 381.9 381.9** (Below FL290)
Sherbrooke 132.55 **132.55 & 226.0 226.0** (Below FL290)
Timmins 133.975 & 381.4 (FL290 & above)
Trois-Rivières 128.225 **128.225** (Below FL290)
Val-d'Or 125.9 **125.9 & 308.3 308.3** (Below FL290)
Wabush 132.25 **132.25** (Below FL290)


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B581

MONTREAL INTL (MIRABEL) QC

CYMX



REF	N45 40 55 W74 00 19 21NW 15°W UTC-5(4) Elev 270' VTA A5002 F-21 LO6 LO7 LO8 HI5 T2 CAP OC
OPR	Aéroports de Montréal 514-633-3223 Cert Ldg fees
PF	C-1,2,3,5,6 D-4
CUST	AOE/15 13-22Z† Mon-Fri exc hols, cargo acft and crews only 450-476-3168 Pax only Hélibellule (FBO) 450-476-1000 Fax 450-476-1002.
FLT PLN	(bil) NOTAM FILE CYMX
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 514-633-3211 or 800-633-1353. All Flt Plns, IFR tng fts PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep.
WX	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	
FUEL	JA-1, 100LL. JA-1 avbl with Cafas or Hélibellule. 100LL avbl with Hélibellule. (CON Les Pétales Thérien IP JA-1, FSII) chargeable to base.
S	2
SUP FL	D & A-ice 122.4 Sun from 07Z†, avbl O/R only 1 hr PNR
MIL ADV	Tran acft to L3 COM (MAS) ctc svcg (123.25)
PVT ADV	Aeromag 2000 122.575 450-476-1850 Hélibellule 122.725 450-476-1000
MIL CON	Mirabel Cafas Inc (Les Pétales Thérien) 450-476-3491
RWY DATA	Rwy 06(060°)/24(240°) 12,000x200 concrete Rwy 24 up 0.3% between B5 and B6 RESA: 06/24 787' A-cable: rwy 06/24 BLISS 500S, B, (1500'). Cable availability 12-21Z† Mon-Fri (exc hols). 24 hrs PNR. Fees applicable, 450-476-4505 or 514-234-9463. All acft requiring cable 2 hrs PNR to L-3 Com (MAS) Canada 450-476-4455. Twy F (north of Twy H) & Twy G no vehicle control
TWY	
APRON	Main & Cargo Aprons: Uncontrolled; broadcast intention on 122.4 before manoeuvring.
RCR	Opr

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B582 AERODROME/FACILITY DIRECTORY

MONTRÉAL INTL (MIRABEL) QC (Cont'd)

CYMX

LIGHTING	06-AL(TE HI CL TDZL), 24-AN(TE HI CL)
COMM	(bil) Mirabel 119.1 282.4 (E) (emerg only 450-476-3141) (English) 125.7 450-476-3031; (French) 126.1 450-476-3095 tfc 122.4
RADIO	rdo 119.1 7NM 2000 ASL (CAR 602.98)
ATIS	Montréal 124.65 268.3
APRON ADV	Montréal 124.65
MF	Montréal 134.15
ARR	
DEP	
VFR ADV	
NAV	
VOT	114.9
NDB	JOLY ZMM 266 (L) N45 40 50 W74 11 04 113° 6.9NM to thld rwy 06 HERMAS ZMR 272 (L) N45 37 29 W74 05 17 060° 3.9NM to thld rwy 06 JANVIER ZMX 317 (L) N45 44 29 W73 55 14 240° 4.1NM to thld rwy 24
VOR/DME	YMX 116.7 Ch 114 N45 53 18 W74 22 33 (1663') 148° 18.9NM to A/D
ILS	IKP 111.3 (Rwy 06) RVR; IIT 111.7 (Rwy 24) RVR
PRO	Right hand circuits Rwy 24 (CAR 602.96) Twys I westbound only. Twy J eastbound only. In accordance with CAR 602.96(3)(d), the pilot in command of an aircraft taxiing for departure during ILS CAT II ops shall not taxi further than the ILS CAT II holding point without a valid ATC IFR clearance. CYR 601 sfc to below 1300 ASL, no person shall operate an aircraft within the area described unless the flight has been authorized by the User/Controlling Agency. De-icing guiding lights procedure: Direction lgts panel; when red, hold posn. When green, follow direction of arrows. Prkg lgts panel; when green taxi straight ahead til turns red. De-icing centre procedure: 1. Notify Aeromag 2000 with 30 min prior ntc when de-icing is rqrd with de-icing type rqrd on 122.575 or 450-476-1850. 2. On twys J & K hold short of de-icing pad & ctc Aeromag 2000 on 122.575 to access assigned de-icing bay. 3. Follow instructions & guidance lights to de-icing bays. 4. When ready to de-ice; brake set, acft configured & engines at idle. 5. After de-icing, ctc Aeromag 2000 on 122.575 before moving acft. Airspace: Standardized use of freq 123.2 in class G airspace E of control zone. Apron: All acft clockwise except acft with wingspan of 65m (213') and over counterclockwise to access gates 111 & 116. Mirabel apt is intended for scheduled cargo and gen avn. For gen avn svcs PNR with Hélibellule (see PVT ADV).

MONTRÉAL / KRUGER QC (Heli)

CSN2

REF	N45 30 25 W73 38 09 16°W UTC-5(4) Elev 180' VTA A5002
OPR	Kruger Inc 514-737-1131 Cert PPR
FLT PLN	NOTAM FILE CYUL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	52' x 52' grass, hover area 85' x 85' grass
COMM	
TWR	Montréal 119.9

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B583



MONTRÉAL / KRUGER QC (Heli) (Cont'd)

CSN2

PRO	Arr/dep tracks 045°/225° & 180°/360° from hover area & arr/dep track 354°/174° from pad
CAUTION	Trees NW of hover area. Restricted to twin engine helicopters.

MONTRÉAL / LAVAL (ARTOPEX PLUS) QC (Heli)

CLP2



REF	N45 34 43 W73 45 00 Adj 15°W UTC-5(4) Elev 133' VTA A5002
OPR	Groupe Pro Plus Inc 450-378-0189 FAX 450-378-4003 13-22Z† Mon-Fri Cert PPR
PF	C-1,2,3,4,5
FLT PLN	NOTAM FILE CYUL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	59' dia asphalt/compacted snow, 79' dia grass
RCR	Opr Ltd win maint
COMM	
TWR	Montréal 119.9
TML	Montréal 134.15
PRO	Arr/dep 085° & 280°
CAUTION	Many street lamp-posts (30 & 47 AGL) around pad & hwy lamp-posts (125 AGL), see sketch. Antenna 338 ASL (200 AGL), 1015' N of pad.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B584 AERODROME/FACILITY DIRECTORY

MONTREAL / LES CEDRES QC

CSS3

REF	N45 20 51 W74 04 36 15°W UTC-5(4) Elev 160' VTA A5002 F-21 LO6 LO7 LO8 T2	
OPR	Laurentide Avn 450-452-4882 Fax 450-452-4405 Reg	
PF	A-1,2 C-3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3014.	
SERVICES		
FUEL	100LL	
OIL	All	
S	1,2,3,4,5,6	
RWY DATA	Rwy 07/25 3000x75 asphalt	
TWY	Twys A, B & D asphalt. Twy C; west of twy B to D asphalt, from east of twy B to twy D gravel & btwn twy D to twy E grass. Twy C btwn B & E closed Nov-Apr.	
RCR	Op	
LIGHTING	07-(TE LO), 25-(TE LO) Rwy lgt on btwn SS-SR. Twy C, D & E not lgted.	
COMM		
ATF	UNICOM ltd hrs O/T tfc 123.5 5NM 2000 ASL	
PRO	Rwy 07 circuits - do not descend below 960 ASL until joining final apch leg. Turf parallel rwy clsd.	
CAUTION	Rough rwy.	

MONTREAL / LES CEDRES QC (Heli)

CSH6

REF	N45 21 W74 05 15°W UTC-5(4) Elev 160' VTA A5002	
OPR	Canadian Helicopters Limited 450-452-3000 Reg PPR	
PF	B-1 C-2,3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
SERVICES		
FUEL	JA-1	
OIL	148, 156	
S	1,2,3,4,6	
PAD DATA	250' x 250' Arr/dep hover area 100' x 100'	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B585



MONTRÉAL / LES CÈDRES QC (Heli) (Cont'd)

CSH6

COMM	
ATF	UNICOM ltd hrs O/T tfc 123.5 5NM 2000 ASL
PRO	Circuits N side of heli. Arr/dep fr hover area E 075° & SW 235° then offset to a rte of 255° as indicated on heli sketch. Remain clear of Montréal/Les Cèdres rwy centreline. All pro not above 500 AGL.

MONTRÉAL / LONGUEUIL (CENTRE HOSPITALIER PIERRE-BOUCHER) QC (Heli)

CCH5



REF	N45 32 17 W73 27 36 Adj 16°W UTC-5(4) Elev 95' VTA A5002
OPR	Centre Hospitalier Pierre-Boucher Arrival with patient 450-468-8177 Arrival without patient 450-463-2589 Fax 450-463-4266 Cert PPR
PF	B-1,3,4 C-2,5
FLT PLN	(bil) NOTAM FILE CYHU
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	84' dia asphalt
LIGHTING	RY (with green lights) ARCAL-123.2 type K
COMM	
TWR	St-Hubert 118.4 352.5 (E) 1045-05Z± Apr-Oct; 1045-04Z Nov-Mar
MF	Rouyn rdo 118.4 05-1045Z± Apr-Oct; 04-1045Z Nov-Mar 5NM centred on St-Hubert airport shape irregular (CAR 602.98)
VFR ADV	Montréal Tml 134.15
PRO	Arr/dep 225° & 135° from heliport
CAUTION	P-line (aprx 30 AGL) bordering adj street to the north. Numerous lamp posts (aprx 25 AGL) in adj parking lots. Lighted antenna on top of hospital 314 ASL (224 AGL).

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B586 AERODROME/FACILITY DIRECTORY

MONTREAL / MARINA VENISE QC (Heli)

CST2


REF	N45 37 57 W73 46 44 Adj SE 15°W UTC-5(4) Elev 65' VTA A5002	
OPR	M. Delisle 450-625-1680 Fax 450-625-8733 Cert PPR	
PF	B-1 C-2,3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYUL	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
WX	W1 450-476-3027	
SERVICES		
FUEL	100LL	
OIL	100, 15W50	
S	1,2,3,4,5	
PAD DATA	60' x 60' asphalt 83' x 83' gravel	
COMM	(bil)	
RADIO	Mirabel 119.1 282.4	
RCO	Québec 123.55 (above 12,500 ASL) 126.7 (at or below 12,500 ASL)	
TWR	Montréal 119.9 267.1 (E)	
ATF	tfc 123.2 outside class C airspace	
VFR ADV	Montréal 134.15	
PRO	Arr/dep 040°/220° fr Heli. Arr/Dep acft to maintain a min of 1000 AGL over shore area. Tkof after 0800 h local. Float acft onsite (250'N of pads), check for tfc.	
CAUTION	P-lines 1NM NE	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B587

MONTREAL / MASCOUCHE VFR TERMINAL PROCEDURES CHART




MONTREAL CLASS G AIRSPACE

To standardize the use of freq in uncontrolled airspace (class G), within an area between eastern extremity of Montréal Island & Pointe-Calumet / Ile Bizard to the west, (excluding Mascouche MF zone), it is recommended that you broadcast intentions & monitor, if possible, 123.2. It is suggested that landing lights be turned on.

MONTREAL / MASCOUCHE QC

CSK3

REF	N45 43 07 W73 35 53 1.5SE 16°W UTC-5(4) Elev 75' VTA A5002 F-21 LO6 LO7 LO8 T2
OPR	Corporation de l'aéroport de Mascouche 514-702-6611 Cert
PF	A-1,2 C-3,4,5,6 Montréal
FLT PLN	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3014.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B588 AERODROME/FACILITY DIRECTORY

MONTRÉAL / MASCOUCHE QC (Cont'd)

CSK3

SERVICES	
FUEL	100LL (Cargair), 100LL JA-1 Québec Hélicoptères (Passport Hélico) access by heli only 450-474-4888
OIL	All (Cargair)
PVT ADV	Cargair 123.35 450-474-2477
RWY DATA	Rwy 11/29 3000x75 asphalt
TWY	Twy A 34' wide, asphalt 16' wide
RCR	Actionair 450-966-0400
LIGHTING	11-(TE LO), 29-(TE LO) ARCAL-122.35 type J Twy A unlgtd
COMM	
MF	tfc 122.35 (without ground station) 5NM excluding the portion S of the N shore of Rivière des Milles-Îles & 1NM around Lac Agile (Mascouche) A/D, 2500 ASL. (CAR 602.98)
PRO	Arr/Dep: Arr 2000 ASL, dep 1500 ASL. Ski: Ski ops proh. Airspace: Standardized use of freq 123.2 in class G airspace outside MF zone S of A/D.
HELI	Heli-platform N of A/D. Arr: Québec Helicopter (Passport Helico) join circuit. Rwy 11 in use, shorten base section of circuit. Rwy 29 in use, lengthen base section of circuit. Final section of circuit parallel to rwy in use.
NOISE	Dep: Québec Helicopter (Passport Helico) dep parallel to rwy in use. Climb to alt. Pursuant to CAR 602.105, the acft oprg criteria noise restrictions order, the following noise abatement procedures & noise control requirements apply at Mascouche aerodrome. Noise Operating Restrictions: A.Rwy 11 preferential. B.Dep rwy 29: climb on rwy centreline to P-lines. C.Touch & go landings rwy 29 are not permitted btwn 2300-0600 (lcl time). Noise Abatement Procedures: Circuits rwy 29, climb on rwy centreline left turn to follow the powerline & 337 road til abeam shopping centre, then left turn downwind for circuits rwy 29.
CAUTION	Explosives warehouse with ocsl blasting without NOTAM, 5NM ENE of A/D.


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B589

MONTREAL / PIERRE ELLIOTT TRUDEAU INTL QC

CYUL



REF	N45 28 14 W73 44 27 Adj SW 15°W UTC-5(4) Elev 118' VTA A5002 F-21 LO6 LO7 LO8 HI5 T2 CAP OC
OPR	Aéroports de Montréal 514-633-3223 Cert Ldg fees
PF	A-1,2,3,4,6 C-5
CUST	AOE 888-226-7277

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B590 AERODROME/FACILITY DIRECTORY

MONTRÉAL / PIERRE ELLIOTT TRUDEAU INTL QC (Cont'd)

CYUL

FLT PLN	(bil) NOTAM FILE CYUL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 514-633-3211 or 800-633-1353. All Flt Plns, IFR tng flts PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep.
WX	METAR H24.
PIK	TAF H24, issue times: 00, 03, 06, 09, 12, 15, 18, 21Z. Shell Aerocentre, Flt Planning Room, airside access (see sketch)
SERVICES	
FUEL	100, JA-1, F-34, JB, FSII (CON S IP JA-1, FSII)
OIL	All
S	1,2,3
ARFF	9
SUP FL	ADI, D & A-ice 514-636-1850, LHOX
JASU	Elect Start 10/15
PVT ADV	Esso Avitat 122.85; Hudson General 122.95; Shell Aerocentre 129.3; Aeromag 122.525; Iceman 123.125 514-636-1850; Starlink-Avionair 123.075 514-631-7500; Aero Toy Store 122.725 800-319-7849 or 514-633-7000
MIL CON	Aerocentre (Shell) 514-636-5870
RWY DATA	Rwy 06L(058°)/24R(238°) 11,000x200 asphalt/concrete Rwy 06R(058°)/24L(238°) 9600x200 concrete Rwy 10(103°)/28(283°) 7000x200 asphalt/concrete RESA: 06L/24R 787'; 10/28 787'; 24L/06R 787'
TWY	Twys L & R ltd to acft less than 70,000 kg unless auth by opr Twy Q proh to acft with a wingspan of more than 36m (118') <u>A380, A124, A346 & B773</u> : Right turn prohibited from A4 or A2 to A. From apron: Right turn prohibited from A4 to AM. <u>A380, A124, A346 & B773</u> : Left turn difficult from A1 to A. Use of holding bay 24L recommended.
APRON	Centre ramp btwn tml bldg & boarding ramp circulation proh to acft with a wingspan of more than 36m (118'). De-icing Bays: 1 & 5: max wingspan 65m (213.3') 2 & 4: max wingspan 34.32m (112.6') 3: max wingspan 47.57m (156')
RCR	Opr CRFI, PLR/PCN
LIGHTING	06R-AN(TE HI) P3, 06L-AL(TE HI A TDZL), 10-AN(TE HI), 24R-AN(TE HI CL), 24L-AN(TE HI), 28-AS(TE HI) P3 Twy U unlgtd.
COMM	(bil)
RCO	Québec 123.55 (Above 12,500 ASL) 126.7 (FISE) (At or below 12,500 ASL)
ATIS	(English) 133.7 514-633-3037; (French) 127.5 514-633-3034
CLNC DEL	Montréal 125.6 all dep acft ctc clnc del
APRON	Montréal 122.075
GND	Montréal 121.9 275.8
TWR	Montréal 119.9 267.1 (E) (emerg only 514-633-3311)
ARR	Montréal Tml 118.9 124.65 126.9 132.85 268.3
DEP	Montréal Tml 118.9 124.65 268.3
VFR ADV	Montréal Tml 134.15

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B591

MONTRÉAL / PIERRE ELLIOTT TRUDEAU INTL QC (Cont'd)

CYUL

NAV

VOT	115.7
NDB	UL 248 (M) N45 27 36 W73 50 54 103° 3.5NM to thld rwy 10 JARRY ZMT 284 (L) N45 32 33 W73 39 25 238° 4.9NM to thld rwy 24R VALOIS ZDV 201 (L) N45 27 15 W73 46 26 058° 0.6NM to thld rwy 06L ROCKLAND ZUL 348 (L) N45 31 25 W73 39 14 238° 3.8NM to thld rwy 24L
VOR/DME	YUL 116.3 Ch 110 N45 36 57 W73 58 15 (194') 135° 12.9NM to A/D
DME	IUL 109.3 Ch 30 N45 27 51 W73 45 48 IOA 110.5 Ch 42 N45 27 33 W73 44 15
ILS	IDO 110.1 (Rwy 10) localizer reliable only within 30° either side of LOC centreline; IZZ 111.9 (Rwy 24R) RVR; IMQ 110.5 (Rwy 24L) RVR; IUL 109.3 (Rwy 06L) RVR; IOA 110.5 (Rwy 06R) RVR

PRO

IFR Approach Rwy 10/28: 20 min PNR for ILS approach rwy 10 or GNSS rwy 28 when rwy 06/24 in operation.

Circuits: Rgt hand circuits rwys 06R, 10 & 24R (CAR 602.96).

Transponder: Transponder with mode "C" required in CZ.

Peak tfc period: 11-1330Z† & 20-0030Z† Mon-Fri.

Taxi: Prior to taxiing, obtain IFR clnc, then ctc apron ctl & specify your position & rwy cleared for.

Airspace: Standardized use of freq 123.2 in class G airspace fr the NE to the W of control zone.

Training: No Ab Initio tng.

TC hangar: TC hangar access rstd to TC acft (facility number 4 on sketch). All other acft PPR (514-633-3412 ltd hrs), ctc apron ctl to activate the traffic lgt system.

De-icing:

1. Aeromag needs 30 min prior notice when de-icing is rqrd with de-icing type;
2. On twys H, I, J or K, hold short of de-icing pad & ctc Aeromag De-icing Centre on 122.525;
3. Follow instructions & guidance lights to de-icing bays;
4. After receiving instructions from Aeromag, ctc ICEMAN on 123.125 with brakes set, acft configured & engines at idle;
5. After de-icing, ctc Aeromag on 122.525 before moving acft;
6. Entering Twy JULIET or Twy K short of **hold short line for Rwy 10/28**, contact ground control.

ATC:
IFR Clnc Acknowledgement:
IFR clnc read back with Montreal twr clnc del shall include acft call sign, assigned sid name and transponder code.

VFR Codes: In order to minimize delays, ATC frequency congestion and for better airspace management, as well as to improve safety, a mandatory procedure applies requesting to ctc the Montréal ACC at 877-YUL-CODE (877-985-2633) to provide ATC with information pertaining to your flight to obtain your transponder code at least 30 min prior to a flight into Montréal Class C airspace.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B592 AERODROME/FACILITY DIRECTORY

MONTRÉAL / PIERRE ELLIOTT TRUDEAU INTL QC (Cont'd)

CYUL

PRO (Cont'd)

SIGHTSEEING (See VTPC)

Ville-Marie Circuit: Fr Lafontaine Tunnel proceed to the Olympic Stadium, then to the St-Joseph Oratory, passing around Mount-Royal counterclockwise while staying E of Decarie Autoroute, then to the Concorde Bridge & follow the W shore of the St-Lawrence River to the Lafontaine Tunnel.

Procedures:

1. Maintain alt assigned by the Montréal Control Tower.
2. Inform Montréal Control Tower of intention to leave this circuit when near Mount-Royal.
3. Leave the circuit at following points:
 - A) Victoria Bridge to exit for St-Hubert,
 - B) Lafontaine Tunnel to exit to the North,
 - C) Mercier Bridge to exit toward the South or the Southwest.

Banner Towing & Aerial Photography: Specific VFR flight such as banner towing & aerial photography should be coordinated with Montréal Control Tower supervisor at 514-633-3311 with at least 1 hr prior notice.

Low Visibility Procedures: See CAP

Operations in the Absence of Apron Control

1. General
 - 1.1 When apron control is suspended traffic flows (one-way) shown on chart must be complied by acfts.
 - 1.2 Prior to push back or taxiing, pilots must broadcast their intentions on freq 122.075.
 - 1.3 A moving acft has the right of way over all other acft. When preparing to push back an acft, marshalls shall ensure that they will not interfere with an acft already in movement.
 - 1.4 If part of the apron should become unserviceable because of an incident; escort services with "Follow Me" vehicles will be implemented in the affected area.
2. Access and exit on the apron
 - 2.1 Exit points of the apron are associated with the dep rwy assigned by air traffic control. Exit points are shown in the OPERATIONS IN THE ABSENCE OF APRON CONTROL Chart in CAP 5. Traffic direction must be strictly observed when taxiing in order to avoid head-on conflicts.
 - 2.2 Contact ground control on 121.9 MHz before entering a twy or rwy.
3. Departures - centre ramp
Use Start Box 8, facing West, for all push back from gate 50.
4. De-icing centre
When de-icing is required for the acft, the pilot must inform Aeromag at least 30 minutes in advance. If the fit cannot be accommodated at its schedule time, Aeromag will provide the pilot with a revised time.
5. "Follow me" vehicles
 - 5.1 Two Airport Patrol vehicles equipped with lighted "FOLLOW ME" signs are on stand-by on the main apron. A pilot may request "Follow Me" assistance on company freq. Operators shall forward the request to the Operations Coordination Centre (OCC) at 514-633-3223.
 - 5.2 Acft with a wingspan of more than 36m (118') wingspan out of gates 56, 58, 60 and 73 must be towed to start box 4B for start-up and request assistance from Airport Patrol to block all tfc on the E and W taxilanes
6. Arrivals
Gates 2, 4, 6, 8, 10 and 12; and 80, 82, 84 and 86 are located in dead ends. All acft taxiing to these gates shall broadcast their intentions on 122.075 MHz very clearly before proceeding in order to avoid face-to-face conflicts.

HELI

Use Heli routes as depicted on VTPC or as directed by ATC.

NOISE

Noise oprg restriction & noise abatement procedure in effect. See CAP

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B593



MONTRÉAL / POINT ZERO QC (Heli)

CPZ6

REF	N45 31 47 W73 39 27 15°W UTC-5(4) Elev 136' VTA A5002	
OPR	Point Zero 514-384-0140 Cert PPR	
FLT PLN	(bil) NOTAM FILE CYUL	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
PAD DATA	56' dia concrete, Rooftop, 112' dia 17,000 lbs. Max length 56'	
RCR	Opr 13-22Z‡	
LIGHTING	RY(LO) (green)	
COMM	(bil) TWR Montréal 119.9 TML Montréal 134.15	
PRO	Arr/dep btwn 018° & 170° fr heli, slope 16%. Rstd to multi-engine heli able to remain 15' above all obstacles when operating in accordance with Aircraft Flight Manual with one engine inoperative.	
CAUTION	Light poles along hwy 15 (Autoroute des Laurentides) South of heli. Comm twr 272' AGL 1167' North of heli lgtd red. Lgtd windsock on stairway of penthouse rooftop SW of heli.	

MONTRÉAL (SACRÉ-COEUR) QC (Heli)

CSZ8



REF	N45 31 58 W73 42 44 15°W UTC-5(4) Elev 60' aprx VTA A5002
OPR	Sacré-Coeur Hosp 514-338-2050 (ask security), 514-338-2000 Cert PPR
FLT PLN	(bil) NOTAM FILE CYUL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	60' x 60' asphalt 80' x 80'
LIGHTING	LO

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B594 AERODROME/FACILITY DIRECTORY

MONTRÉAL (SACRÉ-COEUR) QC (Heli) (Cont'd)

CSZ8


COMM	(bil)
TWR	Montréal 119.9
PRO	VFR Codes: In order to minimize delays, ATC frequency congestion and for better airspace management, as well as to improve safety, ctc the Montréal ACC at 877-YUL-CODE (877-985-2633) to provide ATC with information pertaining to your flight to obtain your transponder code at least 30 min prior to a flight into Montréal Class C airspace. Single tkof/apch flt path brg 149° fr heli.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B595

MONTREAL / ST-HUBERT VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
BOUCHERVILLE	VCBSV	N45° 36.80 W73° 27.40
ST-BASILE	VCSTB	N45° 31.60 W73° 17.33
HWY 10/RIVIERE L'ACADIE	VCACD	N45° 24.47 W73° 22.10
ST-AMABLE	VCAML	N45° 39.50 W73° 17.43
HWY 10/RIVIERE RICHELIEU	VCRIC	N45° 24.92 W73° 14.57
ST-PHILIPPE-DE-LAPRAIRIE	VCLPR	N45° 21.17 W73° 28.48
VARENNES	VCVAR	N45° 41.82 W73° 25.75
IREQ	VCIRE	N45° 36.77 W73° 23.03

MONTREAL CLASS G AIRSPACE


To standardize the use of freq in uncontrolled airspace (class G), within an area between eastern extremity of Montreal Island & Pointe-Calumet / Ile Bizard to the west, (excluding Mascouche MF zone), it is recommended that you broadcast intentions & monitor, if possible, 123.2. It is suggested that landing lights be turned on.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B596 AERODROME/FACILITY DIRECTORY

MONTREAL / ST-HUBERT HELI VFR TERMINAL PROCEDURES CHART



MONTREAL CLASS G AIRSPACE

To standardize the use of freq in uncontrolled airspace (class G), within an area between eastern extremity of Montreal Island & Pointe-Calumet / Ile Bizard to the west, (excluding Mascouche MF zone), it is recommended that you broadcast intentions & monitor, if possible, 123.2. It is suggested that landing lights be turned on.


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B597

MONTREAL / ST-HUBERT QC

CYHU



REF	N45 31 03 W73 25 01 3E 16°W UTC-5(4) Elev 90' VTA A5002 F-21 LO6 LO7 LO8 HI5 T2 CAP
OPR	DASH-L 450-678-6030 Fax 450-462-0346 Cert Ldg fees
PF	B-1,2,3,6 C-4,5
CUST	AOE/15 888-226-7277 1330-03Z‡ Mon-Fri exc hols
FLT PLN	(bil) NOTAM FILE CYHU
FIG	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 514-633-3211 or 800-633-1353. All Flt Plns, IFR tng flts PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep.
WX	Legacy AWOS (see COMM). TAF H24, issue times: 00, 06, 12, 18Z.
PIK	Pédro Air Svcs Inc, Pilots lounge, airside access Max Aviation, 0930-0230Z‡ Mon-Fri, 1230-23Z‡ Sat-Sun.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B598 AERODROME/FACILITY DIRECTORY

MONTRÉAL / ST-HUBERT QC (Cont'd)

CYHU

SERVICES	
FUEL	100, JP-4 F-34 (CON I IP JA-1, FSII)
OIL	All (Mil 123, 128, 133, 148, 156)
S	1 (Itl), 2,4,5,7
SUP FL	LHOX 13-21Z‡ Tue-Fri exc hols
JASU	Mil CE-15, 16, CA-2
MIL ADV	St-Hubert Mil Ops 135.9 322.1 40.9 FM 450-462-8777 Ext 7216 CSN 472-7216 13-21Z‡ Mon-Fri. No tran svcg avbl.
PVT ADV	Pétro Air Svcs/Esso Jet Centre 122.47 450-656-7880; Pétroles Thérien 122.95 450-656-1710; Air Quasar 129.2 450-445-0888; Pascan 131.17 888-313-8777
MIL CON	Petro Air Services (Imperial Oil/Esso) 405-656-7880
RWY DATA	
	Rwy 06L(063°)/24R(243°) 7840x150 asphalt Thld 06L displ 1100'.
	Rwy 06R(063°)/24L(243°) 3920x100 asphalt
RCR	Rwy 10(100°)/28(280°) 2800x150 asphalt Opr 12-2030Z‡ Apr 01-Nov 30, 1230-21Z, 0030-0930Z Mon-Fri O/T 3 hrs PNR Dec 01-Mar 31, no win maint on twy C btwn thld 06L & twy E & fr twy E to twy M. Hydroplaning may occur on rwy 06L/24R (especially at intxn of twy L) dur heavy precipitation. CRF1, PLR/PCN
MIL	S50, T75, ST140, TT198.
LIGHTING	
	06R-(TE ME), 24L-(TE ME), 06L-AS(TE HI) P2, 24R-AN(TE HI) P2, 10-(TE HI), 28-(TE HI) ARCAL-118.4 type K for Rwy 06L/24R, PAPI & twy lgts
COMM	
	(bil)
RCO	Rouyn rdo 118.4 (RAAS) 05-1045Z‡ Apr-Oct; 04-1045Z Nov-Mar
ATIS	(English) 124.9 (French) 124.1 1045-05Z‡ Apr-Oct; 1045-04Z Nov-Mar
GND	St-Hubert 126.4 283.4 1045-05Z‡ Apr-Oct; 1045-04Z Nov-Mar
TWR	St-Hubert 118.4 352.5 (E) 1045-05Z‡ Apr-Oct; 1045-04Z Nov-Mar (emerg only 450-926-6458)
MF	Rouyn rdo 118.4 05-1045Z‡ Apr-Oct; 04-1045Z Nov-Mar 5NM shape irregular 2500 ASL (CAR 602.98)
ARR	Montréal 125.15 268.3
DEP	Montréal 125.15 268.3
VFR ADV	Montreal Tml 134.15
Legacy	
AWOS	124.9 (English) 124.1 (French) 05-1045Z‡ Apr-Oct; 04-1045Z Nov-Mar
NAV	
NDB	HAUTS-BOIS ZHU 407 (L) N45 33 51 W73 20 48 243° 3.4NM to thld rwy 24R
TACAN	UHU 117.3 Ch 120 N45 31 01 W73 24 53 (169') at A/D
ILS	IHU 111.1 (Rwy 24R/06L) RVR

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B599

MONTRÉAL / ST-HUBERT QC (Cont'd)


CYHU

PRO	<p>Circuits: Rgt hand circuits rwys 06R, 24R & 28 (CAR 602.96). Preferential rwy: Btwn 05-11Z†, all acft shall, when aprt and wx conditions permitting, land on rwy 24R and take-off rwy 06L. Departure: 24L rstd to single engine acft having a GTOW of less than 5000 lbs. All VFR acft leaving the CZ, climb to and maintain 1900 ASL or as assigned by ATC. Rwy 24L, climb rwy hdg to 1100 ASL BPOC or in the circuit. VFR Codes: A discrete transponder code must be obtained before departing for Montréal class C or tml class C or D airspace by calling at 877-YUL-CODE (877-985-2633). Mil ramp: Mil ramp surface rough extv FOD hazard. Mil ramp usage ltd to concrete area. All asphalt clsd to prkg & taxiing. PPR 48 hrs 438 Sqn Ops CSN 472-7216. Airspace: Standardized use of freq 123.2 in class G airspace NW of CZ. CYA 627(S) aprx 20NM NE of aprt up to 3000 ASL cont daylight.</p>
CIV HELI	<p>Training areas: See Montréal Terminal VTPC.</p>
MIL HELI	<p>Ctc twr to taxi & advise dep point. Dep & arr req Expo, Tunnel, Bruno or Tower rtes or as cleared by ATC. See HELI VTPC for rtes & alts. Ctc twr and advs of pt of dep. Holding bay rwy 06L designated as ldg/tkof pad. See HELI VTPC or rtes & alts.</p>
CAUTION	<p>Blasting ops: 9.5NM NE. Beloeil A/D: lctd 8NM NE of rwys 24. (Circuits ht 1000 ASL). Taxiway: Due to aprt layout twy "T" may be mistaken for rwy 24L. Firing range: lctd 4.9NM NE of rwys 24.</p>

MONTRÉAL / ST-HUBERT HELICRAFT QC (Heli)

CTG2

REF	N45 31 57 W73 24 42 3E 16°W UTC-5(4) Elev 96' VTA A5002
OPR	Helicraft 2000 Inc 450-468-3431 Reg PPR
PF	B-1 avbl 12-23Z, C-2,3,4,5,6
FLT PLN	(bil) NOTAM FILE CYHU
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES	12-03Z PPR
FUEL	100LL, JA-1
OIL	All
S	1 (ltd),2,3,5,6
PAD DATA	Hover area 100'x100' turf 1 apron 60'x60' asphalt 80'x80' 6 aprons 30'x30' Night ops 1 apron 60'x60' asphalt 80'x80'
LIGHTING	RF FH or FL All obstacles marked with reflective tape.
COMM	<p>RCO Rouyn rdo (St-Hubert) 118.4 (RAAS) 05-1045Z† Apr-Oct; 04-1045Z Nov-Mar ATIS English 124.9 French 124.1 1045-05Z† Apr-Oct; 1045-04Z Nov-Mar TWR 118.4 352.5 (E) 1045-05Z† Apr-Oct; 1045-04Z Nov-Mar MF Rouyn rdo 118.4 05-1045Z† Apr-Oct; 04-1045Z Nov-Mar 5NM centred on St-Hubert A/D shape irregular (CAR 602.98) Montréal Tml 134.15</p>
VFR ADV	124.9 (English) 124.1 (French) 05-1045Z† Apr-Oct; 04-1045Z Nov-Mar
Legacy	
AWOS	



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B600 AERODROME/FACILITY DIRECTORY

MONTRÉAL / ST-HUBERT HELICRAFT QC (Heli) (Cont'd)

CTG2

PRO	Day: Utilisation of hover area mandatory for tkof & ldg Night: Utilisation of pad 60'x60' mandatory for tkof & ldg Arr/dep btwn 280°-010° fr heli below 400 ASL(300 AGL) Arr/dep req Expo, Tunnel, Bruno or Tower rtes or as cleared by ATC. See Montréal/St-Hubert Heli VTPC for rtes & alts.
CAUTION	Extv heli traffic around aprt & on helicopter touchdown pads.

MONTRÉAL / ST-LAZARE QC

CSZ3

REF	N45 23 33 W74 08 03 Adj S 15°W UTC-5(4) Elev 175' VTA A5002 F-21	
OPR	Cooper Avn Inc 450-455-3566 Reg	
PF	C-1,2,3,5,6	
FLT PLN	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
SERVICES	S 1,2,4,5,6	
RWY DATA	Rwy 02/20 2825x50 grass, centre 25' gravel Thld 20 displ 555' Rwy 08/26 2275x65 grass Thld 08 displ 600'. Thld 26 displ 600'. RCR 450-455-3566 Ltd win maint	
COMM	(bil)	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 2000 ASL	

MONT-TREMBLANT INTL INC QC — See RIVIÈRE ROUGE / MONT-TREMBLANT INTL INC

MONT-TREMBLANT / ST-JOVITE QC

CSZ3

REF	N46 09 15 W74 35 01 1.7N 15°W UTC-5(4) Elev 790' VTA A5002 F-21	
OPR	Aéroport Mont-Tremblant Inc 819-425-9494 Reg PPR Ldg fees	
PF	B-1 C-2,5 D-3,4,6 13-22Z†	
FLT PLN	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
RWY DATA	Rwy 02/20 3300x150 turf RCR Opr No win maint	
COMM	(bil) ATF tfc 123.2 5NM 3800 ASL	
PRO	No touch & go. No take-off or landing before 0900 lcl time or after 1800 lcl time.	
CAUTION	Hill 1298 ASL 0.25NM W of thld 20. Seaplane base aprx 800' N of rwy 20.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B601


MOOSE FACTORY ON (Heli)

CPN3

REF	N51 14 58 W80 37 08 Adj SW 13°W UTC-5 Elev 20' A5009
OPR	Moose Factory Hosp 705-658-4544 Reg PPR
FLT PLN	NOTAM FILE CYMO
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' x 86' Rstd max heli length 57.5'
COMM	RCO London rdo 123.475 (FISE) MF/ATF Timmins rdo ltd hrs O/T ftc 122.5 3NM of CYMO A/D 3000 ASL (CAR 602.98)
PRO	Arr/dep btwn 180°-270° fr heli. For heli ops btwn Moose Factory & Moosonee see Moosonee VTPC.



MOOSE JAW / AIR VICE MARSHAL C.M. McEWEN VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
HELO 1	VCCOP	N50° 25.00 W105° 38.80
HELO 2	VCROT	N50° 23.00 W105° 26.00

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B602 AERODROME/FACILITY DIRECTORY

MOOSE JAW / AIR VICE MARSHAL C.M. McEWEN SK CYMJ

REF	N50 19 49 W105 33 33 4S 12°E UTC-6 Elev 1892' A5006 E-16 LO2 HI3 HI4 CAP	
OPR	DND Aeronautical Information Services 306-694-2222 Ext 5263 CSN 319-826-5263 Mil PPR 48 hrs	
PF	B-1 D-2,3,4,5,6 no pax fac avbl. Nova msg rqrd stating ETA, stop-over duration & no of pax	
CUST	15 Wing acft only call 306-780-6223/6218	
FLT PLN	NOTAM FILE CYMJ MIL CSN 319-826-5263 WX WD2 CSN 319-826-5260	
SERVICES	Extremely ltd tran scvg ctc AIS 306-694-2222 Ext 5263 CSN 319-826-5263. Mil tran scvg ltd 14-22Z Mon-Fri, 48 hrs PNR or no svc avbl. All non-DND acft rpt to Flt Planning Ctr at 4 hg prior to dep. F-34, SP, (CON 1 F-34) Avbl 14-24Z Mon-Fri O/T 48 hrs PNR. 128, 133, 148, SOAP 3 LHOX CE13, 15, 16, CEA1	
RWY DATA	Rwy 11L(107°)/29R(287°) 8326x150 asphalt Rwy 11R(107°)/29L(287°) 7280x150 asphalt Rwy 03(032°)/21(212°) 3400x100 asphalt	
RCR	Opr CRFI 14-24Z Mon-Fri, clsd Sat & Sun. Hrs may vary without ntc. Rwy 11L/29R PCN 56 R/A/X/T & inner twy, PCN 111/F/D/X/T. Rwy 11R/29L PCN 34/R/A/X/T. Rwy 03/21 restricted to light aircraft only. Depression aprx 700' to 900' from thld 03, 15' rgt of centreline rwy 03, aprx 4 inches wide and 1.5 inches deep.	
LIGHTING	03-(T ME), 21-(T ME), 11L-AF SF(TE HI) P2 GPI 979' TCH 51', 29R-AF SF(TE HI) P2 GPI 1033' TCH 54', 11R-(TE HI) P2 GPI 1000' TCH 52', 29L-(TE HI) P2 GPI 1000' TCH 52'	
COMM	Avbl 14-24Z Mon-Fri, clsd Sat & Sun. Hrs may vary without notice. 257.8 135.3 234.4 121.8 275.8 126.2 295.6 310.8 (E) 119.0 227.6 342.9 (E) 119.0 129.1 134.1x 136.5 227.6 289.4x 308.3x 318.8x 374.1x 378.5x 381.3x (E) 119.0 227.6 342.9 (E) 344.6	
NAV	NDB BAILDON BD 375 (L) N50 17 30 W105 26 32 287° 4.4NM to thld 29R Maint 1st working day of each month 13-18Z VORTAC YMJ 113.4 Ch 81 N50 19 52 W105 33 48 (1898') at A/D VOR maint 2nd Mon of the month 13-14Z. TACAN maint 3rd Thu of the month 13-1430Z. DME IBP or IMJ 109.3 Ch 30 N50 19 51 W105 33 48 Maint 2nd Mon of the month 06-08 (local) 12-14Z ILS IMJ 109.3 (Rwy 29R) RVR or IBP 109.3 (Rwy 11L) Maint 2nd Mon of the month 06-08 (local) 12-14Z PAR 129.1 136.5 378.5 381.3 (E) 14-24Z Mon-Fri, clsd Sat & Sun. Hrs may vary without notice. PAR maint 1st Tue of the month 13-16Z. PSR maint Mon 12-16Z. SSR maint Fri 06-08 (local) 12-14Z.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B603

MOOSE JAW / AIR VICE MARSHAL C.M. McEWEN SK (Cont'd) CYMJ

PRO	Rgt hand circuits rwy 11R & 29R (CAR 602.96). Traffic Pattern - Conventional 3000 ASL. Jet 3500 ASL. VFR wx inst apchs not to exceed 2500 ASL until departure end of rwy. CZ may be active outside published hrs. Attempt ctc with "MJ" Twr 295.6 or 126.2 prior to entry. Paratroop activity to 12,000 ASL within 1.5NM of Moose Jaw Muni.
HELI	Dep & arr Helo 1 & 2 see VTFC. Arr ctc twr prior to entering CZ req Helo 1 or 2. Intercept inbound track within 10NM. Heli parking positions as directed by ATC (normally west side of control tower).
CAUTION	Rwy 21 - PSR twr 2010 ASL loc 2034' along & 767' rgt of dep end centreline. Twy Bravo between rwy 11L & rwy 11R is restricted to locally based Harvard, Hawks & Tutor acft only. Model flying club, 3.5NM NW of aerodrome YMJ R333 3.5 DME posn (N50 23 18 W105 35 12) max alt 1000 AGL.

MOOSE JAW MUNI SK CJS4

REF	N50 26 03 W105 23 12 7ENE 12°E UTC-6 Elev 1896' A5006 E-16 LO2 RCAP	
OPR	Provincial Airways 306-692-7335 Reg	
PF	B-1 D-2,3,4,5,6	
FLT PLN FIC	NOTAM FILE CYQR Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES FUEL OIL	Call out chg may be levied 100LL 14-23Z Mon-Fri O/T PNR 306-692-9286 All	
RWY DATA RCR	Rwy 12(121°)/30(301°) 2953x75 asphalt Opr	
LIGHTING	12-(TE LO), 30-(TE LO) ARCAL-122.8 type J	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 4900 ASL excluding the CYMJ Class "D" CZ. Aprt in close proximity to CFB Moose Jaw Class "D" CZ, for flt info ctc TWR 126.2	
NAV NDB	V1 272 (L) N50 26 00 W105 23 12 at A/D Pvt Unmonitored	
PRO	Rgt hand circuits rwy 30 (CAR 602.96).	
CAUTION	Ocsl parajump activity within 1.5NM of A/D daylight hours Mar 1-Nov 30, activated by NOTAM, max alt 12,500 ASL.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B604 AERODROME/FACILITY DIRECTORY

MOOSE LAKE (LODGE) BC

CAS2

REF	N53 04 24 W125 24 33 21°E UTC-8(7) Elev 3500' aprx A5013 E-15	
OPR	Moose Lake Lodge 250-742-3535 Reg PPR	
PF	B-1,2,5	
FLT PLN	NOTAM FILE CYWL FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES	S 4,5	
RWY DATA	Rwy 06/24 3000x40 turf/gravel Thld 24 displ 250' Rwy 24 aprx up 2%. W end 400' doglegs to N width 150' RCR Opr No win maint	
COMM	ATF tfc 122.8 5NM 6500 ASL	
CAUTION	Brush to 10' adj rwy. Sfc unprepared outside rwy edge. Gnd slopes down fr rwy edge along S side.	

MOOSOMIN SK

CJB5


REF	N50 10 07 W101 38 39 2NE 9°E UTC-6 Elev 1853' A5006 E-16	
OPR	Rural Municipality of Moosomin 306-435-9322 Reg	
PF	C-1,2,4,5,6	
FLT PLN	NOTAM FILE CYQV FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES	FUEL 100LL OIL 80, 100	
RWY DATA	Rwy 08(081°)/26(261°) 2850x80 gravel/clay Rwy 01(011°)/19(191°) 1525x40 turf/gravel RCR Mr. McLeod 306-435-4256. Rwy 01/19 ruf. Rwy 08/26 soft when wet.	
COMM	ATF UNICOM ltd hrs O/T tfc 122.8 5NM 4900 ASL	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B605

MOOSONEE VFR TERMINAL PROCEDURES CHART



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B606 AERODROME/FACILITY DIRECTORY

MOOSONEE ON

CYMO

REF	N51 17 28 W80 36 28 2N 13°W UTC-5(4) Elev 30' A5009 E-18 LO3 HI1 HI4 CAP	
OPR	Corporation of the Town of Moosonee 705-336-2731/2681 Cert	
PF	A-1,2 C-3,4,5,6	
FLT PLN	NOTAM FILE CYMO	
FIG	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
WX	METAR H24. Legacy AWOS (see COMM) TAF 11-01Z, issue times: 00, 12, 18Z (DT 11, 18Z).	
SERVICES	Call out chg may be levied for one or more svcs. 12-02Z± Sun-Fri, 12-23Z± Sat, O/T Page 705-658-4021 #126.	
FUEL OIL	100LL, JA-1 100	
RWY DATA	Rwy 06(057°)/24(237°) 4000x100 asphalt Rwy 14(136°)/32(316°) 3500x100 gravel/asphalt (1600' asphalt, 1900' gravel) Opr CRFI/RSC avbl ltd hrs. PLR/PCN	
RCR		
LIGHTING	06-AO(TE ME) AP, 24-AO(TE ME) AP, 14-(TE ME), 32-(TE ME) ARCAL-122.5 type K	
COMM		
RCO	Timmins rdo 122.5 (RAAS) 12-02Z± London rdo 123.475 (FISE)	
MF	Timmins rdo ltd hrs O/T tfc 122.5 3NM 3000 ASL (CAR 602.98)	
PAL	Toronto Ctr 133.725 225.075	
Legacy AWOS	124.8 (YMO)	
NAV		
NDB	MO 224 (M) N51 16 56 W80 37 40 072° 1.1NM to A/D	
VOR/DME	YMO 112.9 Ch 76 N51 17 29 W80 36 26 at A/D	
PRO	For heli ops btwn Moosonee & Moose Factory see Moosonee VTPC. That portion of CZ excluded within brg 180° clockwise to 225° fr Moose Factory heli, sfc to 190 ASL. See DAH. Rgt hand circuits rwys 24 & 32 (CAR 602.96).	
CAUTION	Extv heli activity final apch area rwy 06. Daily radiosonde balloon launches with an ascent rate of 1000 ft/min between the hours of 1115-1345Z and 2315-0145Z.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B607

MORDEN REGIONAL MB

CJA3


REF	N49 12 37 W98 03 33 2NE 6°E UTC-6(5) Elev 950' A5007 E-16 E-17 LO4
OPR	Town 204-822-4434 Reg
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYDN FIC Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	Chg will be levied for fuel call out 204-325-3217
FUEL	100LL
OIL	All
S	1,2,3,4,5
RWY DATA	Rwy 10/28 3937x75 asphalt Rwy 17/35 2300x100 turf
RCR	Opr Ltd win maint rwy 10/28, no win maint rwy 17/35
LIGHTING	10-(TE LO), 28-(TE LO) ARCAL-123.0 type J
COMM	
ATF	tfc 123.0 5NM 4000 ASL
PRO	Std circuit hgt 2000 ASL. Ultralight circuit hgt 1500 ASL



MORRISBURG ON

CNS8

REF	N44 57 W75 05 4.7ENE 14°W UTC-5(4) Elev 254' A5002 F-21
OPR	St Lawrence Parks Comsn 613-543-3704 Fax 613-543-2847 Reg
PF	B-1 C-2,4 D-3,5
FLT PLN	(bil) NOTAM FILE CYCC FIC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
RWY DATA	Rwy 07/25 2800x75 asphalt Thld 25 displ 150'
RCR	Opr May 16-Oct 15 No win maint
COMM	
ATF	tfc 123.2 5NM 3300 ASL



MOUNTAIN VIEW ON — See TRENTON / MOUNTAIN VIEW

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B608 AERODROME/FACILITY DIRECTORY

MOUNT BELCHER BC (Heli)

CMBH

REF	N48 49 58 W123 30 19 19°E UTC-8(7) Elev 1000' VTA A5004
OPR	Don Arney 250-537-4072 Reg PNR
PF	B-1 D-2,3,4,5
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	14' dia concrete 100' x 100'
RCR	Opr 17-05Z†
COMM	
TWR	Victoria 119.7 (inner) 119.1 (outer) (E) 14-08Z† O/T tfc 119.1 abv 1200 ASL
ATF	tfc 123.2 5NM 1200 ASL exc area within Victoria Intl CZ
TML	Victoria 127.8 abv 2500 ASL




CAUTION Subject to erratic winds.

MOUNT FOREST (LOUISE MARSHALL HOSP) ON (Heli)

CPA2


REF	N43 58 27 W80 44 15 Adj 10°W UTC-5(4) Elev 1365' VTA A5000
OPR	Mount Forest (Louise Marshall Hosp) 519-323-2210 Cert PPR
FLT PLN	NOTAM FILE CYKF
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' dia 116' dia asphalt Max heli length 57.25'
LIGHTING	RY(LO) RF(FI)
PRO	Twr 300 AGL 1NM SE within arr/dep path. Arr/dep btwn 146°-161° fr heli.



MULE CREEK BC

CBS4

REF	N59 47 08 W136 34 59 24°E UTC-8(7) Elev 2900' aprx A5021 D-12
OPR	Govt of Yukon 867-634-2450 Reg
FLT PLN	NOTAM FILE CYSQ
FIC	Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)
RWY DATA	Rwy 16(161°)/34(341°) 2460x65 gravel
RCR	Opr No maint
COMM	
ATF	tfc 123.2 5NM 5900 ASL




CAUTION Numerous holes in rwy caused by gophers. Ditches 10' from rwy, full length, either side.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B610 AERODROME/FACILITY DIRECTORY

MUSKOKA VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
BRACEBRIDGE	VCBRB	N45° 03.00 W79° 18.50
BAYSVILLE	VCBZV	N45° 09.00 W79° 07.00
GRAVENHURST	VCGRH	N44° 55.25 W79° 22.75
MORTIMER'S POINT	VCMRT	N45° 02.75 W79° 33.50
SPARROW LAKE	VCSPZ	N44° 49.00 W79° 23.50
UFFINGTON	VCUFF	N44° 59.00 W79° 11.75

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B611

MUSKOKA ON

CYQA

REF	N44 58 29 W79 18 12 4S 11°W UTC-5(4) Elev 925' A5000 F-21 LO6 HI5 CAP	
OPR	District Municipality of Muskoka 705-687-2194 Cert	
PF	A-1 C-2,3,4,5,6	
CUST	AOE/15 888-226-7277 (DT 13-21Z) Jun 15-Sep 15; 14-22Z† Mon-Fri exc hols, Sep 16-Jun 14	
FLT PLN	NOTAM FILE CYQA FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) WX Legacy AWOS (see COMM) TAF 13-03Z†, issue times: 13, 20Z (DT 12, 14 & 20Z).	
SERVICES	12-24Z† May 15-Aug 31, 13-23Z† Sep 1-May 14. After hrs call out chg applies, call 705-687-2194. 100LL, JA-1 with FSII, SP, FUEL OIL S All 1,2,3,4,5,6 JASU 10/15	
RWY DATA	Rwy 18(181°)/36(001°) 6000x150 asphalt Thld 18 displ 800'. Rwy 18 RVR 2600 (½ sm)/Rwy 36 RVR 2600 (½ sm) Rwy 09/27 2180x100 turf Rwy 09 RVR 2600 (½ sm) DAY only/Rwy27 RVR 2600 (½ sm) DAY only Twys A & B rstd to acft with a wingspan of less than 24M/79' TWY APRON Public apron win maint on S side only. Prkg fees ctc opr. RCR Opr CRFI/RSC avbl ltd hrs Rwy 09/27 no win maint Rwy 18/36 ltd night win maint PLR/PCN	
LIGHTING	18-(TE ME) P1, 36-(TE ME) ARCAL-122.3 type K Retro-reflective markers on twy B	
COMM	RCO Timmins rdo 122.3 (RAAS) London 123.475 (FISE) 126.7(bcst) MF Timmins rdo 122.3 5NM 3900 ASL (CAR 602.98) VDF Timmins rdo 122.3 Legacy AWOS 124.575	
NAV	NDB YQA 272 (M) N45 02 21 W79 16 58 213° 3.5NM to A/D	
CAUTION	Wildlife frequently on rwys.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B612 AERODROME/FACILITY DIRECTORY

MUSKRAT DAM ON

CZMD

REF	N53 26 29 W91 45 46 2N 2°W UTC-6(5) Elev 911' A5017 E-17 LO3 CAP
OPR	Govt of Ontario 807-473-2082 Cert
FLT PLN	NOTAM FILE CYXL
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	Legacy LWIS (see COMM)
RWY DATA	Rwy 05(051°)/23(231°) 3500x100 gravel Rwy 05 up 0.43%
RCR	APM 807-471-2576 14-23Z† Mon-Fri exc hols. Rwy strength & cond subject to seasonal & climatic var.
LIGHTING	05-(TE LO) AP, 23-(TE LO) AP ARCAL-123.2 type K for APAPI, rwy lgts low ints only.
COMM	
ATF	tfc 123.2 5NM 4000 ASL
Legacy LWIS	124.45

