

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B780 AERODROME/FACILITY DIRECTORY

## SABLE ISLAND NS (HELI)


**CST5**

<b>REF</b>	N43 55 59 W60 00 20 19°W UTC-4(3) Elev 15' A5003 RCAP
<b>OPR</b>	Canadian Coast Guard 902-426-3899/6030, 800-565-1633 Reg PPR (902-453-9350)
<b>FLT PLN</b>	NOTAM FILE CYHZ
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>WX</b>	Legacy AWOS, site identifier CWSA TAF 09-01Z†, issue times: 09, 14, 20Z (DT 08, 14, 20Z)
<b>SERVICES</b>	
<b>FUEL</b>	JA PPR 902-453-9350
<b>PAD DATA</b>	80' dia concrete
<b>RCR</b>	902-453-9350
<b>LIGHTING</b>	RF(LO) FL
<b>COMM</b>	
<b>MF</b>	122.75 - See CFS (Section C Planning - Maritime - Danger, Restricted and Advisory Areas - Sable Island, NS) for description of MF area and Military Operations Area-North Atlantic Operational Patrol Area ELK.
<b>A/G</b>	UNICOM 122.9
<b>NAV</b>	
<b>NDB</b>	1B 277 (M) N43 55 50 W60 01 22 107° 1.1NM to pad Pvt Unmonitored
<b>CAUTION</b>	2nd helipad located 2500' E with guideway lights btwn pads.

## SACHIGO LAKE ON

**CZPB**

<b>REF</b>	N53 53 28 W92 11 47 1.5N 2°W UTC-6(5) Elev 876' A5017 E-17 LO3
<b>OPR</b>	Govt of Ontario 807-473-2082 Cert
<b>PF</b>	C-1,4
<b>FLT PLN</b>	NOTAM FILE CYXL
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 10(095°)/28(275°) 3500x100 gravel
<b>RCR</b>	APM 807-595-2558 14-23Z† Mon-Fri exc hols. Rwy strength & cond subject to seasonal and/or climatic variations.
<b>LIGHTING</b>	10-(TE LO) AP, 28-(TE LO) AP ARCAL-123.2 type K for APAPI, rwy lgts low ints only
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3900 ASL
<b>NAV</b>	
<b>NDB</b>	ZPB 264 (L) N53 53 41 W92 11 31 at A/D Unmonitored



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B781

## SACHS HARBOUR NT

CYSY

<b>REF</b>	N71 59 38 W125 14 33 35°E GV160°E UTC-7(6) Elev 282' A5040 A5041 A5045 B-7 C-10 LO5 CAP	
<b>OPR</b>	Govt of Northwest Territories (Inuvik) 867-977-2658 Emerg/Incident rpt ctc Govt of Northwest Territories 877-989-1400 Cert	
<b>PF</b>	A-1 C-2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYSY	
<b>FIC</b>	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>CARS</b>	867-690-4261 Ltd hrs (see COMM)	
<b>WX</b>	METAR dur CARS hrs ops. TAF 16-24Z† Mon-Sat, issue times: 16, 19Z (DT 15, 19Z). TAF 16-19Z† Sun exc hols, issue times: 16Z†.	
<b>SERVICES</b>	Call out chg may be levied	
<b>FUEL</b>	JA Mon-Fri 18-01Z†, Sat 20-22Z† 867-690-4222 O/T 867-690-3326 PNR	
<b>RWY DATA</b>	Rwy 08T(084°T)/26T(264°T) 4000x100 gravel	
<b>RCR</b>	Opr Win maint avlb 16-24Z† Mon-Fri exc hols, O/T 1 hr PNR, 867-690-4351/3034/3501 403-462-1526. Call out chg may be levied. PLR/PCN	
<b>LIGHTING</b>	08T-AS(TE ME) P1, 26T-AS(TE ME) P1 ARCAL-122.1 type K, PAPI avail CARS ltd hrs (see COMM)	
<b>COMM</b>		
<b>MF</b>	aprt rdo ltd hrs O/T tfc 122.1 5NM 3300 ASL (CAR 602.98)	
<b>APRT RDO</b>	122.1 (V) 14-24Z† Mon-Sat, 14-19Z† Sun.	
<b>NAV</b>		
<b>NDB</b>	YSY 321 (M) N71 59 29 W125 18 53 084°T 1NM to A/D	

## SAGARD QC (Heli)

CSG9


<b>REF</b>	N47 59 27 W70 04 39 18°W UTC-5(4) Elev 820' A5010 RCAP
<b>OPR</b>	Canadian Helicopters Ltd 514-919-9930 Reg PPR
<b>FLT PLN</b>	NOTAM FILE CYBG
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>ACC</b>	Montréal 800-633-1353
<b>WX</b>	LWIS (see COMM)
<b>PAD DATA</b>	90' dia concrete 150' dia
<b>RCR</b>	Opr
<b>LIGHTING</b>	RY(LO) (green) FH
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 1800 ASL
<b>PAL</b>	(bil) Montréal Ctr 125.1 299.6
<b>LWIS</b>	CYML 122.55 (Pvt - English only)
<b>PRO</b>	Arr/dep 030° & 210° fr heli
<b>CAUTION</b>	P-lines 500' E of heli 150' AGL

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B782 AERODROME/FACILITY DIRECTORY

## SAINT JOHN VFR TERMINAL PROCEDURES CHART - TRAINING AREAS



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B783

## SAINT JOHN NB

CYSJ

<b>REF</b>	N45 18 58 W65 53 25 8ENE 19°W UTC-4(3) Elev 357' A5003 F-22 LO8 HI6 CAP	
<b>OPR</b>	Saint John Airport Inc 506-638-5555 Cert	
<b>PF</b>	A-1,2,3,6 09-04Z† C-4,5	
<b>CUST</b>	AOE/120 888-226-7277	
<b>FLT PLN</b>	NOTAM FILE CYSJ	
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>WX</b>	METAR H24 TAF H24, issue times: 00, 06, 12, 18Z	
<b>PIK</b>	Main floor inside Gate 2 entrance to ATB, airside access	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs	
<b>FUEL</b>	100LL 12-21Z† Mon-Fri, JA-1 10-02Z†	
<b>OIL</b>	All	
<b>S</b>	1(ltd, for lgt acft), 2,4,5,6	
<b>ARFF</b>	5 0930-0330Z† O/T aprt clsd to acft 20 seats & abv, exc for diversions or as an altn A/D, without PPR.	
<b>JASU</b>	CE8, CA2	
<b>PVT ADV</b>	Atlantic Fit Centre 123.3 506-634-5565; Air Canada Ground Handling 130.37 506-632-1524	
<b>RWY DATA</b>	Rwy 05(050°)/23(230°) 7000x200 asphalt Rwy 14(140°)/32(320°) 5100x200 asphalt Rwy 14 down 0.84%	
<b>RCR</b>	Opr CRFI and win maint avbl ltd hrs. PLR/PCN	
<b>LIGHTING</b>	05-AN(TE HI), 23-AN(TE HI), 14-AS(TE ME) P2, 32-AO(TE ME) P2	
<b>COMM</b>		
<b>RADIO</b>	118.5 236.6 (E) (emerg only 506-646-7225)	
<b>RCO</b>	Halifax rdo 126.7 (FISE)	
<b>MF</b>	rdo 118.5 5NM 3400 ASL (CAR 602.98)	
<b>PAL</b>	Moncton Ctr 124.3 135.5 270.8	
<b>NAV</b>		
<b>NDB</b>	SJ 212 (M) N45 23 30 W65 49 08 230° 5.1NM to thld 23 ALPINE ZST 397 (L) N45 13 40 W65 57 29 050° 5.2NM to thld 05	
<b>VOR/DME</b>	YSJ 113.5 Ch 82 N45 24 26 W65 52 15 (494°) 211° 4.9NM to A/D	
<b>ILS</b>	ISJ 110.5 (Rwy 23) RVR; IDM 108.3 (Rwy 05) RVR	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B784 AERODROME/FACILITY DIRECTORY

## SAINT JOHN (SAINT JOHN REGIONAL HOSPITAL) NB (Heli)

CSN6

<b>REF</b>	N45 18 08 W66 05 17 1.5N 19°W UTC-4(3) Elev 246' A5003 F-22	
<b>OPR</b>	Saint John Regional Hospital Atlantic Health Sciences Corp 506-648-6614 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYSJ	
<b>FIC</b> <b>ACC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>PAD DATA</b>	92' x 92' asphalt (rstd to 59' max heli overall length and medivac & govt use) <b>RCR</b> Opr Ltd win maint	
<b>LIGHTING</b>	RF FL(LO)	
<b>COMM</b>	<b>RCO</b> Halifax rdo 126.7 (FISE) <b>ATF</b> tfc 123.2 5NM 3300 ASL	
<b>PRO</b>	Arr/dep 169° fr heli & 319° fr heli	
<b>CAUTION</b>	Smokestack located 370' SE fr safety area & concrete electrical box in NE corner of pad (outside safety area). Windsock located SW of heli.	

## STE-AGATHE (AIM) QC (Heli)

CSV2

<b>REF</b>	N46 07 W74 18 15°W UTC-5(4) Elev 1250' VTA A5002	
<b>OPR</b>	La Compagnie Américaine de Fer et Métaux Inc 514-494-2000 Reg PPR	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>PAD DATA</b>	100' x 100' grass	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 4300 ASL	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B785

## STE-AGNÈS-DE-DUNDEE QC

CDD3

<b>REF</b>	N45 02 51 W74 20 36 3.5NE 15°W UTC-5(4) Elev 160' VTA A5002 F-21
<b>OPR</b>	Jacques Leblanc 450-264-6737 Reg PPR
<b>FLT PLN</b> <b>FIC</b>	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 07/25 1800x40 gravel Opr
<b>CAUTION</b>	Possibility of farm eqpt & trucks on rwy. Verify rwy condition in spring time.




## ST. ALBERT AB — See EDMONTON / ST. ALBERT

## ST. ANDREWS MB — See WINNIPEG / ST. ANDREWS

## ST. ANDREWS (CODROY VALLEY) NL

CDA5

<b>REF</b>	N47 46 33 W59 18 45 1.5NW 21°W UTC-31/2 (21/2) Elev 65' A5011 A5012 F-22 LO8 CAP
<b>OPR</b>	Govt of Newfoundland & Labrador 709-955-2210 or 709-729-3092 Reg
<b>PF</b>	D-1,2,3,4,5
<b>FLT PLN</b> <b>FIC</b> <b>ACC</b>	NOTAM FILE CYJT Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Gander 709-651-5225 or 888-751-5225. Flt Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
<b>RWY DATA</b> <b>RCR</b>	Rwy 18(181°)/36(001°) 3000x75 asphalt Rwy 18 down 1.4% Opr Ltd win maint PNR
<b>LIGHTING</b>	18-AS(TE ME), 36-AS(TE ME) ARCAL-122.8 type K, key mic 7 times for RIL
<b>COMM</b> <b>ATF</b> <b>ARR</b> <b>DEP</b>	tfc 123.2 5NM 3100 ASL Gander Centre 132.3 Gander Centre 132.3
<b>CAUTION</b>	Anticipate downdrafts especially with strong SE winds.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B786 AERODROME/FACILITY DIRECTORY

## STE-ANNE-DES-MONTS QC

CYZS

<b>REF</b>	N49 07 12 W66 31 44 1.7W 21°W UTC-5(4) Elev 73' A5010 E-19 F-22 LO7 CAP	
<b>OPR</b>	Town 418-763-2989/5189 Reg	
<b>PF</b>	C-1,2,3,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYZV Qu�bec 866-GOM�T�O or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montr�al 800-633-1353	
<b>SERVICES</b>	S 6	
<b>RWY DATA</b>	Rwy 14(143°)/32(323°) 3954x90 asphalt Thld 32 displ 294' Rwy 32 down 0.83%	
<b>RCR</b>	Montr�al 800-633-1353	
<b>LIGHTING</b>	14-AS(TE LO), 32-(TE LO) ARCAL-122.8 type J	
<b>COMM</b>	(bil)	
<b>ATF</b>	tfc 122.8 5NM 3100 ASL	
<b>NAV</b>		
<b>NDB</b>	K7 211 (M) N49 07 43 W66 33 00 142° 0.6NM to thld rwy 14	
<b>PRO</b>	Rgt hand circuits rwy 32 (CAR 602.96).	
<b>CAUTION</b>	Hi terrain S & SE of A/D. Wind turbine group 8NM WSW of A/D, max alt 1290 ASL.	

## ST-ANSELME QC

CTQ6

<b>REF</b>	N46 37 19 W70 57 18 Adj SE 17°W UTC-5(4) Elev 560' A5002 F-21	
<b>OPR</b>	Julien Campeau 418-529-2599 Reg PPR	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Qu�bec 866-GOM�T�O or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 08/26 1750x75 turf Thld 08 displ 500'	
<b>RCR</b>	No win maint.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B787

## ST. ANTHONY NL

CYAY

<b>REF</b>	N51 23 31 W56 04 59 19WNW 23°W UTC-31/2 (21/2) Elev 108' A5011 E-19 F-22 LO7 LO8 HI1 HI6 CAP	
<b>OPR</b>	TC 709-454-3192/3632. After hrs 709-454-2397/3645 Cert	
<b>PF</b>	A-1,2,6 D-1,2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYAY	
<b>FIG</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>ACC</b>	Gander 709-651-5225 or 888-751-5225. Flt Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.	
<b>WX</b>	AWOS (see COMM) METAR 10-24Z†	
<b>PIK</b>	TAF 12-24Z†, issue times: 12, 14, 20Z (DT 11, 14, 20Z) ATB, 2nd floor room 202	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs.	
<b>FUEL</b>	JA-1 1130-2030Z† Mon-Fri O/T 1 hr PNR Penney's Acft Svcs 709-454-3839/3149/3191/3573	
<b>OIL</b>	All	
<b>S</b>	2	
<b>RWY DATA</b>	Rwy 10(103°)/28(283°) 4000x100 asphalt Rwy 10 down 0.5% Rwy 10 RVR 1200(1/4sm) Day only/28 RVR 1200(1/4sm) Day only	
<b>RCR</b>	Opr CRF1 10-1830Z† Mon-Fri. O/T 3 hrs PNR (possible call out chg.). PCN ltd win maint.	
<b>LIGHTING</b>	10-AD AS(TE ME) V1, 28-AD AS(TE ME) V1 ARCAL-122.3 type K	
<b>COMM</b>		
<b>RCO</b>	Deer Lake rdo 122.3 (RAAS) Halifax rdo 123.275 5680 (FISE) 126.7 (bcst)	
<b>MF</b>	Deer Lake rdo 122.3 5NM 3100 ASL (CAR 602.98)	
<b>PAL</b>	Gander Ctr 133.0 371.9	
<b>INTL AIR</b>	Gander rdo 127.1 122.37	
<b>AWOS</b>	118.65	
<b>NAV</b>		
<b>NDB</b>	AY 356 (M) N51 23 11 W56 05 47 050° 0.3NM to A/D	
<b>VOR/DME</b>	YAY 113.7 Ch 84 N51 23 38 W56 05 02 (114') at A/D	




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B788 AERODROME/FACILITY DIRECTORY

## ST-AUGUSTIN QC

CYIF



<b>REF</b>	N51 12 36 W58 39 27 23°W UTC-4 Elev 20' A5011 E-19 F-22 L07 CAP
<b>OPR</b>	Govt of Quebec 418-947-2766 Cert
<b>PF</b>	C-1,2,3,4,5 ctc 418-947-2646 for info, access to community by boat only.
<b>FLT PLN</b>	(bil) NOTAM FILE CYZV
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>ACC</b>	Montréal 800-633-1353
<b>SERVICES</b>	
<b>FUEL</b>	JA-1 PNR Trans-Sol 418-947-2769 or Page 418-229-3040. For services during weekend, confirmation must be obtained before Fri 2030Z†.
<b>RWY DATA</b>	Rwy 02(014°)/20(194°) 4590x100 asphalt
<b>RCR</b>	Opr 13-19Z Mon-Fri or FSS O/T 418-947-2766 Page 1-888-235-7706
<b>LIGHTING</b>	02-AD AS(TE ME) P2, 20-AS(TE ME) V2 ARCAL-123.5 type K
<b>COMM</b>	
<b>RCO</b>	(bil) Québec rdo 126.7 (FISE)
<b>ATF</b>	UNICOM (AU) ltd hrs O/T corridor tfc 123.5 aprx 30NM wide along shore up to and including 12,500 ASL, see Section C Quebec.

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B789

## ST-AUGUSTIN QC (Cont'd)

CYIF

<b>NAV</b>	<p><b>NDB</b> YIF 201 (L) N51 11 20 W58 39 07 014° 0.9NM to thld rwy 02</p> <p><b>DME</b> IIF 108.7 Ch 24 N51 11 58 W58 39 17 (33')</p> <p><b>LOC</b> IIF 108.7 (Rwy 02-20)</p>
<b>PRO</b>	Rgt hand circuits rwy 20 (CAR 602.96). Airplanes fuelling W of fuel pumps, helicopters fuelling E of fuel pumps.
<b>CAUTION</b>	Antenna 900 ASL 1.6NM NE.

## ST-AUGUSTIN QC (Helicopter)

CTH9

<b>REF</b>	N51 13 16 W58 38 36 23°W UTC-4 Elev 105' A5011 E-16 F-22	<p>ELEV 105</p>
<b>OPR</b>	Govt of Quebec 418-947-2766 Cert	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b>	(bil) NOTAM FILE CYZV Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>PAD DATA</b>	76' x 76' paving-block 100' x 100' <b>APRON</b> 66' x 66' paving-block <b>RCR</b> Opr No win maint on apron	
<b>LIGHTING</b>	RY LO ARCAL-123.5 type J	
<b>COMM</b>	<p><b>RCO</b> (bil) Québec rdo (St-Augustin) 126.7 (FISE)</p> <p><b>ATF</b> UNICOM (AU) ltd hrs O/T corridor t/c 123.5 aprx 30NM wide along shore, up to &amp; including 12,500 ASL, see Sect C Quebec</p>	
<b>PRO</b>	Arr/dep SW, SE & NE	
<b>CAUTION</b>	Antenna 900 ASL 0.75 NM N.	

## ST-BASILE (MARCOTTE) QC

CTR6

<b>REF</b>	N46 47 01 W71 49 35 1.7N 17°W UTC-5(4) Elev 300' A5002 F-21	<p>ELEV 300</p> <p>Rivière d'Aulnage</p> <p>2000'</p> <p>RADIUS 5 NM</p> <p>2000 2200 1900 1600</p>
<b>OPR</b>	Denis Marcotte 418-329-3115 Reg PPR	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 15/33 2000x40 grass/snow Rwy 33 up 1.0%	
<b>RCR</b>	Opr No win maint. Rwy soft in spring.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

## B790 AERODROME/FACILITY DIRECTORY

### ST. BRIEUX SK

CKK2

<b>REF</b>	N52 39 W104 52 Adj NE 12°E UTC-6 Elev 1780' A5016 E-16 LO2	
<b>OPR</b>	Bourgault Industries Ltd 306-275-2300 Reg	
<b>PF</b>	B-1 C-2,5,6	
<b>FLT PLN</b>	NOTAM FILE CYXE	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>SERVICES</b>	6	
<b>RWY DATA</b>	Rwy 16(164°)/34(344°) 3500x75 treated sand	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	16-(TE LO), 34-(TE LO) O/R ctc opr	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4800 ASL	

### ST-BRUNO-DE-GUIGUES QC

CTA4


<b>REF</b>	N47 26 57 W79 25 05 7N 12°W UTC-5(4) Elev 819' A5001 F-21 LO4 LO7 CAP	
<b>OPR</b>	Govt of Québec 819-629-6423 Reg	
<b>PF</b>	C-1,2,5 D-4	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUY	
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Toronto 888-217-1241	
<b>SERVICES</b>	Charges may be levied for some svcs 2 hrs PNR 819-629-4936/2835	
<b>FUEL</b>	100LL, JA-1	
<b>OIL</b>	100, 15W50	
<b>RWY DATA</b>	Rwy 10(102°)/28(282°) 4489x100 asphalt Rwy 10 up 1.04% Opr Ltd win maint	
<b>LIGHTING</b>	10-AD AS(TE ME), 28-AS(TE ME) ARCAL-123.2 type K	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 3900 ASL	
<b>NAV</b>		
<b>NDB</b>	YBM 230 (L) N47 27 07 W79 25 27 at A/D	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B791

## ST. CATHARINES VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
CANADIAN RESERVOIR	VCCRS	N43° 09.00 W79° 03.50
MARTINDALE POND	VCMDL	N43° 11.50 W79° 16.50
NIAGARA-ON-THE-LAKE	VCNGR	N43° 15.50 W79° 04.50
BROCK UNIVERSITY	VCBUN	N43° 07.10 W79° 15.00
JORDAN HARBOUR	VCJOR	N43° 10.50 W79° 22.00

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B792 AERODROME/FACILITY DIRECTORY

## ST. CATHARINES / NIAGARA DISTRICT ON

CYSN

<b>REF</b>	N43 11 30 W79 10 18 11°W UTC-5(4) Elev 320' VTA A5000 F-21 LO6 HI5 CAP	
<b>OPR</b>	Niagara District Aprt Comsn 905-684-7447 Cert	
<b>PF</b>	A-1 C-2,3,4,5,6	
<b>CUST</b>	AOE/15 888-226-7277	
<b>FLT PLN</b>	NOTAM FILE CYSN When FSS closed, pilots to open/close VFR flt pln and obtain IFR clearances pilots should ctc London rdo 126.7 (RCO) or by tel. To file an IFR arr rpt ctc Toronto Centre 888-217-1241 or if unable via rdo.	
<b>FIG</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>WX</b>	METAR 12-02Z†. TAF 14-02Z†, issue times: 14, 20Z.	
<b>PIK</b>	St. Catharines Flying Club in flight planning room, available 14-23Z (DT 12-24Z)	
<b>SERVICES</b>	Call-out chg may be levied for one or more svcs after hrs.	
<b>FUEL</b>	100LL, JA-1 13-23Z† (DT 13-01Z†)	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5,6	
<b>RWY DATA</b>	Rwy 06(064°)/24(244°) 5000x150 asphalt Rwy 01(009°)/19(189°) 2497x75 asphalt Rwy 11(107°)/29(287°) 1989x75 asphalt	
<b>TWY</b>	Twy A and C max wt 30,000 lbs	
<b>RCR</b>	Opr Mon-Fri 12-20Z† O/T ctc opr	
<b>LIGHTING</b>	06-AD(TE ME) P2, 24-AD(TE ME) P2 Opr 1215-02Z† O/T ARCAL-123.25 type K	
<b>COMM</b>		
<b>RADIO</b>	123.25 (V) 1215-02Z† (emerg only 905-688-8367)	
<b>RCO</b>	London rdo 126.7 (FISE)	
<b>ATIS</b>	128.525 1215-02Z†	
<b>MF</b>	rdo 123.25 1215-02Z† 5NM 3300 ASL (CAR 602.98)	
<b>ATF</b>	tfc 123.25 02-1215Z† 5NM 3300 ASL	
<b>ARR</b>	Toronto Tml 133.4 253.1	
<b>DEP</b>	Toronto Tml 133.4 253.1	
<b>PAL</b>	133.3	
<b>VDF</b>	123.25 1215-02Z†	
<b>NAV</b>		
<b>NDB</b>	SN 408 (L) N43 08 49 W79 15 17 064° 4.1NM to A/D	
<b>PRO</b>	For flt over Niagara Falls, see Niagara Falls VTFC. Glider activity vic of the aprt Sat, Sun, hols Apr-Jun & Sep-Nov. Gliders non-std pattern. NOISE MITIGATION: Departures from rwy 24, commence tkof from rwy thld. After tkof track on or N of the extended rwy centerline, no turns below 1000 ASL.	
<b>CAUTION</b>	Hold position on twy A is for both rwy 01 and 06. Pilots intending to depart rwy 06 must verify correct orientation on rwy 06 prior to departure.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B793

## ST-DOMINIQUE QC

CSS4


<b>REF</b>	N45 37 57 W72 49 08 16°W UTC-5(4) Elev 250' VTA A5002 F-21
<b>OPR</b>	Association Vol à voile Champlain Inc 450-771-0500 Reg PPR
<b>PF</b>	C-1,2,3,4,5,6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL <b>FIC</b> Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 15/33 1950x100 gravel/grass Thld 33 displ 500'.
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.4 5NM 3300 ASL
<b>PRO</b>	A/D within CYA 627(S) up to 3000 ASL cont daylight. With strong winds glider circuits may be rgt hand circuits (CAR 602.96). Tow plane: tkof rwy 33 only, ldg rwy 15 only, at all times circuits opposite of glider circuits.
<b>CAUTION</b>	Glider ops. P-line aprx 350' fr displ thld rwy 33.



## ST-DONAT QC

CSY4

<b>REF</b>	N46 18 21 W74 10 53 15°W UTC-5(4) Elev 1270' A5002 F-21
<b>OPR</b>	Municipalité de St-Donat 819-424-2383 Reg
<b>PF</b>	A-1 C-2,3,4,5 D-6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL <b>FIC</b> Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>OIL</b>	65, 80, 100
<b>S</b>	1,2,3,4,5
<b>RWY DATA</b>	Rwy 12/30 3000x70 sand/gravel Centre 30' asphalt Thld 12 displ 600'.
<b>RCR</b>	Caron Avn 819-424-7842 Ltd win maint
<b>COMM</b>	
<b>ATF</b>	(bil) tfc 123.2 5NM 4300 ASL
<b>PRO</b>	No touch & go. Rgt hand circuits rwy 12 (CAR 602.96). Tkof rwy 12 maintain rwy hdg at best angle of climb up to 600' AAE BPOC.



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B794 AERODROME/FACILITY DIRECTORY

## ST-FERDINAND QC

CSH5


<b>REF</b>	N46 07 34 W71 32 10 17°W UTC-5(4) Elev 1050' A5002 F-21
<b>OPR</b>	D. Langlois 418-428-9856 Reg
<b>PF</b>	C-1,2,3,4,5
<b>FLT PLN</b>	(bil) NOTAM FILE CYSC
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>S</b>	1,2,4,5,6
<b>RWY DATA</b>	Rwy 05/23 3000x75 turf/gravel
<b>RCR</b>	Opr No win maint
<b>COMM</b>	(bil)
<b>ATF</b>	tfc 123.2 5NM 4100 ASL



## ST. FRANCIS AB

CFE6

<b>REF</b>	N53 16 32 W114 26 59 3.8W 18°E UTC-7(6) Elev 2649' VTA A5015 E-15 E-16
<b>OPR</b>	Dennis Byrne 780-848-2264 Reg PPR
<b>FLT PLN</b>	NOTAM FILE CYEG
<b>FIC</b>	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 18/36 2800x100 turf with centre 30' oil packed
<b>RCR</b>	Opr Ltd hrs
<b>LIGHTING</b>	18-AS, 36-AS, Opr, RR
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5700 ASL
<b>PRO</b>	Use turf when possible. No turns on gravel. Turns at rwy ends only.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B795

## ST. FRANÇOIS XAVIER MB

CKA8

<b>REF</b>	N49 55 28 W97 32 56 Adj W 5°E UTC-6(5) Elev 798' VTA A5007 E-16 E-17	
<b>OPR</b>	Mr. Marinus Vandelaar 204-864-2956/ 204-633-6300 Reg	
<b>PF</b>	B-1 D-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYDN	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL	
<b>OIL</b>	All	
<b>S</b>	2,3,4,5,6	
<b>RWY DATA</b>	Rwy 01(011°)/19(191°) 3000x90 turf/ earth/gravel	
<b>RCR</b>	Opr	
<b>COMM</b>		
<b>ATF</b>	tfc 122.8 5NM 3800 ASL	
<b>PRO</b>	Rgt hand circuits rwy 19 (CAR 602.96).	
<b>CAUTION</b>	Ocsl para jumps by 435 Sqn 15-21Z± Mon-Fri, May 1-Nov 30. Max alt 3000 ASL. Drop zone 1.5NM radius N49 52 42 W97 29 48 (3.4NM SE A/D) at Beaudry Provincial Park.	

## ST-FRÉDÉRIC QC

CSZ4

<b>REF</b>	N46 19 53 W70 57 39 2N 17°W UTC-5(4) Elev 991' A5002 F-21 LO6 LO7 LO8 RCAP	
<b>OPR</b>	Gronclair 418-426-2313 Reg	
<b>PF</b>	A-1 B-2,3,5 C-6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB	
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montréal 800-633-1353	
<b>SERVICES</b>		
<b>FUEL</b>	100, JA	
<b>OIL</b>	All	
<b>S</b>	1,2	
<b>RWY DATA</b>	Rwy 05(054°)/23(234°) 3572x72 asphalt Thld 05 displ 467' Thld 23 displ 542' Rwy 23 up 2.24%	
<b>RCR</b>	Opr Ltd win maint	
<b>LIGHTING</b>	05-(TE LO), 23-(TE LO) ARCAL-121.7 key mic 3 times in 5 sec	
<b>COMM</b>	(bil)	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4000 ASL	
<b>ARR</b>	Montreal Centre 135.025 270.9	
<b>DEP</b>	Montreal Centre 135.025 270.9	



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B796 AERODROME/FACILITY DIRECTORY

## ST-FRÉDÉRIC QC (Cont'd)

CSZ4

<b>NAV</b>	<b>NDB</b> T8 257 (L) N46 20 06 W70 57 36 at A/D Pvt
<b>PRO</b>	Parachute jumps over aprt fr surface to 15,000 ASL.
<b>CAUTION</b>	Paradrop target loc W of rwy 05/23 near midpoint

## ST-GEORGES QC

CYSG

<b>REF</b>	N46 05 47 W70 42 53 1.5WSW 17°W UTC-5(4) Elev 893' A5002 F-21 LO6 LO8 CAP	
<b>OPR</b>	Aviation CMP 418-228-7127 Reg	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>CUST</b>	AOE/15 888-226-7277 13-05Z†	
<b>FLT PLN</b>	(bil) NOTAM FILE CYSG Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montréal 800-633-1353	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA-1, with FSI	
<b>OIL</b>	All	
<b>RWY DATA</b>	Rwy 06(063°)/24(243°) 5108x75 asphalt Rwy 06 up 1.5% first 2200' Rwy 24 up 0.6% first 1000'. <b>TWY</b> Turning portion end of the C twy toward to the hangar line; gravel surface. <b>RCR</b> Opr Ltd win maint. 13-23Z† Sun-Fri, 14-23Z† Sat O/T 3 hrs PNR during business hrs 418-228-7127 PLR/PCN	
<b>LIGHTING</b>	06-(TE LO), 24-(TE LO) P1 2.5° ARCAL-122.15 type J.	
<b>COMM</b>	(bil) <b>MF</b> UNICOM (AU) 12-22Z† Mon-Tue & 12-24Z† Wed-Sun May-Sep; 13-22Z† Sat & 12-22Z† Sun-Fri Oct-Apr O/T tfc 122.15 5NM 3900 ASL (CAR 602.98) <b>DRCO</b> Québec rdo (Mont Mégantic) 123.25 (FISE)	
<b>NAV</b>	<b>VOR/DME</b> BEAUCE VLV 117.2 Ch 119 N45 55 30 W70 50 46 (1584') 046° 11.7NM to A/D	
<b>CAUTION</b>	Fr thld 06, acft at other thld not vis. Rwy 24 tfc ptn, twr 1.4NM SE of A/D 1315 ASL. Possibility of wildlife in vic of rwy.	

**ST-HONORÉ QC** — See CHICOUTIMI / ST-HONORÉ

**ST-HUBERT QC** — See MONTRÉAL / ST-HUBERT

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B797

## ST-HYACINTHE QC

CSU3

<b>REF</b>	N45 36 18 W73 00 51 3W 16°W UTC-5(4) Elev 115' VTA A5002 F-21 LO6 LO7 LO8	
<b>OPR</b>	Aeroservices St-Hyacinthe 450-230-4410 Reg PPR	
<b>PF</b>	A-1,2 (11-23Z†) C-3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL	
<b>ACC</b>	Montréal 514-633-3211 or 800-633-1353, all Fit Plns, IFR tng PPR. Fit Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3271.	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA-1	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5,6,7	
<b>RWY DATA</b>	Rwy 02/20 3800x75 asphalt/turf (centre 45' asphalt) Thld 02 displ 420'.	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	02-(TE LO) non-std, 20-(TE LO) non-std ARCAL 123.2 key mic 5 times in 7 sec	
<b>COMM</b>	(bil)	
<b>ATF</b>	tfc 123.2 5NM 3200 ASL	
<b>PRO</b>	Rgt hand circuits rwy 20 (CAR 602.96). CYA 627(S) aprx 2NM E of A/D up to 3000 ASL cont daylight.	
<b>CAUTION</b>	240 AGL tower 1.2NM NE of rwy 20. Avoid low apch at thld rwy 20. Railroad tracks in close proximity. Possible aerobatic activity over aerodrome between 2000 ASL and 4000 ASL, Apr-Nov.	

## ST-JEAN QC

CYJN

<b>REF</b>	N45 17 40 W73 16 52 Adj SW 16°W UTC-5(4) Elev 136' VTA A5002 F-21 LO6 LO7 LO8 HI5 T2 CAP	
<b>OPR</b>	Muni 450-357-2208 Cert	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL	
<b>ACC</b>	Montréal 514-633-3211 or 800-633-1353. All Fit Plns, IFR tng fts PPR. Fit Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. When twr closed IFR clearance or activation 514-633-3014.	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA-1	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5,6,7	
<b>RWY DATA</b>	Rwy 02/20 3800x75 asphalt/turf (centre 45' asphalt) Thld 02 displ 420'.	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	02-(TE LO) non-std, 20-(TE LO) non-std ARCAL 123.2 key mic 5 times in 7 sec	
<b>COMM</b>	(bil)	
<b>ATF</b>	tfc 123.2 5NM 3200 ASL	
<b>PRO</b>	Rgt hand circuits rwy 20 (CAR 602.96). CYA 627(S) aprx 2NM E of A/D up to 3000 ASL cont daylight.	
<b>CAUTION</b>	240 AGL tower 1.2NM NE of rwy 20. Avoid low apch at thld rwy 20. Railroad tracks in close proximity. Possible aerobatic activity over aerodrome between 2000 ASL and 4000 ASL, Apr-Nov.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B798 AERODROME/FACILITY DIRECTORY

## ST-JEAN QC (Cont'd)

CYJN

<b>SERVICES</b>	
<b>FUEL</b>	100LL, JA, 15-23Z± Nov 1-Mar 31; 14-24Z± Apr 1-Oct 31 O/T call out chg 450-346-0188
<b>OIL</b>	W100, 15W30
<b>S</b>	4,5,6 (450-357-2208)
<b>RWY DATA</b>	
	Rwy 11(106°)/29(286°) 4000x100 asphalt Thld 11 displ 600'. Rwy 06(061°)/24(241°) 2765x100 asphalt Rwy 02(016°)/20(196°) 2474x100 asphalt
<b>TWY</b>	Twy C uncontrolled. Uncontrolled vehicles on twy C.
<b>APRON</b>	Uncontrolled vehicles & parked vehicles on apron.
<b>RCR</b>	Opr or Twr 450-347-4233 14-21Z± O/T PNR during business hrs Rwy 06/24 no win maint. CRFI, PLR/PCN
<b>LIGHTING</b>	
	11-(T ME), 29-(TE ME) ARCAL-118.2 type J
<b>COMM</b>	
	(bil)
<b>GND</b>	121.7 1230-0230Z± Apr-Oct; 13-02Z Nov-Mar
<b>TWR</b>	118.2 356.8 (V) 1230-0230Z± Apr-Oct; 13-02Z Nov-Mar (emerg only 450-347-4233)
<b>ATF</b>	tfc 118.2 0230-1230Z± Apr-Oct; 02-13Z Nov-Mar 5NM 3000 ASL
<b>ARR</b>	Montréal 125.15 268.3
<b>DEP</b>	Montréal 125.15 268.3
<b>VFR ADV</b>	134.15
<b>NAV</b>	
<b>VORTAC</b>	YJN 115.8 Ch 105 N45 15 21 W73 19 17 051° 2.7NM to thld rwy 06
<b>PRO</b>	
	Rgt hand circuits rwy 11 (CAR 602.96). Intsv glider tng fr aprt to 3NM S dly fr mid-Apr to mid-Aug & wknds Sep-Nov.
<b>CAUTION</b>	
	Periodic blasting ops 1NM W of aprt, ctc TWR. Possible uncontrolled win maint eqpt on rwy.

## ST-JEAN CHRYSOSTOME QC

CSG5

<b>REF</b>	N46 41 07 W71 09 06 2.6SE 17°W UTC-5(4) Elev 325' A5002 F-21	
<b>OPR</b>	Aérodrome de St-Jean Chrysostome 418-834-7272 Reg PPR	
<b>PF</b>	A-1,2 C-3,4,5 D-6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA	
<b>S</b>	1,2,4,5	
<b>RWY DATA</b>		
	Rwy 02/20 3300x30 asphalt Thld 02 displ 300'. Rwy 06/24 2700x50 gravel/ashpalt Thld 06 displ 500'.	
<b>RCR</b>	Opr No win maint.	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 3400 ASL Excluding the airspace that lies within Quebec Class D airspace	
<b>CAUTION</b>		
	P-line on apch rwy 02. Paradrops (up to 16,000 ASL) 11-05Z± Apr-Nov.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B799

## ST-JÉRÔME QC

CSN3

<b>REF</b>	N45 46 49 W74 03 43 Adj 15°W UTC-5(4) Elev 550' VTA A5002 F-21
<b>OPR</b>	Parachutisme Adrénaline 450-438-0855 Ldg fees Reg PPR
<b>PF</b>	B-1 C-2,3,4,5
<b>FLT PLN</b>	NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 10(100°)/28(280°) 3000x50 gravel
<b>RCR</b>	Opr No win maint.



### COMM

- RADIO** Mirabel 119.1
- TML** Montréal 134.15
- ATF** tfc 123.2 5NM outside CYMX CZ and Montréal Tml.


### CAUTION

Do not use asphalt portion on the west side of runway.

## ST-JÉRÔME (HYDRO-QUÉBEC) QC (Heli)

CSZ6

<b>REF</b>	N45 46 16 W74 01 37 Adj 15°W UTC-5(4) Elev 340' VTA A5002
<b>OPR</b>	Hydro-Québec 800-903-9705 Ext 7000 Cert PPR
<b>PF</b>	C-1,2,3,4,5,6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>PAD DATA</b>	64' x 64'
<b>COMM</b>	(bil)
<b>RADIO</b>	Mirabel 119.1
<b>ATF</b>	tfc 123.2 5NM to below 2000 ASL
<b>PRO</b>	Arr/dep 005° & 190°.



## ST. JOHN NB — See SAINT JOHN

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B800 AERODROME/FACILITY DIRECTORY

## ST. JOHN'S INTL, NL VFR TERMINAL PROCEDURES CHART




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B801

## ST. JOHN'S INTL NL

CYYT



<b>REF</b>	N47 37 07 W52 45 09 3NW 21°W UTC-31/2(21/2) Elev 461' A5012 E-19 F-22 LO8 HI6 CAP RCAP OC
<b>OPR</b>	St. John's International Airport Authority Inc 709-758-8500 Cert
<b>PF</b>	A-1,2,3,6 C-4,5
<b>CUST</b>	AOE/165 (450 with staged off-loading) 1130-0330Z± General aviation 888-226-7277
<b>FLT PLN</b>	NOTAM FILE CYYT
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>ACC</b>	Gander 709-651-5225 or 888-751-5225. Fit Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
<b>WX</b>	METAR H24
	TAF H24, issue times: 00, 06, 12, 18Z
<b>PIK</b>	General Services bldg, first floor, airside access
<b>SERVICES</b>	
<b>FUEL</b>	100LL, JA-1, FSII O/R (CON I IP JA-1, FSII)
<b>OIL</b>	All
<b>S</b>	1,2,4 DND svcs avbl thru ARAF 709-570-4900 Ext 4791 freq 131.02
<b>ARFF</b>	7 (Cat 8 avbl 30 min PNR)
<b>SUP FL</b>	LPOX, D & A-ice
<b>JASU</b>	CAN-A Elect Start 10/15
<b>PVT ADV</b>	Woodward Esso Aviation 123.5 709-579-3776 Fax 709-579-8513; Shell Aerocentre 123.0 709-576-4615 Fax 709-576-0768; Irving Aviation Svcs 122.9 709-758-3200 Fax 709-758-3201
<b>MIL CON</b>	Woodward Esso Aviation (Imperial Oil/Esso) 709-579-3776

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B802 AERODROME/FACILITY DIRECTORY

## ST. JOHN'S INTL NL (Cont'd)


CYYT

<b>RWY DATA</b>	Rwy 11(107°)/29(287°) 8502x200 asphalt Rwy 11 RVR 600/29 RVR 600 Rwy 16(160°)/34(340°) 7005x200 asphalt Rwy 16 down 0.32% Rwy 16 RVR 1200(1/4 sm)/34 RVR1200(1/4 sm) Rwy 02(017°)/20(197°) 5028x100 asphalt
<b>RCR</b>	Opr CRFI, PLR/PCN
<b>LIGHTING</b>	02-AD(TE ME), 20-AD(TE ME), 11-AE(TE HI CL) P3, 29-AC(TE HI CL TDZL) P3, 16-AN(TE HI) P3, 34-AO (non-std 1250') (TE HI) P3
<b>COMM</b>	
<b>RCO</b>	Halifax rdo 123.275 (FISE) 126.7 (bcst)
<b>ATIS</b>	128.0 293.8
<b>GND</b>	121.9 275.8
<b>TWR</b>	120.6 236.6 (E) (emerg only 709-724-1055)
<b>PAL</b>	Gander Ctr 133.15 227.3
<b>INTL AIR</b>	Gander rdo 126.9 122.37
<b>NAV</b>	
<b>VOT</b>	114.8
<b>NDB</b>	OUTER COVE ZYT 246 (L) N47 37 40 W52 40 02 288° 2.8NM to thld 29 WABANA ZNF 270 (L) N47 37 09 W52 52 00 107° 3.9NM to thld 11 SIGNAL HILL NL 358 (L) N47 34 27 W52 41 07 340° 3.0NM to A/D
<b>VOR/DME</b>	TORBAY YYT 113.5 Ch 82 N47 29 07 W52 51 08 (833') 050° 9.2NM to A/D
<b>TACAN</b>	UYT 108.6 Ch23 N47 37 38 W52 44 53 (491') at A/D
<b>ILS</b>	IYT 110.7 (Rwy 16/34) RVR; ISO 110.3 (Rwy 29) RVR; IMP 109.1 (Rwy 11) RVR
<b>PRO</b>	<b>De-icing:</b> ICEMAN 129.2
<b>CAUTION</b>	Open pit blasting ops 11NM SW to 1000 ASL 200 AGL, 1NM radius of N47 29 08 W52 57 11. <b>Weather condition:</b> No landing auth without electronic GP or vertical guidance capability when moderate to severe turbulence/windshear/downdrafts being reported. Daily radiosonde balloon launches with an ascent rate of 1000 ft/min btwn hrs of 1115-1345Z and 2315-0145Z.

## ST. JOHN'S (UNIVERSAL) NL (Heli)

CDC2

<b>REF</b>	N47 36 30 W52 43 37 21°W UTC-3/1/2(21/2) Elev 412' A5012 E-19 F-22
<b>OPR</b>	Universal Helicopters Nfld Ltd 709-576-4611 Cert
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYYT
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>S</b>	2
<b>PAD DATA</b>	64' x 64' asphalt
<b>RCR</b>	Opr Ltd win maint



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B803

## ST. JOHN'S (UNIVERSAL) NL (Heli) (Cont'd)


CDG2

<b>COMM</b>	
<b>TWR</b>	St. John's 120.6 (E)
<b>PRO</b>	Arr/dep btwn 158° & 228° fr heli.

## ST. JOSEPH ISLAND ON

CPV3

<b>REF</b>	N46 17 W83 57 5E 8°W UTC-5(4) Elev 600' A5001 F-21
<b>OPR</b>	Francis A. Nelson 705-246-2397 Reg PPR
<b>PF</b>	C-1,2 D-3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYAM
<b>FIG</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 15/33 2475x200 turf Thld 15 displ 675'. Thld 33 displ 200'.
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3600 ASL




## ST-JOVITE QC — See MONT-TREMBLANT / ST-JOVITE

## STE-JULIENNE QC

CSM4

<b>REF</b>	N45 56 27 W73 43 26 1.3S 16°W UTC-5(4) Elev 280' VTA A5002 F-21
<b>OPR</b>	C.G. Morency 450-831-2983 Reg PPR
<b>PF</b>	B-1 C-2,3,5 D-4,6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIG</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 08/26 2100x40 turf Thld 08 displ 300'.
<b>RCR</b>	Opr Ltd win maint
<b>COMM</b>	(bil)
<b>ATF</b>	tfc 123.2 5NM 3300 ASL
<b>PRO</b>	Rgt hand circuits rwy 26 (CAR 602.96).
<b>CAUTION</b>	Hills 400 ASL 0.7NM W.





# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B804 AERODROME/FACILITY DIRECTORY

## ST-LAMBERT-DE-LAUZON QC

CST7

<b>REF</b>	N46 33 37 W71 10 57 1.8SE 17°W UTC-5(4) Elev 475' A5002 F-21	
<b>OPR</b>	L'Aéro-parc 418-889-8989 Reg PPR Landing fees	
<b>PF</b>	A-1 C-2,3,5 D-4	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>SERVICES</b>	<b>S</b> 1,2,3,4,5,6	
<b>RWY DATA</b>	Rwy 06/24 2600x100 turf Thld 24 displ 600'	
<b>RCR</b>	Opr Ltd win maint	
<b>COMM</b>	(bil)	
<b>ATF</b>	tfc 123.5 5NM 3500 ASL excluding the airspace that lies within Québec Class D airspace.	
<b>PRO</b>	Rgt hand circuits rwy 06 (CAR 602.96). No touch & go.	
<b>CAUTION</b>	Ultra-light activities. Class D airspace north of A/D from 1400 ASL, see Québec VTPC.	

## ST-LAZARE QC — See MONTRÉAL / ST-LAZARE

## ST. LEONARD NB

CYSL

<b>REF</b>	N47 09 27 W67 50 05 4SE 19°W UTC-4(3) Elev 793' A5002 A5003 F-21 F-22 L08 CAP	
<b>OPR</b>	Edmundston Airport Commission Inc 506-423-7571/8165 Reg	
<b>PF</b>	A-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYCL	
<b>FIC</b>	(bil) Québec 866-WXBRIEF or 866-GOMÉTÉO (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>WX</b>	METAR 09-21Z† Sun-Fri, 12-21Z† Sat.	
<b>SERVICES</b>		
<b>FUEL</b>	100LL Ltd hrs, call out chg may be levied	
<b>RWY DATA</b>	Rwy 18(175°)/36(355°) 4000x100 asphalt Rwy 36 down 0.45%	
<b>RCR</b>	Opr CRFI, Ltd win maint. PLR/PCN	
<b>LIGHTING</b>	18-(TE ME) AP, 36-AS(TE ME) AP ARCAL-122.7 type K	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B805

## ST. LEONARD NB (Cont'd)

CSYL

<b>COMM</b>	<b>DRCO</b> (bil) Québec rdo 126.7 (FISE) <b>ATF</b> UNICOM (AU) ltd hrs O/T tfc 122.7 5NM 3800 ASL
<b>NAV</b>	<b>NDB</b> YSL 404 (M) N47 12 28 W67 52 11 175° 2.9NM to thld 18

## ST. LEWIS (FOX HARBOUR) NL

CCK4

<b>REF</b>	N52 22 22 W55 40 26 Adj 24°W UTC-4(3) Elev 74' A5020 E-19 LO7 CAP	
<b>OPR</b>	Govt of Newfoundland & Labrador 709-896-7840 Cert	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b> <b>FIC</b> <b>ACC</b>	NOTAM FILE CYAY Halifax 866-WXBRIEF or (French) 866-GOMÉTEO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) Gander 709-651-5225 or 888-751-5225. Fit Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.	
<b>RWY DATA</b> <b>RCR</b>	Rwy 05(051°)/23(231°) 2200x75 gravel Rwy 23 down 0.75% Opr 709-939-2241/2383 Ltd win maint	
<b>LIGHTING</b>	05-AS (TE ME) AV 4°, 23-AS (TE ME) AV 4° ARCAL-122.8 type K, key mic 7 times for RIL.	
<b>COMM</b>	<b>ATF</b> Fox Harbour tfc 122.8 5NM 3100 ASL	

## ST. LINA AB

CSL4

<b>REF</b>	N54 18 05 W111 29 52 15W 17°E UTC-7(6) Elev 2110' A5015 E-16	
<b>OPR</b>	Glenn H. Rosborough 780-726-2393 780-645-0375 Reg PNR	
<b>PF</b>	A-1 D-3,4,5,6	
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYEG Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>SERVICES</b> <b>S</b>	4,5,6	
<b>RWY DATA</b> <b>RCR</b>	Rwy 09(090°)/27(270°) 1800x60 turf Opr Ltd win maint	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 5100 ASL	
<b>CAUTION</b>	N side of thld 27 up to 10' drop off. Ocsll ultra-light activity.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B806 AERODROME/FACILITY DIRECTORY

## ST-LOUIS-DE-FRANCE QC

CSJ5

<b>REF</b>	N46 26 12 W72 37 49 1.6NE 16°W UTC-5(4) Elev 225' A5002 F-21	
<b>OPR</b>	Alouette Aviation Inc 819-375-4181 Reg PPR	
<b>PF</b>	C-1 D-2,3,5	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>OIL</b>	All	
<b>S</b>	1(ltd)	
<b>RWY DATA</b>	Rwy 15/33 2300x50 gravel	
<b>RCR</b>	Opr Ltd win maint	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3300 ASL Outside Trois-Rivières (CYRQ) MF area monitor CYRQ freq 123.0 when possible	
<b>PRO</b>	Rgt hand circuits rwy 33 (CAR 602.96).	
<b>CAUTION</b>	Acft flying at Trois-Rivières aprt (5.4NM SSW of St-Louis-de-France A/D) on inst apch may overfly St-Louis-de-France A/D at 1800 ASL. OcsI blasting ops, 1NM radius from N46 34 28 W72 43 42 (9.2NM WNW of A/D), max alt 3700 ASL.	

## STE-LUCIE-DE-BEAUREGARD QC

CSU4

<b>REF</b>	N46 44 27 W70 01 57 Adj W 18°W UTC-5(4) Elev 1212' A5002 F-21	
<b>OPR</b>	Aero Club Beaugard Inc 418-223-3072 Reg	
<b>PF</b>	C-1,2,3	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 16/34 1800x100 grass/gravel	
<b>RCR</b>	No win maint. Soft sand spots first 200' fr thld rwy 34.	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 4300 ASL	
<b>CAUTION</b>	Ultra-light activities.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B807

## STE-MARGUERITE QC (Heli)

CSF6


<b>REF</b>	N46 01 52 W74 03 12 15°W UTC-5(4) Elev 1100' aprx VTA A5002
<b>OPR</b>	R. Provost 450-228-3451 Reg PPR
<b>PF</b>	B-1 C-2,3,5 D-4,6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>PAD DATA</b>	100' x 100'
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 4100 ASL
<b>PRO</b>	Arr/dep 349°
<b>CAUTION</b>	Antenna 0.8NM SW of pad, 1670 ASL (279 AGL)



## ST-MATHIAS QC

CSP5

<b>REF</b>	N45 30 03 W73 14 30 1.7NE 16°W UTC-5(4) Elev 50' VTA A5002 F-21
<b>OPR</b>	Aviation B. L. Inc 450-658-2041 Reg
<b>PF</b>	A-1 13-22Z† C-2,3,4,5,6
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	100LL
<b>OIL</b>	All
<b>S</b>	1,2,3,4,5,6
<b>RWY DATA</b>	Rwy 14/32 2000x50 gravel/turf
<b>RCR</b>	Opr 13-22Z†
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM outside CYHU CZ 2000 ASL
<b>PRO</b>	Training areas: See Montréal Terminal VTPC.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B808 AERODROME/FACILITY DIRECTORY

## ST-MATHIAS / GRANT QC

CSX5

<b>REF</b>	N45 28 19 W73 11 58 2.7SE 16°W Elev 110' UTC-5(4) VTA A5002	
<b>OPR</b>	Grant Avn Enr 450-658-0266 Reg PPR	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL <b>FIC</b> Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>SERVICES</b>	<b>S</b> 1,4,5,6	
<b>RWY DATA</b>	Rwy 15/33 1900x50 turf Rwy 15 first 1000' up 2% Temporarily first 900' rwy 33 closed.	
<b>RCR</b>	Opr Ltd win maint, sfc soft in spring & fall.	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 3100' outside YHU CZ.	
<b>PRO</b>	Rgt hand circuits rwy 33 (CAR 602.96). Training areas: See Montréal Terminal VTCP.	
<b>CAUTION</b>	Richelieu A/D 2NM S. Ultra-light activities.	

## ST-MATHIEU-DE-BELOEIL QC

CSB3

<b>REF</b>	N45 35 24 W73 14 19 1.5NW 16°W UTC-5(4) Elev 47' VTA A5002 F-21	
<b>OPR</b>	Corporation Aéroport SMB Inc 450-446-5931 Reg	
<b>PF</b>	A-1,2 C-3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL <b>FIC</b> Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) <b>ACC</b> Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3014.	
<b>SERVICES</b>	<b>FUEL</b> 100LL (Corp. Aéroport SMB), JB (Passeport Hélicoptères (Québec Hélicoptères)) <b>OIL</b> All <b>S</b> 1,2,3,4,5,6 <b>PVT ADV</b> Québec Hélicoptères 450-464-5290	
<b>RWY DATA</b>	Rwy 15/33 2200x50 asphalt Thlds 15 & 33 displ 200'. <b>RCR</b> Opr Snow removal btwn 13-01Z.	
<b>LIGHTING</b>	15-(TE ME), 33-(TE ME) ARCAL-123.0 type K	
<b>COMM</b>	(bil) <b>ATF</b> UNICOM ltd hrs O/T tfc 123.0 5NM outside CYHU CZ 2000 ASL	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B809

## ST-MATHIEU-DE-BELOEIL QC (Cont'd)


CSB3

<b>PRO</b>	<p><b>Circuits:</b> All circuits not to exceed 1000 ASL.  <b>Airspace:</b> CYA 627(S) aprx 12NM NE of A/D up to 3000 ASL cont daylight.  <b>Ski ops:</b> All ski ops parallel &amp; E of rwy 15/33.  <b>Circuit rwy 33:</b> Climb on rwy centreline to 1000 ASL before turning for circuits or BPOC.                      Training areas: See Montréal Terminal VTPC.</p>
<b>CAUTION</b>	<p><b>CYHU instrument apch:</b> Acft flying at Montréal/St-Hubert aprt (9NM WSW of Beloeil A/D) Rwy 24R instrument apch may overfly Beloeil A/D at 2100 ASL.  <b>Circuit:</b> Rwy 15 tfc ptn, twr less than 1NM NE of A/D, 331 ASL.  <b>Ops along rwy:</b> Helicopter and ultralight acft training school operations and ocsl banner towing east side of rwy.</p>

## ST-MICHEL-DE-NAPIERVILLE QC

CSM3


<b>REF</b>	N45 12 49 W73 34 33 1.5S 15°W UTC-5(4) Elev 206' VTA A5002
<b>OPR</b>	D. Le Hesran 450-454-3096 Fax 450-454-3172 Apr-Nov O/T R. Levesque 450-635-2712 Reg PPR
<b>PF</b>	C-1,2,3,5
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy13(129°)/31(309°) 2600x50 grass Thld 13 displ 700'
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3200 ASL
<b>CAUTION</b>	Obstacles NW of thld 13 include bldgs, P-lines (370' fr thld, 50 AGL/247 ASL) & antenna (225' fr thld, 40 AGL/237 ASL).



## ST-MICHEL-DES-SAINTS QC

CSM5

<b>REF</b>	N46 40 51 W73 59 37 3W 16°W UTC-5(4) Elev 1372' A5002 F-21
<b>OPR</b>	Municipalité de St-Michel-des-Saints 877-833-6941 Reg
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 16/34 3000x75 gravel
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	(bil) tfc 123.2 5NM 4400 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B810 AERODROME/FACILITY DIRECTORY

## ST. PAUL AB

CEW3

<b>REF</b>	N53 59 36 W111 22 49 2W 16°E UTC-7(6) Elev 2147' A5015 E-16 LO1 LO2	
<b>OPR</b>	Town 780-645-4481/3031 Reg	
<b>PF</b>	B-1 D-2,3,5	
<b>FLT PLN</b>	NOTAM FILE CYLL	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>SERVICES</b>		
<b>FUEL</b>	80, 100, ctc Opr PNR	
<b>S</b>	1,2,3	
<b>RWY DATA</b>	Rwy 08(081°)/26(261°) 3500x100 asphalt	
<b>RCR</b>	Opr Ltd maint	
<b>LIGHTING</b>	08-(TE ME), 26-(TE ME) ARCAL-122.8 type K	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 5200 ASL	
<b>NAV</b>		
<b>NDB</b>	8H 375 (L) N53 59 31 W111 23 26 060° 0.4NM to A/D Pvt Unmonitored	
<b>PRO</b>	Take-off rwy 26 climb on rwy heading until past farm bldgs adj SW before making left turn.	

## ST. PAUL (HEALTH CARE CENTRE) AB (Heli)

CTP5

<b>REF</b>	N53 59 17 W111 17 26 Adj 16E UTC-7(6) Elev 2113' A5015 RCAP	
<b>OPR</b>	St. Therese, St. Paul Health Care Centre 780-645-3331 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYLL	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	59' dia concrete FATO 86' dia. Acft max length 55'. 14,000 lbs max landing weight.	
<b>LIGHTING</b>	RF(FH) PNR	
<b>COMM</b>		
<b>ATF</b>	UNICOM 122.8 ltd hrs O/T tfc 122.8 5NM centred on St. Paul A/D 3.2NM W 5200 ASL	
<b>PRO</b>	Arr/dep 255° fr heliport; slope 12% rstd to multi-engine acft.	
<b>CAUTION</b>	No edge markings.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B811

## ST-PIERRE FRANCE

LFVP

<b>REF</b>	N46 45 47 W56 10 27 1S 21°W UTC-3(2) Elev 28' A5012 F-22 LO8 HI6	
<b>OPR</b>	Service de L'Aviation Civile de St-Pierre et Miquelon, tel 011-508-41-18-00 fax 011-508-41-18-18 11-22Z± O/T open to sked commercial, MEDEVAC & SAR flts. Other flts O/R 6 hrs PNR tel 011-508-41-18-22 fax 011-508-41-18-20	
<b>PF</b>	A-1,3 C-2,4,5,6	
<b>CUST</b>	Tel 011-508-55-47-30	
<b>FLT PLN</b>	NOTAM FILE CYQX Fit pln & NOTAM avbl from TWR tel 011-508-41-18-22 fax 011-508-41-18-20	
<b>FIC</b>	Halifax 902-873-6109 or (French) 866-GOMÉTÉO	
<b>WX</b>	French National Wx Svc tel 011-508-41-18-64 0830-2215Z (DT 0815-2215Z)	
<b>SERVICES</b>	PNR in Flt pln	
<b>FUEL</b>	100LL, JA-1	
<b>OIL</b>	All	
<b>ARFF</b>	3 11-22Z± Mon-Fri; 2 11-22Z± Sat-Sun (sked commercial/MEDEVAC/SAR flts, other flts O/R 6 hrs PNR)	
<b>RWY DATA</b>	Rwy 08(079°)/26(259°) 5900x150 asphalt	
<b>RCR</b>	Twr PLR/PCN CRFI	
<b>LIGHTING</b>	08-AS(TE HI CL A) P2, 26-AS(TE HI CL A) P2	
<b>COMM</b>	<b>TWR</b> 119.1 118.5 11-22Z± O/T Gander Ctr 134.9 <b>ATF</b> tfc 119.1 5NM 6000 ASL when TWR clsd <b>TML</b> 119.1 11-22Z± O/T Gander Ctr 134.9 <b>PAL</b> Gander Ctr 134.9 <b>VDF</b> 119.1	
<b>NAV</b>	<b>NDB</b> SP 386 (L) N46 45 45 W56 10 10 at A/D <b>DME</b> SP 108.9 Ch 26X N46 45 59 W56 10 11 (67') at A/D <b>ILS</b> SP 108.9 (Rwy 26) RVR	
<b>PRO</b>	Rgt hand circuits rwy 08.	
<b>CAUTION</b>	Old airport located 0.77NM NE. Information contained not verified by Canadian Regulatory Authorities. Contact twr 119.1 entering the tml zone (35NM).	



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

## B812 AERODROME/FACILITY DIRECTORY

### ST-QUENTIN NB

CDC4

<b>REF</b>	N47 31 16 W67 25 16 1NW 19°W UTC-4(3) Elev 875' A5002 A5003 F-22	
<b>OPR</b>	B-Cyr 506-235-2532 Fax 506-235-1913 Reg PPR	
<b>PF</b>	C-1 C-2,3,5	
<b>FLT PLN</b>	NOTAM FILE CYCL	
<b>FIC</b> <b>ACC</b>	Québec 866-WXBRIEF or 866-GOMÉTÉO (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>RWY DATA</b> <b>RCR</b>	Rwy 11/29 3000x100 gravel/turf Opr No win maint	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 3900 ASL	
<b>CAUTION</b>	High trees on apch rwy 29.	

### ST-RAYMOND / PAQUET QC

CSK5

<b>REF</b>	N46 53 42 W71 47 09 1.5E 17°W UTC-5(4) Elev 582' A5002 F-21	
<b>OPR</b>	Club de vol à voile de Québec Inc 418-337-4905 Reg	
<b>PF</b>	B-1 C-2,3,5 D-4,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYQB	
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>RWY DATA</b> <b>RCR</b>	Rwy 09/27 2400x75 turf Opr No win maint	
<b>COMM</b>	<b>ATF</b> UNICOM ltd hrs O/T tfc 123.3 5NM 3500 ASL Excluding the airspace that lies within Québec Class D airspace	
<b>PRO</b>	Rgt hand circuits rwy 27 (CAR 602.96). Extv glider activity dur summer months, see Québec VTTC Glider Operations.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B813

## STE. ROSE DU LAC MB

CKR3

<b>REF</b>	N51 02 27 W99 29 43 1SE 7°E UTC-6(5) Elev 900' aprx A5007 E-16 E-17	
<b>OPR</b>	P. Delaurier 204-447-3482 Fax 204-447-3482 Reg	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYDN	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>S</b>	4,5,6	
<b>RWY DATA</b>	Rwy 17(173°)/35(353°) 2600x125 turf	
<b>RCR</b>	Opr Rwy soft dur spring thaw. Ltd win maint.	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 3900 ASL	
<b>CAUTION</b>	5' cattle fence adj E edge of rwy. Lgtd twr 1260 ASL (360 AGL) 1.4NM N of A/D.	

## ST. STEPHEN NB

CCS3

<b>REF</b>	N45 12 27 W67 15 02 1NE 18°W UTC-4(3) Elev 96' A5003 F-21 F-22 LO8	
<b>OPR</b>	Town 506-466-7717 Reg	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>CUST</b>	AOE/15 888-226-7277	
<b>FLT PLN</b>	NOTAM FILE CYSJ	
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>SERVICES</b>	12-21Z± 506-467-1940 O/T 506-466-5255 PNR	
<b>FUEL</b>	100LL	
<b>OIL</b>	All	
<b>RWY DATA</b>	Rwy 14/32 3000x75 asphalt	
<b>RCR</b>	Opr Ltd win maint.	
<b>LIGHTING</b>	14-(LO), 32-(LO) ARCAL-122.8 type J	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3100 ASL	
<b>PRO</b>	Rgt hand circuits rwy 32 (CAR 602.96)	
<b>CAUTION</b>	Obst twr 320 AGL 1.5NM SE. Parajumps May-Oct max alt 10,000 ASL.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B814 AERODROME/FACILITY DIRECTORY

## ST. THERESA POINT MB

CYST

<b>REF</b>	N53 50 44 W94 51 07 0.8N 2°E UTC-6(5) Elev 773' A5017 E-17 LO3 CAP	
<b>OPR</b>	Govt of Manitoba 204-677-6722 Cert	
<b>PF</b>	A-1 C-4 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols	
<b>FLT PLN</b>	NOTAM FILE CYIV	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA) (see PRO)	
<b>WX</b>	LWIS (see COMM)	
<b>RWY DATA</b>	Rwy 04(039°)/22(219°) 3400x75 crushed rock	
<b>RCR</b>	APM 204-462-2084 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-462-2522	
<b>LIGHTING</b>	04-(TE LO), 22-(TE LO) ARCAL-122.2 type J (see CAUTION)	
<b>COMM</b>		
<b>RCO</b>	Thunder Bay rdo (Island Lake) 122.2 (RAAS) Winnipeg rdo (Island Lake) 122.375 (FISE) 126.7 (bcst)	
<b>MF</b>	Thunder Bay rdo 122.2 5NM 3800 ASL (CAR 602.98)	
<b>LWIS</b>	Wind & altimeter 128.5	
<b>NAV</b>		
<b>NDB</b>	4K 362 (L) N53 50 42 W94 50 58 at A/D Pvt	
<b>PRO</b>	Due rdo blind spots apron & rwy, flt pln closure by tel to Winnipeg FIC 866-WXBRIEF.	
<b>CAUTION</b>	Extv low lvl heli tfc within MF area dur break-up & freeze-up. See ISLAND LAKE - ST.THERESA POINT VTPC. Possible unreported tfc or vehicles on rwy due to rdo blind spot. Island Lake A/D, MF 122.2, 7NM E. Three twr hydro cable span centred on N53 54 09 W94 42 49 (6NM NE arpt) 200 AGL 979 ASL, red & white markers on span. Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge).	

## ST. THOMAS MUNI ON

CYQS

<b>REF</b>	N42 46 12 W81 06 39 3.5E 9°W UTC-5(4) Elev 778' A5000 F-21 LO6 HI5 CAP RCAP	
<b>OPR</b>	Muni 519-633-5866 or 519-631-1680 Cert	
<b>PF</b>	B-1,2 C-3,4,5,6	
<b>CUST</b>	AOE/15 888-226-7277 14-22Z† Mon-Fri exc hols	
<b>FLT PLN</b>	NOTAM FILE CYXU	
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>	Call out chg may be levied after hrs	
<b>FUEL</b>	100LL, JA-1	
<b>OIL</b>	65, 80, 100, 15W50	
<b>S</b>	1,3	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B815

## ST. THOMAS MUNI ON (Cont'd)


CYQS

<b>RWY DATA</b>	Rwy 09/27 5050x100 asphalt Rwy 03/21 2640x75 asphalt Rwy 15/33 2640x75 asphalt
<b>RCR</b>	Opr Snow removal 13-22Z O/T O/R.
<b>LIGHTING</b>	09-(TE ME), 27-AS(TE ME) P1, ARCAL-122.7 type K
<b>COMM</b>	
<b>ATF</b>	UNICOM (AU) ltd hrs O/T tfc 122.7 5NM 3800 ASL
<b>NAV</b>	
<b>NDB</b>	7B 375 (M) N42 46 15 W81 06 21 at A/D Pvt Monitored 13Z±SS
<b>VOR/DME</b>	AYLMER YQO 114.2 Ch 89 N42 42 24 W80 53 16 300° 10.2NM to A/D

## ST-VICTOR-DE-BEAUCE QC

CSL5


<b>REF</b>	N46 07 06 W70 53 21 1SE 17°W UTC-5(4) Elev 1100' A5002 F-21
<b>OPR</b>	Club Aéronautique Doyon Inc 418-588-6153/6532 Fax 418-588-6437 Reg PPR
<b>FLT PLN</b>	(bil) NOTAM FILE CYSC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 06/24 2000x50 turf Thld rwy 24 displ 165'.
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM except part overlapping St-Georges MF area 4100 ASL
<b>PRO</b>	St-Georges A/D (CYSG) 7.4NM ESE
<b>CAUTION</b>	Possibility of deer on rwy.



## SALABERRY DE VALLEYFIELD QC

CSD3

<b>REF</b>	N45 12 30 W74 08 29 2.5SW 15°W UTC-5(4) Elev 155' VTA A5002 F-21
<b>OPR</b>	Town of Salaberry de Valleyfield 450-373-9216 Reg PPR
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>SERVICES</b>	<b>S</b> 1.4.5.6 Aero-Club de Valleyfield 450-373-9216, 450-377-2550
<b>RWY DATA</b>	Rwy 06/24 2800x50 turf/gravel 25' paved both ends. Thld 06 displ 600' ngt
<b>RCR</b>	Opr Ltd win maint Do not use during thaw period



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B816 AERODROME/FACILITY DIRECTORY

## SALABERRY DE VALLEYFIELD QC

CSD3

<b>LIGHTING</b>	06-(TE LO), 24-(TE LO) ARCAL-123.2 type J
<b>COMM</b>	(bil)
<b>ATF</b>	tfc 123.2 5NM 3200 ASL outside Montréal TCA

## SALLUIT QC

CYZG


<b>REF</b>	N62 10 46 W75 40 02 28°W UTC-5(4) Elev 743' A5033 D-14 D-15 LO5 CAP	
<b>OPR</b>	Administration Régionale Kativik 819-964-2968 14-22Z‡ Mon-Fri O/T 819-964-3434 Ext 154 Fax 819-964-2462 Cert	
<b>PF</b>	A-1 C-2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYVP	
<b>FIC</b>	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montréal 800-633-1353	
<b>CARS</b>	819-255-8158 ltd hrs (see COMM)	
<b>WX</b>	METAR dur CARS hrs.	
<b>SERVICES</b>		
<b>FUEL</b>	100LL(D) ltd, JA-1 PNR FCNQ Petro 819-255-8335 13-22Z‡ Mon-Fri O/T COOP 819-255-8950, svc chg. Visa and Master Card accepted. Credit by prior arng only, ctc 800-363-7610, allow 7 working days.	
<b>RWY DATA</b>	Rwy 03(034°)/21(214°) 3510x100 gravel Rwy 03 down 0.4% first 790' Rwy 21 down 0.9% first 2720'	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	03-AS(TE ME), 21-AS(TE ME) ARCAL-122.1 type J	
<b>COMM</b>		
<b>DRCO</b>	(bil) Québec rdo 126.7 (FISE)	
<b>MF/ATF</b>	aprt rdo (English only) ltd hrs O/T tfc 122.1 5NM 3800 ASL (CAR 602.98)	
<b>APRT RDO</b>	122.1 (V) 1230-2230Z‡	
<b>NAV</b>		
<b>NDB</b>	YZG 375 (M) N62 10 46 W75 40 38 199° 0.3NM at A/D Unmonitored when CARS closed	
<b>CAUTION</b>	<b>Night ops:</b> Only pilots familiar with local area should use this A/D during hrs of darkness due to terrain & optical illusions <b>Turbulence:</b> Severe turbulence may be encountered when wind exceeds 20 kt <b>Wildlife:</b> Possibility of caribou on rwy May 1-Sep 30 aprx <b>Vehicles:</b> NORDO vehicles crossing rwy 03/21	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B817

## SALMON ARM VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B818 AERODROME/FACILITY DIRECTORY

## SALMON ARM BC

CZAM

<b>REF</b>	N50 40 58 W119 13 43 2SE 19°E UTC-8(7) Elev 1751' A5005 E-15 LO2 CAP RCAP	
<b>OPR</b>	City of Salmon Arm 250-832-1000/ 833-2359 O/T 250-832-4744 Cert Ldg fees may be levied	
<b>PF</b>	A-1,6 C-2,3,4,5	
<b>FLT PLN</b>	NOTAM FILE CYKA	
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA-1, MG-3, SP, FSII 250-832-1000 15-02Z (DT 13-04Z)	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5	
<b>RWY DATA</b>	Rwy 14(140°)/32(320°) 4260x75 asphalt	
<b>TWY</b>	Twy B gravel, ltd to 7000 lb, day only, no win maint.	
<b>RCR</b>	Opr Ltd win maint	
<b>LIGHTING</b>	14-AS(TE ME) P1 3.5°, 32-(TE ME) P1 3.5° ARCAL-122.9 type K exc RILS (rwy 14) on high setting only.	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.9 5NM 4700 ASL	
<b>NAV</b>		
<b>NDB</b>	V6 280 (L) N50 41 10 W119 14 00 at A/D Pvt	
<b>DME</b>	V6 109.0 Ch 27 N50 41 08 W119 14 34 at A/D Pvt	
<b>RESTRIC-TIONS</b>	OPERATING RESTRICTIONS 1. Pursuant to CARS 602.96(3)(D), not certified for ngt ops unless all hazard beacons are oprg.	
<b>PRO</b>	Circuit altitude 3000 ASL. Rgt hand circuits rwy 32 (CAR 602.96). Night Ops: Follow circuit pro as depicted on VFR terminal ngt circuit pro chart.	
<b>CAUTION</b>	Only pilots familiar with local terrain should use this A/D dur hrs of darkness. Numerous P-lines in vic of A/D.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B819

## SANDSPIT BC

**CYZP**

<b>REF</b>	N53 15 15 W131 48 50 1.5NE 22°E UTC-8(7) Elev 21' A5013 E-15 LO1 HI3 CAP	
<b>OPR</b>	TC 250-637-5313 Fax 250-637-5661 Cert	
<b>PF</b>	A-1,2,6 B-5 C-3,4	
<b>FLT PLN</b>	NOTAM FILE CYZP <b>FIC</b> Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) <b>WX</b> Legacy AWOS WxCam TAF H24, issue times: 01, 07, 13, 19Z.	
<b>SERVICES</b>		
<b>FUEL</b>	JA-1 15 min PNR 16-01Z±, 250-637-2431, O/T call out chg.	
<b>OIL</b>	All	
<b>S</b>	4,5	
<b>SUP FL</b>	D & A-ice	
<b>RWY DATA</b>	Rwy 12(122°)/30(302°) 5120x150 asphalt	
<b>RCR</b>	Opr Win maint 16-24Z± Mon-Fri exc hols, O/T 2 hrs PNR cost recovery. CRFI, PLR/PCN	
<b>LIGHTING</b>	12-AS(T HI) enhanced pre-thld lgts, 30-AS(T HI) P2 O/R Terrace FSS	
<b>COMM</b>		
<b>RCO</b>	Terrace rdo 122.3 (RAAS) 296.2 (RAAS) Pacific rdo (Prince Rupert) 126.7 (FISE) (May not be receivable on gnd)	
<b>MF</b>	Terrace rdo 122.3 296.2 5NM 3000 ASL (CAR 602.98) Special VFR tfc advsy procedures apply outside MF zone, see Section C British Columbia	
<b>PAL</b>	Vancouver Ctr 133.4 227.2	
<b>Legacy AWOS</b>	122.55	
<b>NAV</b>		
<b>NDB</b>	ZP 368 (M) N53 11 46 W131 46 38 319° 3.3NM to A/D DEAD TREE ZP 248 (L) N53 21 00 W131 56 24 118° 6.9NM to A/D	
<b>VORTAC</b>	YZP 114.1 Ch 88 N53 15 08 W131 48 25 (30') at A/D	
<b>ILS</b>	Izp 109.5 (Rwy 12)	
<b>CAUTION</b>	Numerous blasting ops in logging areas, ctc Kamloops FIC for info. Extv bird activity year-round.	



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B820 AERODROME/FACILITY DIRECTORY

## SANDY BAY SK

CJY4

<b>REF</b>	N55 32 44 W102 16 19 1.3NE 9°E UTC-6 Elev 1001' A5016 E-16 LO1 CAP RCAP	
<b>OPR</b>	Ministry of Hwys & Infrastructure 306-953-3263 Reg	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYVC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>SERVICES</b> <b>PVT ADV</b>	Jackson Air Svcs 122.8	
<b>RWY DATA</b>	Rwy 05(053°)/23(233°) 2880x75 treated gravel	
<b>RCR</b>	Area Office 306-425-4495/4493 or OprLtd win maint	
<b>LIGHTING</b>	05-(TE LO), 23-(TE LO) ARCAL-122.8 type J	
<b>COMM</b>		
<b>ATF</b>	tfc 122.8 5NM 4000 ASL	
<b>NAV</b>		
<b>NDB</b>	1W 412 (M) N55 32 36 W102 16 32 at A/D Pvt Unmonitored	

## SANDY LAKE ON

CZSJ

<b>REF</b>	N53 03 51 W93 20 40 Adj NE 0° UTC-6(5) Elev 951' A5017 E-17 LO3 CAP RCAP	
<b>OPR</b>	Govt of Ontario 807-473-2082 Cert	
<b>PF</b>	C-1,4	
<b>FLT PLN</b>	NOTAM FILE CYXL Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>WX</b>	Legacy LWIS (see COMM)	
<b>RWY DATA</b>	Rwy 11(113°)/29(293°) 3507x100 gravel Rwy 11 up 0.40% Rwy 29 up 1.03%	
<b>RCR</b>	APM 807-774-4521 14-23Z† Mon-Fri exc hols. Rwy strength & cond subject to seasonal & climatic var.	
<b>LIGHTING</b>	11-(TE ME) AP, 29-(TE ME) AP ARCAL-122.8 type K	
<b>COMM</b>		
<b>ATF</b>	tfc 122.8 5NM 4000 ASL	
<b>Legacy LWIS</b>	124.825	
<b>NAV</b>		
<b>NDB</b>	ZSJ 258 (M) N53 04 06 W93 20 39 at A/D Unmonitored	
<b>CAUTION</b>	Rdo transmission blind spot lctd on apron adj to mid-pt of rwy. Transmission made on the rwy received normally by acft in flt.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B821

## SANIKILUAQ NU

**CYSK**

<b>REF</b>	N56 32 16 W79 14 48 Adj W 18°W UTC-5(4) Elev 104' A5026 D-14 LO5 HI1 CAP	
<b>OPR</b>	Govt of Nunavut, Iqaluit 867-897-3606 Cert	
<b>PF</b>	A-1 CARS ops hrs O/T PNR	
<b>FLT PLN</b> <b>FIC</b> <b>ACC CARS</b> <b>WX</b>	NOTAM FILE CYSK North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA) Montréal 800-633-1353 867-266-8824 ltd hrs METAR 12-22Z‡ Mon-Fri exc hols.	
<b>SERVICES</b> <b>FUEL</b>	JA-1 867-266-8822/8814 1430-23Z Mon-Sat exc hols O/T call out chg PNR 867-266-8822/8814. Credit card not accepted. Credit by prior arng 867-645-5165/5187, allow 7 working days.	
<b>RWY DATA</b> <b>RCR</b>	Rwy 09/27 3800x100 gravel Rwy 09 down 0.9% & rwy 27 down 1.2% CARS ltd hrs O/T Council 867-266-8874	
<b>LIGHTING</b>	09-AS(TE ME) AP, 27-AS(TE ME) AP ARCAL-122.1 type K	
<b>COMM</b> <b>MF/ATF</b> <b>APRT RDO</b>	aprt rdo ltd hrs O/T tfc 122.1 5NM 3100 ASL (CAR 602.98) 122.1 (V) 13-23Z‡ Mon-Fri exc federal observed hols	
<b>NAV</b> <b>NDB</b>	YSK 208 (M) N56 32 29 W79 12 48 279° 0.9NM to thld rwy 27	
<b>CAUTION</b>	Hill 250 ASL 0.75NM WSW of thld 09. Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge.)	

## SAN JUAN POINT (COAST GUARD) BC (Heli)

**CBJ9**

<b>REF</b>	N48 31 52 W124 27 24 19°E UTC-8(7) Elev 25' A5004
<b>OPR</b>	Coast Guard 250-363-3186 Cert PPR
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYYJ Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>PAD DATA</b> <b>RCR</b>	35' x 35' 30,000 lbs wood snow not cleared
<b>COMM</b> <b>ATF</b>	Coast Guard Radio 123.2

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B822 AERODROME/FACILITY DIRECTORY

## SARNIA (CHRIS HADFIELD) ON

CYZR


<b>REF</b>	N42 59 58 W82 18 32 4ENE 8°W UTC-5(4) Elev 595' A5000 F-21 LO6 HI5 CAP	
<b>OPR</b>	City 519-542-7767 Cert	
<b>PF</b>	B-1,2,6 C-3,4,5	
<b>CUST</b>	AOE/30 888-226-7277 PNR	
<b>FLT PLN</b>	NOTAM FILE CYZR <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) <b>WX</b> Legacy AWOS TAF 13-03Z†, issue times: 13, 20Z (DT 12, 14, 20Z).	
<b>SERVICES</b>	<b>FUEL</b> 100, JA-1, HPR 13-01Z† <b>OIL</b> 65, 80, 100 13-01Z† <b>S</b> 1,4,5,6,7 Ltd stor	
<b>RWY DATA</b>	Rwy 14(145°)/32(325°) 5100x100 asphalt Rwy 05(055°)/23(235°) 2989x75 asphalt <b>TWY</b> Twy C rstd day use only. Twy A rstd pvt use only. <b>RCR</b> Opr 11-05Z† CRFI/RSC avbl ltd hrs. PLR/PCN	
<b>LIGHTING</b>	14-AO(TE HI) P1, 32-AN(TE HI) P1 ARCAL-123.0 type K	
<b>COMM</b>	<b>RCO</b> London rdo 126.7 (FISE) <b>ATF</b> tfc 123.0 5NM 3600 ASL <b>PAL</b> Toronto Ctr 134.375 254.9	
<b>NAV</b>	<b>NDB</b> ZR 404 (L) N42 56 26 W82 14 01 324° 4.4NM to A/D <b>ILS</b> IZR 109.7 (Rwy 32-14) RVR LOC reliable only within 30° either side of centreline, LOC(BC) reliable only within 25° either side of centreline	
<b>PRO</b>	Rgt hand circuits rwy 23 (CAR 602.96).	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B823


## SASKATOON VFR TERMINAL PROCEDURES CHART



### SASKATOON / CORMAN AIR PARK SK

CJN5

<b>REF</b>	N52 00 02 W106 27 45 10SE 13°E UTC-6 Elev 1690' A5006 A5015 E-16
<b>OPR</b>	Corman Air Park Corp 306-931-3141 Reg
<b>PF</b>	C-1,2,5 D-3,4,6
<b>FLT PLN</b>	NOTAM FILE CYXE Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	100LL, MOGAS
<b>OIL</b>	15/50, 80 ltd, 2 stroke
<b>S</b>	1,4,5
<b>RWY DATA</b>	Rwy 09(091°)/27(271°) 2600x70 earth Thld 27 displ 200'
<b>RCR</b>	Opr Ltd win maint



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

## B824 AERODROME/FACILITY DIRECTORY


### SASKATOON / CORMAN AIR PARK SK (Cont'd)

CJN5

<b>COMM</b>	<b>ATF</b> UNICOM ltd hrs O/T tfc 122.8 5NM 4700 ASL Aprt in close proximity to Saskatoon Class E airspace, see VNC. For flt info ctc TWR 118.3.
<b>NAV</b>	<b>VORTAC</b> SASKATOON YXE 116.2 Ch 109 N52 10 52 W106 43 11 123° 14.4NM to A/D
<b>PRO</b>	Ultra-light circuit hgt 2400 ASL
<b>CAUTION</b>	Extv ultra-light & NORDO acft in vic

### SASKATOON / JOHN G. DIEFENBAKER INTL SK

CYXE



<b>REF</b>	N52 10 15 W106 41 59 3NW 13°E UTC-6 Elev 1654' A5006 A5015 E-16 LO2 HI3 T1 CAP RCAP
<b>OPR</b>	Saskatoon Aprt Authority 306-975-4274 Cert
<b>PF</b>	A-1,2,3,6 avbl 1230-0630Z C-4,5
<b>CUST</b>	AOE/200 (300 with staged off-loading) 888-226-7277 14-06Z Addn svc avbl 12-14Z. PNR by 22Z
<b>FLT PLN</b>	NOTAM FILE CYXE
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>WX</b>	METAR H24.
	TAF H24, issue times: 00, 06, 12, 18Z.
<b>DUAT</b>	Saskatoon Aerocentre
<b>PIK</b>	Lockhart Avn Esso, airside access.

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B825

## SASKATOON / JOHN G. DIEFENBAKER INTL SK (Cont'd)

CYXE

<b>SERVICES</b>	Call out chg may be levied for one or more svcs. 100LL, JA-1 (CON S IP JA-1, FSII)
<b>FUEL</b>	All
<b>OIL</b>	1,2,3,4,5,6
<b>S</b>	6 Core hrs 13-05Z. Hrs are seasonally adjusted earlier and/or later by up to 1.5 hrs accomodating airline schedule changes in Apr & Oct each year. Ctc 306-975-4813 for current hrs of ops. O/T aprt clsd to acft 20 seats & abv, exc for diversions or as an altn A/D, without PPR, call out chg. Discrete emerg freq 122.675.
<b>ARFF</b>	LHOX D & A-ice
<b>SUP FL</b>	CE16
<b>JASU</b>	Saskatoon Aerocentre/Shell 122.95 12-04Z; Esso 122.85 12-04Z
<b>PVT ADV</b>	Depmar Flight Holdings Inc (Shell) 306-931-8552
<b>MIL CON</b>	
<b>RWY DATA</b>	Rwy 09(088°)/27(268°) 8300x150 asphalt Rwy 15(148°)/33(328°) 6200x150 asphalt
<b>TWY</b>	Twy C uncontrolled.
<b>APRON</b>	Prkg apron l rstd to scheduled & non-scheduled airline tfc. 2 hr PNR for gate assignment on apron I, ctc opr. All other itinerant acft must park on apron II.
<b>RCR</b>	Opr 12-0530Z CRFI, PLR/PCN
<b>LIGHTING</b>	09-AN(TE HI), 27-AO(TE HI) P2, 15-AO(TE ME) P2, 33-AO(TE ME) P2. Nominal touchdown pt P2 rwy 15 aprx 1200' S of thld rwy 15.
<b>COMM</b>	
<b>RCO</b>	Edmonton rdo 122.5 (FISE) 126.7 (FISE)
<b>ATIS</b>	128.4 276.8 11-06Z
<b>GND</b>	Saskatoon 121.9 275.8 1200-0445Z Mon-Fri Mar 11-Nov 3, 1245-0445Z Sat-Sun Mar 11-Nov 3, 1245-0445Z Nov 4-Mar 10
<b>TWR</b>	Saskatoon 118.3 244.7 (E) 1200-0445Z Mon-Fri Mar 11-Nov 3, 1245-0445Z Sat-Sun Mar 11-Nov 3, 1245-0445Z Nov 4-Mar 10 (emerg only 306-665-4249)
<b>MF</b>	rdo 118.3 244.7 (E) 0445-1200Z Mon-Fri Mar 11-Nov 3, 0445-1245Z Sat-Sun Mar 11-Nov 3, 0445-1245Z Nov 4-Mar 10 5NM 5000 ASL (CAR 602.98) (emerg only 306-665-4249)
<b>ARR</b>	Saskatoon 119.9 323.0
<b>DEP</b>	Saskatoon 119.9 323.0
<b>PAL</b>	Winnipeg Ctr 134.325 299.6
<b>NAV</b>	
<b>VOT</b>	114.8
<b>NDB</b>	XE 257 (L) N52 11 23 W106 48 50 088° 3.6NM to thld 09 BARNES ZXE 356 (L) N52 09 41 W106 34 28 268° 4.0NM to thld 27 YELLOWHEAD ZSS 397 (L) N52 14 30 W106 44 27 148° 4.0NM to thld 15
<b>VORTAC</b>	YXE 116.2 Ch 109 N52 10 52 W106 43 11 (1700') at A/D
<b>ILS</b>	IST 109.9 (Rwy 09-27) RVR
<b>PRO</b>	Rgt hand circuits rwys 15 & 27 (CAR 602.96). Arr/dep as depicted on VTPC to/fr CYA 306T.
<b>CAUTION</b>	Random radiosonde &/or heavy balloon launches at abandoned A/D Vanscoy, see VTPC. Ocsl parajump activity within 1NM of Martensville (52 16 50 W106 41 08, 6.6NM N aprt), daylight hrs activated by NOTAM. Max alt 11,600 ASL.

## SASKATOON FSS - RCO

**Flin Flon** 122.0 (RAAS) 14-02Z‡ (N54 41 W101 41)  
**The Pas** 122.2 (RAAS) 14-02Z‡ (N53 58 W101 06)

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B826 AERODROME/FACILITY DIRECTORY

## SASKATOON / RICHTER FIELD SK

CRF5

<b>REF</b>	N52 16 49 W106 41 02 6N 13°E UTC-6 Elev 1700' A5006 A5015 E-16	
<b>OPR</b>	Frank Richter 306-384-3975 Reg PPR	
<b>FLT PLN</b>	NOTAM FILE CYXE	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>PF</b>	C-1,2,4,5	
<b>SERVICES</b>		
<b>FUEL</b>	100LL	
<b>S</b>	1,4,5	
<b>RWY DATA</b>	Rwy 08(077°)/26(257°) 3000x75 turf/gravel/clay	
<b>RCR</b>	Opr Ltd win maint	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 4700 ASL excluding portion within CYXE CZ	
<b>PRO</b>	Rgt hand circuits rwy 08 (CAR 602.96)	


**SAUGEEN MUNI ON** — See HANOVER / SAUGEEN MUNI

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B827

## SAULT STE. MARIE VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
BRIMLEY	VCBRM	N46° 24.75 W84° 34.00
I-75	VCISF	N46° 26.00 W84° 23.60
LOCKS	VCLKS	N46° 30.20 W84° 21.30
NORTH GROS CAP	VCNGC	N46° 34.50 W84° 35.50



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B828 AERODROME/FACILITY DIRECTORY

## SAULT STE. MARIE ON

CYAM

<b>REF</b>	N46 29 06 W84 30 34 8WSW 7°W UTC-5(4) Elev 630' A5001 F-21 LO4 HI4 HI5 CAP	
<b>OPR</b>	Sault Ste. Marie Airport Development Corporation 705-779-3031 Cert Ldg fees	
<b>PF</b>	B-1,2,3,6 D-4,5	
<b>CUST</b>	AOE/30 888-226-7277	
<b>FLT PLN</b>	NOTAM FILE CYAM Pilots to open/ close VFR flt plan with London rdo 122.5/126.7 or by phone. London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>FIC</b>		
<b>WX</b>	METAR H24. TAF H24, issue times: 02, 08, 14 & 20Z.	
<b>PIK</b>	PIK is accessed from airside only & is located at the south end of the terminal building across from the FBO.	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs	
<b>FUEL</b>	100LL, JA-1, F-34, FSII (CON I IP JA-1, FSII)	
<b>OIL</b>	65, 80, 100, 120, 15W50	
<b>S</b>	2	
<b>SUP FL</b>	LHOX, D-Ice	
<b>JASU</b>	Mil-CE 14, CA 2, GTC/GTE85	
<b>PVT ADV</b>	Esso adv 122.45 Mon-Fri 11-0030Z‡, Sat-Sun 12-00Z‡ O/T call out chg 705-779-3278	
<b>MIL CON</b>	Imperial Oil 705-779-3278 pvt adv, Esso adv 122.45 11-2359Z‡	
<b>RWY DATA</b>	Rwy 04(040°)/22(220°) 6000x200 asphalt Rwy 12(115°)/30(295°) 6000x200 asphalt	
<b>RCR</b>	FSS CRFI/RSC avbl 1030Z-0230Z‡ no win maint 0230-1030Z‡ O/T call out chg, 3 hrs PNR. PLR/PCN	
<b>LIGHTING</b>	04-AO(TE ME) V2, 22-AO(TE ME) V2, 12-AN(TE HI), 30-AO(TE HI) V2	
<b>COMM</b>		
<b>RCO</b>	London rdo 122.5 (FISE) 126.7 (FISE)	
<b>ATIS</b>	133.05 13-01Z‡	
<b>GND</b>	121.7 395.2 13-01Z‡	
<b>TWR</b>	Sault 118.8 236.6 (E) 13-01Z‡ (emerg only 705-779-3707)	
<b>MF</b>	rdo 118.8 236.6 (E) (emerg only 705-779-3327) 01-13Z‡ 5NM shape irregular 3000 ASL (CAR 602.98)	
<b>PAL</b>	Toronto Ctr 132.65 344.5	
<b>NAV</b>		
<b>VOT</b>	110.0	
<b>VOR/DME</b>	SSM 112.2 Ch 59 (T) N46 24 43 W84 18 53 305° 8.7NM to A/D	
<b>ILS</b>	IAM 109.5 (Rwy 12-30) RVR	
<b>PRO</b>	Heli arr/dep E as indicated on VTPC. Heli arr/dep N & S at Twr discretion. Hi lvl of tfc in the vic Sault, Michigan aprt, also on 122.7.	

## SAULT STE. MARIE FSS-RCO

London 119.4 236.6 (RAAS) 0345-1120Z‡ (N43 01 W81 09)

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B829

## SAULT STE. MARIE ON (Heli)

CNR3


<b>REF</b>	N46 30 16 W84 19 24 Adj S 7°W UTC-5(4) Elev 580' A5001 RCAP	
<b>OPR</b>	Canadian Bushplane Heritage Centre 705-945-6242 Reg	
<b>PF</b>	B1 avbl 13-22Z‡ C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYAM <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>	13-22Z‡ May-Oct, dawn til dusk Nov-Apr	
<b>FUEL</b>	80, JA-1	
<b>PAD DATA</b>	57' dia concrete	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	Floodlit Apron; Aiming point lighting, 6 red lgts.	
<b>COMM</b>	<b>ATF</b> tfc 122.7 2NM 3000 ASL	
<b>PRO</b>	Arr/dep btwn 131°-246° fr heli. Arr/dep hover area & aiming point lctd S of pad.	
<b>CAUTION</b>	Co-located water aerodrome, docks just W of helipads. Hi lvl of tfc in vic Sault, Michigan aprt, also on 122.7	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B830 AERODROME/FACILITY DIRECTORY

## SCHEFFERVILLE / SQUAW LAKE VFR TERMINAL PROCEDURES CHART



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B831

## SCHEFFERVILLE QC

CYKL

<b>REF</b>	N54 48 19 W66 48 19 Adj 25°W UTC-5(4) Elev 1709' A5019 E-18 E-19 LO5 HI1 CAP	
<b>OPR</b>	Société aéroportuaire de Schefferville 418-585-3544 Cert	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYKL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) <b>ACC</b> Montréal 800-633-1353 <b>WX</b> Legacy AWOS (see COMM) (English) 418-585-2799, (French) 418-585-2909 TAF H24, issue times: 02, 08, 14, 20Z.	
<b>SERVICES</b>	Call out chg will be levied after ops hrs PNR 13-22Z‡ 418-585-2624 COD, VISA, Mastercard or multi service aviation 1 hr PNR	
<b>FUEL</b> <b>OIL</b>	100LL & JA-1 (also avbl (D)), FSII, 1hr PNR 100, 20W50	
<b>RWY DATA</b>	Rwy 18(174°)/36(354°) 5000x150 asphalt Rwy 18 first third up 1%, rwy 36 first third up 0.6%	
<b>RCR</b>	Opr Snow removal 12-20Z Mon-Fri O/T 3 hrs PNR call out chg 418-585-2797. CRFI, PLR/PCN	
<b>LIGHTING</b>	18-AS(TE ME) P2, 36-AS(TE ME) P2 ARCAL-122.2 type K	
<b>COMM</b>	(bil) Québec rdo 126.7 (FISE) 312.7 (FISE) Jul 1-Sep 30 Québec rdo 126.7 (FISE) 312.7 (FISE) Oct 1-Jun 30 tfc 122.2 (without ground station) 15NM 4800 ASL (CAR 602.98) Montréal Ctr 132.9 Legacy AWOS 124.6 (English) 127.5 (French)	
<b>NAV</b>	<b>NDB</b> SQUAW KR 323 (M) N54 47 57 W66 48 13 at A/D <b>VOR/DME</b> YKL 112.7 Ch 74 N54 48 52 W66 45 18 (1990') 276° 1.8NM to A/D	
<b>PRO</b>	Rgt hand circuits rwy 18 (Jul 1-Sep 30) (CAR 602.96). Acft oprg within MF zone should have their ldg lights on.	
<b>CAUTION</b>	P-line (30' pylons) & road west of rwy strip 18. Possible discrepancy btwn reported wind & actual wind fr western quad due to hg & bldgs. Dense tfc in the region of Squaw Lake water A/D Jul-Sep.	

**SCHLENKER AB** — See MEDICINE HAT / SCHLENKER

**SCOBAY BORDER STATION SK** — See CORONACH / SCOBAY BORDER STATION

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B832 AERODROME/FACILITY DIRECTORY

## SCOTTSFIELD AIRPARK NB

CCF9

<b>REF</b>	N45 57.37 W67 05 43 19°W UTC-4(3) Elev 600' A5003 F-22
<b>OPR</b>	Ernie McLean 506-575-1910/8615 506-260-2932 Reg
<b>PF</b>	B-1 C-2,3 D-3,4,5
<b>FLT PLN</b>	NOTAM FILE CYFC
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep




<b>SERVICES</b>	
<b>OIL</b>	15W50
<b>S</b>	4,5
<b>RWY DATA</b>	Rwy 05/23 2500x100 turf
<b>RCR</b>	Opr No win maint First 400' each rwy soft in spring/fall
<b>COM</b>	
<b>ATF</b>	tfc 123.2 5NM 3600 ASL
<b>CAUTION</b>	Weyman Airpark aprx 12NM E, ATF 123.2.

## SCUM LAKE BC

CAW3

<b>REF</b>	N51 48 W123 35 20°E UTC-8(7) Elev 3950' A5004 E-15
<b>OPR</b>	D.A. McComb Radio Phone N699253 Chilanko JJ Reg PPR
<b>FLT PLN</b>	NOTAM FILE CYWL
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 03/21 3500x60 gravel
<b>RCR</b>	Opr
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 7000 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B833

## SECHELT-GIBSONS BC

CAP3

<b>REF</b>	N49 27 38 W123 43 07 1.3SE 19°E UTC-8(7) Elev 250' VTA A5004 E-15 LO2	
<b>OPR</b>	Dist of Sechelt 604-885-1986 Reg	
<b>PF</b>	C-1,2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYCD Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL 604-885-1986 Avail 24 hrs 4,5	
<b>S</b>		
<b>RWY DATA</b>	Rwy 11/29 2400x75 asphalt	
<b>RCR</b>	Opr 16-0030Z† Mon-Fri	
<b>LIGHTING</b>	11-(TE LO) AV 4.5°, 29-(TE LO) AV 4.5° ARCAL-123.5 type J	
<b>COMM</b>		
<b>ATF</b>	Sechelt tfc 123.5 2NM 2500 ASL	
<b>PRO</b>	Rgt hand circuits rwy 11 (CAR 602.96). Circuit alt 1200 ASL to allow adequate separation fr noise sensitive area loc btwn A/D & Strait of Georgia.	
<b>CAUTION</b>	<u>Strongly recommended that only pilots familiar with lcl terrain should use this A/D at ngt.</u> Rwy 11: trees to 100 AGL on apch & within 300' N of extended centreline. Unlgt'd terrain lies to N of aprt & rises steeply in dep area rwy 29. Ditch 3' deep parallels N side of rwy aprx 35' fr rwy edge.	

## SECHELT (ST. MARY'S HOSPITAL) BC (Heli)

CBP4

<b>REF</b>	N49 28 34 W123 44 54 19°E UTC-8(7) Elev 179' VTA	
<b>OPR</b>	St. Mary's Hospital 604-885-8613 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYCD Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>PAD DATA</b>	79' x 79' concrete 118' x 118' Opr	
<b>RCR</b>		
<b>LIGHTING</b>	DR(250°) RY(LO)	
<b>COMM</b>		
<b>ATF</b>	Sechelt tfc 123.5 3NM 2000 ASL centred on Sechelt-Gibsons A/D	
<b>PRO</b>	Arr/dep 237°-267° fr heli. Ngt 240°-245° fr heli. 14% app slope.	
<b>CAUTION</b>	100' P-lines 300' N of heli. Only one pole lgt'd. 23' prkg lot lghts W & S of heli.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B834 AERODROME/FACILITY DIRECTORY

## SELKIRK MB

CKL2


<b>REF</b>	N50 10 20 W96 52 20 1N 4°E UTC-6(5) Elev 747' VTA A5007 E-16 E-17
<b>OPR</b>	Selkirk Air 204-482-3270 Fax 204-482-3438 Reg PPR
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYDN Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b> <b>FUEL</b> <b>OIL</b> <b>S</b>	100LL All 2
<b>RWY DATA</b> <b>RCR</b>	Rwy 11(116°)/29(296°) 3000x90 gravel Opr Ltd win maint
<b>COMM</b> <b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 3NM 1800 ASL
<b>CAUTION</b>	33 AGL hydro lines apch rwy 29. Blasting 0.1 NM radius N50 14 25 W96 46 50 aprx 5 NM NE A/D. SFC to 2000 AGL 2750 MSL. Ocsl by NOTAM



## SENNETERRE QC

CTK2

<b>REF</b>	N48 20 26 W77 10 52 3SE 14°W UTC-5(4) Elev 1106' A5009 E-18 F-21
<b>OPR</b>	Muni 819-737-2296 Reg
<b>PF</b>	C-1 D-2,3,4,5,6
<b>FLT PLN</b> <b>FIC</b>	(bil) NOTAM FILE CYUY Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 17/35 4000x100 soft sand Thld 17 displ 500' Thld 35 displ 500'. Opr No win maint, soft surface
<b>COMM</b> <b>ATF</b>	(bil) tfc 123.2 5NM 4200 ASL




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B835

## SEPT-ÎLES VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
HYDRO	VCHYD	N50° 17.32 W66° 21.68
IOC	VCIOC	N50° 11.95 W66° 20.46
POINTE-NOIRE	VCPTN	N50° 09.90 W66° 28.23
PONT MILE 12	VCMOS	N50° 18.48 W66° 12.18
PONT RIVIÈRE MOISIE	VCPRM	N50° 15.98 W66° 01.90



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B836 AERODROME/FACILITY DIRECTORY

## SEPT-ÎLES QC

CYZV

<b>REF</b>	N50 13 24 W66 15 56 4.5E 21°W UTC-5(4) Elev 180' A5010 E-19 F-22 LO7 HI1 HI6 CAP	
<b>OPR</b>	TC 418-962-8211 Cert	
<b>PF</b>	A-1,2,3,6 C-4,5	
<b>CUST</b>	AOE/15 888-226-7277 13-2130Z± Mon-Fri exc hols	
<b>FLT PLN</b>	(bil) NOTAM FILE CYZV Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montréal 800-633-1353	
<b>WX</b>	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.	
<b>PIK</b>	ATB, airside access NE corner, tml access ltd hrs	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs	
<b>FUEL</b>	100LL, JA, JA-1, JB, HPR (CON I IP JA-1, FSII)	
<b>OIL</b>	All	
<b>S</b>	1,2,4,5,6	
<b>SUP FL</b>	D & A-ice	
<b>JASU</b>	Elect Start 10/15, CE13, CEA2 (Trans-Sol 12 hrs PNR)	
<b>PVT ADV</b>	Trans-Sol Avn Svcs FBO 122.9 11-03Z (DT 12-02Z) 418-968-8095 hg & courtesy car avbl; Petro T 123.0 1030-02Z± Mon-Fri, 14-02Z± Sat-Sun 418-962-3143 hg & courtesy car avbl; Esso/Exxon FBO 122.85 10-03Z± Mon-Fri, 11-23Z± Sat, 13-2330Z± Sun O/T call out chg, 418-968-3636 hg & courtesy car avbl	
<b>MIL CON</b>	Petro Air Services (Imperial Oil/Esso) 418-968-3636	
<b>RWY DATA</b>	Rwy 09(090°)/27(270°) 6552x150 asphalt Rwy 13(130°)/31(310°) 5771x200 asphalt No win maint.	
<b>RCR</b>	Opr CRFI, Win maint 11-04Z± Mon-Fri, 1230-21Z± Sat-Sun O/T 3 hrs PNR Dec 01-Mar 30 PLR/PCN	
<b>LIGHTING</b>	09-AN(TE HI), 27-AO (TE HI) P2, 13-AD(TE ME) V1, 31-AD(TE ME) V1	
<b>COMM</b>	(bil)	
<b>RADIO</b>	118.1 (E) (emerg only 418-962-8242)	
<b>RCO</b>	Québec rdo 123.275 (FISE) 126.7 (bcst)	
<b>ATIS</b>	(English) 124.8 (French) 134.9 1115-0315Z±	
<b>CLNC DEL</b>	119.45 as request	
<b>MF</b>	rdo 118.1 5NM 3000 ASL (CAR 602.98)	
<b>PAL</b>	Montréal Ctr 135.55 381.9	
<b>NAV</b>		
<b>VOT</b>	115.7	
<b>NDB</b>	ZV 273 (M) N50 12 14 W66 09 05 308° 4.1NM to thld rwys 27 & 31	
<b>VOR</b>	YZV 114.5 N50 13 56 W66 16 26 at A/D R-112 possibility of scalloping between 30 & 50NM	
<b>TACAN</b>	UZV 114.5 Ch 92 N50 13 26 W66 15 58 (169°) at A/D	
<b>ILS</b>	IZV 109.5 (Rwy 09/27) RVR	
<b>PRO</b>	Paved surface between thlds 09 & 13 & paved road midway between thlds 09 & 27 between the rwy & the apron not authorized for acft movements (CAR 602.96).	
<b>CAUTION</b>	Daily radiosonde balloon launches with an ascent rate of 1000 ft/min btwn the hrs of 1115-1345Z and 2315-0145Z. Ultra light activities 4.0NM NW of A/D.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B837

## SEPT-ÎLES FSS - RCO

**Havre St-Pierre** 122.0 (RAAS) 11-03Z± (N50 16 W63 40)


**Lourdes-de-Blanc-Sablon** 122.0 (RAAS) (N51 27 W57 11)

**Natashquan** 122.2 (RAAS) 13-23Z± (N50 11 W61 49)

## SEPT-ÎLES (HYDRO-QUÉBEC) QC (Heli)

CTA2


<b>REF</b>	N50 17 17 W66 24 33 4N 21°W UTC-5(4) Elev 220' aprx A5010
<b>OPR</b>	Hydro-Québec 877-840-3900 Reg PPR
<b>FLT PLN</b> <b>FIC</b>	(bil) NOTAM FILE CYZV Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>PAD DATA</b>	66' x 66' asphalt
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 3300 ASL exc Sept-Îles CZ, for tfc info ctc Sept-Îles rdo 118.1



## SEVOGLE NB

CCM3

<b>REF</b>	N47 11 W66 09 20°W UTC-4(3) Elev 1350' A5003 F-22
<b>OPR</b>	New Brunswick Dept of Natural Resources 506-778-6672 (summer) 506-453-2530 (winter) Reg PNR
<b>FLT PLN</b> <b>FIC</b> <b>ACC</b>	NOTAM FILE CYCL (bil) Québec 866-WXBRIEF or 866-GOMÉTÉO (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
<b>RWY DATA</b> <b>RCR</b>	Rwy 16/34 3100x60 treated gravel Opr No win maint
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 4400 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B838 AERODROME/FACILITY DIRECTORY

## SEXSMITH / EXETER ON

CSX7


<b>REF</b>	N43 22 38 W81 30 15 1NW 9°W UTC-5(4) Elev 856' A5000 F-21
<b>OPR</b>	Sexsmith Pilots Group 519-237-3374 or contact David Frayne 519-235-0410 Reg PPR
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYXU London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>SERVICES</b> <b>S</b>	4,5,6
<b>RWY DATA</b> <b>RCR</b>	Rwy 09/27 3100x90 turf/snow Thld rwy 09 displ 550' Opr Ltd win maint, soft when wet and spring thaw, call prior
<b>COMM</b> <b>ATF</b>	123.2 5NM 3900 ASL
<b>CAUTION</b>	Silo, bldgs, marked wires and poles thld rwy 09. CYCE 5NM S 122.8.



## SHAMATTAWA MB

CZTM

<b>REF</b>	N55 51 56 W92 04 53 Adj 2°W UTC-6(5) Elev 289' A5017 E-17 LO3 RCAP
<b>OPR</b>	Govt of Manitoba 204-677-6722 Cert
<b>PF</b>	A-1 C-2.4 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYIV Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 01(008°)/19(188°) 4000x90 gravel APM 204-565-2276 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-565-2607
<b>LIGHTING</b>	01-(TE LO), 19-(TE LO) ARCAL-122.8 type J (see CAUTION)
<b>COMM</b> <b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3300 ASL
<b>NAV</b> <b>NDB</b>	4T 280 (M) N55 51 34 W92 05 09 at A/D Pvt
<b>CAUTION</b>	Mag anomaly exists vic of aprt. Compass systems may read 020°/200° to 025°/205° along rwy centrelines. Extv bird activity Apr-Oct. Rwy edge lgt installed higher than std (aprx 27 inches high loc 5' outside rwy edge).




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B839

## SHAUNAVON SK

CJC5



<b>REF</b>	N49 39 29 W108 24 23 Adj N 13°E UTC-6 Elev 3028' A5006 E-16 LO2 CAP
<b>OPR</b>	Town 306-297-2605 Reg
<b>PF</b>	B-1 C-2,3,4,5
<b>FLT PLN</b>	NOTAM FILE CYYN
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>WX</b>	LWIS (Pvt) 306-297-2174 (see COMM)
<b>SERVICES</b>	
<b>FUEL</b>	100LL
<b>S</b>	5,6
<b>RWY DATA</b>	Rwy 12(122°)/30(302°) 3000x75 asphalt Rwy 02(026°)/20(206°) 3340x40 earth/asphalt Thld 02 displ 561' Thld 20 displ 305' Rwy 02 282x40 earth/gravel, 807x40 asphalt, 2251x40 earth/gravel.
<b>TWY</b>	Asphalt portion of rwy 02/20 used as twy.
<b>RCR</b>	Opr Rwy 02/20 Ltd win maint
<b>LIGHTING</b>	12-(TE LO), 30-(TE LO)
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 6100 ASL
<b>LWIS (Pvt)</b>	122.55
<b>PRO</b>	Rgt hand circuits rws 20 & 30 (CAR 602.96).
<b>CAUTION</b>	Trees on apch rwy 02.

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009


B840 AERODROME/FACILITY DIRECTORY

## SHEARWATER NS — See HALIFAX / SHEARWATER

### SHEDIAC BRIDGE NB

CSB5


<b>REF</b>	N46 15 17 W64 34 36 1S 20°W UTC-4(3) Elev 25' A5003 F-22
<b>OPR</b>	Maurice R. Hébert 506-532-2718 Reg PPR
<b>PF</b>	C-1,2,3,4,5 D-6
<b>FLT PLN</b>	NOTAM FILE CYQM
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
<b>RWY DATA</b>	Rwy 09/27 2750x75 gravel
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3100 ASL
<b>CAUTION</b>	Rwy may be soft when wet. Unmarked power lines on apch to rwy 27. Training areas around A/D, see Moncton VTPC - Training areas.



### SHELBURNE / BURBANK FIELD ON

CNN3

<b>REF</b>	N44 01 42 W80 12 22 3S 10°W UTC-5(4) Elev 1675' VTA A5000 F-21
<b>OPR</b>	Charles F. & Katherine E. Burbank 519-925-2065 Reg
<b>PF</b>	B-1 C-2,3,4 D-5,6
<b>FLT PLN</b>	NOTAM FILE CYBM
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	100LL PNR
<b>OIL</b>	All
<b>S</b>	4,5
<b>RWY DATA</b>	Rwy 08/26 2000x100 turf Thld 08 displ 200' ngt.
<b>RCR</b>	Opr No win maint, soft in spring.
<b>LIGHTING</b>	08-(T LO), 26-(T LO) ARCAL-122.725 type J, 10 min duration; rotating bcn inop after 04Z (DT 03Z).
<b>COMM</b>	
<b>ATF</b>	tfc 122.725 2NM 3700 ASL
<b>A/G</b>	122.9 O/R



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B841

## SHELBURNE (ROSEWAY HOSP) NS (Heli)

CCZ9

<b>REF</b>	N43 45 03 W65 18 34 Adj S 18°W UTC-4(3) Elev 75' A5003	
<b>OPR</b>	Roseway Hospital 902-875-3011 Reg PPR	
<b>FLT PLN</b>	NOTAM FILE CYQI <b>FIC</b> Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) <b>ACC</b> Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>PAD DATA</b>	80' circular asphalt (rstd to twin engine heli with max overall length of 52.5') <b>RCR</b> Opr	
<b>LIGHTING</b>	FH	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 3100 ASL	
<b>PRO</b>	Arr/dep 087° fr heli.	

## SHELLBROOK SK

CJZ4

<b>REF</b>	N53 13 42 W106 21 47 1E 13°E UTC-6 Elev 1640' aprx A5015 E-16	
<b>OPR</b>	R.M. of Shellbrook Mon-Fri 14-23Z 306-747-2177 O/T 306-747-7365 Reg	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYP A <b>FIC</b> Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 08(078°)/26(258°) 2640x120 turf <b>RCR</b> Opr	
<b>LIGHTING</b>	08-(LO), 26-(LO) 2000' lgtd O/R 306-747-2264/2202	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 4600 ASL	

**SHEPHERD'S LANDING ON** — See KINCARDINE / SHEPHERD'S LANDING

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B842 AERODROME/FACILITY DIRECTORY

## SHERBROOKE QC

CYSC

<b>REF</b>	N45 26 19 W71 41 29 9ENE 17°W UTC-5(4) Elev 792' A5002 F-21 LO6 LO8 HI5 HI6 CAP	
<b>OPR</b>	Aéropro Sherbrooke 819-832-4314 Fax 819-832-1379 Reg 11-01Z‡ Mon-Fri	
<b>PF</b>	A-1,2,6 C-3,4,5	
<b>CUST</b>	AOE/30 888-226-7277 13-2130Z‡ Mon-Fri exc hols	
<b>FLT PLN</b>	(bil) NOTAM FILE CYSC	
<b>FIC</b>	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>ACC</b>	Montréal 800-633-1353	
<b>WX</b>	Legacy AWOS (see COMM) (English) 819-832-1567, (French) 819-832-1566 TAF H16 11-03Z‡, issue times: 11, 14, 20Z.	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs 819-832-4314 12-24Z May-Sep; 13-23Z‡ Oct-Apr; O/T 819-570-2931 1 hr PNR fees.	
<b>FUEL</b>	100LL, JA-1(FSII), SP, HPR	
<b>OIL</b>	All	
<b>S</b>	1,2,4,5,6 Aeropro Sherbrooke 819-832-4314	
<b>RWY DATA</b>	Rwy 13(135°)/31(315°) 6000x150 asphalt Rwy 13 up 1.2% first 2000' with last 4000' up 0.4%	
<b>RCR</b>	unicom 819-832-4314 13-01Z‡ May-Sep; 13-23Z‡ Oct-Apr; O/T 1 hr PNR 819-570-2931 PLR/PCN	
<b>LIGHTING</b>	13-AO(TE ME), 31-(TE ME) P1 ARCAL-123.5 type K	
<b>COMM</b>	(bil)	
<b>DRCO</b>	Québec rdo (Mont-Mégantic) 123.25 (FISE)	
<b>MF/ATF</b>	UNICOM 13-01Z‡ May-Sep; 13-23Z‡ Oct-Apr; O/T tfc 123.5 5NM 3800 ASL (CAR 602.98)	
<b>PAL</b>	Montréal Ctr 132.55 226.0	
<b>Legacy</b>		
<b>AWOS</b>	126.25 (English), 128.15 (French)	
<b>NAV</b>		
<b>NDB</b>	SC 362 (L) N45 28 28 W71 47 16 134° 4.1NM to thld rwy 13	
<b>VORTAC</b>	YSC 113.2 Ch 79 N45 18 59 W71 47 17 (902') 046° 8.4NM to A/D	
<b>CAUTION</b>	Ocsl deer crossing rwy. Unlgt'd tower lctd at N45 23 48 W71 49 52 (6.4NM W of A/D), 1419 ASL, 419 AGL.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B843

## SHERBROOKE (CHUS) / FRANÇOIS DESOURDY QC (Heli)

CSG7

<b>REF</b>	N45 26 59 W71 52 08 1NE 16°W UTC-5(4) Elev 722' A5002	
<b>OPR</b>	Centre hospitalier universitaire de Sherbrooke 819-346-1110 Ext 14121 Reg PPR	
<b>PF</b>	A-1,2,3,4	
<b>FLT PLN</b> <b>FIC</b>	(bil) NOTAM FILE CYSC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>PAD DATA</b>	85' dia 115' dia asphalt	
<b>LIGHTING</b>	LO Arr/dep direction indicator lgt (5 amber lghts).	
<b>COMM</b> <b>DRCO</b> <b>ATF</b>	Québec rdo (Mont-Mégantic) 123.25 (FISE) tfc 123.2 5NM 3800 ASL	
<b>PRO</b>	Arr/dep W.	
<b>CAUTION</b>	Unlgt'd tower lctd at N45 23 48 W71 49 52 (3.56NM SSE of heli), 1419 ASL, 419 AGL.	

## SHILO MB (Heli)

CKM3

<b>REF</b>	N49 48 W99 38 Adj E 7°E UTC-6(5) Elev 1225' A5007	
<b>OPR</b>	DND, Range Control CFB Shilo 204-765-3000 Ext 3302 CSN: 258-3302 Mil PPR	
<b>PF</b>	B-1 D-2,3,4,5	
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYBR Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>PAD DATA</b> <b>RCR</b>	60' x 60' Opr	
<b>COMM</b> <b>MIL</b>	Base Ops 241.8 123.0	
<b>PRO</b>	Remain clear of danger area until apch fr the west possible. Do not fly over ammunition magazine 1.2NM NW of thid.	
<b>CAUTION</b>	Lgt'd tower 1625 ASL (375 AGL) 1.2NM NW of A/D.	



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B844 AERODROME/FACILITY DIRECTORY

## SHILO (FLEWIN FIELD) MB (Heli)

CKN9


<b>REF</b>	N49 46 51 W99 38 20 1.1S 7°E UTC-6(5) Elev 1223' A5007 E-16 E-17
<b>OPR</b>	DND, Range Control CFB Shilo 204-765-3000 Ext 3302 CSN: 258-3302 Mil PPR
<b>PF</b>	B-1 D-2,3,4,5
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYBR Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>PAD DATA</b>	1 pad 66' x 66'
<b>COMM</b> <b>MIL</b>	Base Ops 241.8 123.0
<b>PRO</b>	Remain clear of danger area until apch fr the west possible. Do not fly over ammunition magazine 1.2NM NW of thld.
<b>CAUTION</b>	Lgtd tower 1625 ASL (375 AGL) 2.0NM NW of A/D.



## SHOAL LAKE MB

CKL5

<b>REF</b>	N50 27 27 W100 36 31 1NW 8°E UTC-6(5) Elev 1836' A5007 E-16 E-17 LO4
<b>OPR</b>	Shoal Lake Airport Authority 204-759-2565 Reg
<b>PF</b>	A-1 C-2,4,5
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYBR Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b> <b>FUEL</b> <b>OIL</b> <b>S</b>	100LL All 1,4,5,6
<b>RWY DATA</b> <b>RCR</b>	Rwy 10(101°)/28(281°) 3289x75 asphalt Opr 15-23Z† O/T Shoal Lake Avn 204-759-2395 or A. Critchley 204-764-2650
<b>LIGHTING</b>	10-(TE ME), 28-(TE ME) ARCAL-122.8 type J ints lvl 2 avbl only
<b>COMM</b> <b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4900 ASL
<b>CAUTION</b>	Lgtd tower 2212 ASL (375 AGL) 0.9NM SSW of A/D.



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B845

## SHUNDA (FIRE BASE) AB (Heli)

CDA7


<b>REF</b>	N52 29 26 W115 45 31 18°E UTC-7(6) Elev 4690' A5014
<b>OPR</b>	Forest Protection Division, Clearwater Wild Fire Management Area 403-845-8243 Reg PPR
<b>FLT PLN</b>	NOTAM FILE CYRM
<b>FIC</b>	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>PAD DATA</b>	150' x 400' grass
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 7700 ASL



## SHUSWAP (SKWLAX FIELD) BC

CSQ2

<b>REF</b>	N50 52 44 W119 35 25 Adj N 19°E UTC-8(7) Elev 1170' A5004 A5005 E-15
<b>OPR</b>	Little Shuswap Indian Band 250-679-3970 Reg
<b>PF</b>	C-1,2,5 D-3,4
<b>FLT PLN</b>	NOTAM FILE CYKA
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 16(155°)/34(335°) 3238x75 turf
<b>APRON</b>	Turf. Day use parking.
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 4200 ASL
<b>PRO</b>	Rgt hand circuits rwy 16 (CAR 602.96)
<b>CAUTION</b>	Wildlife in vic of A/D. Trees 75' AGL on prior to thlds. High terrain all quads.



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B846 AERODROME/FACILITY DIRECTORY

## SILVER CITY YT

CFQ5


<b>REF</b>	N61 01 44 W138 24 27 25°E UTC-8(7) Elev 2570' aprx A5028 A5099 D-12
<b>OPR</b>	Govt of Yukon 867-634-2450 or 867-841-4211 Reg
<b>PF</b>	B-1,2,3,5 D-4 All avbl May 1-Sep 15.
<b>FLT PLN</b>	NOTAM FILE CYXY
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>SERVICES</b>	S 4
<b>RWY DATA</b>	Rwy 18/36 3000x75 sand/gravel
<b>RCR</b>	Opr No maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5600 ASL
<b>CAUTION</b>	Trees along both sides of rwy, 75' from centreline. A/D unattended. Frequent uncontrolled vehicle activity on rwy. Verify rwy unobstructed prior to ldg. Soft spots for 1000' fr thd rwy 18 in spring & when wet.



## SILVER FALLS MB

CKB8

<b>REF</b>	N50 30 00 W96 05 53 1S 3°E UTC-6(5) Elev 775' VTA A5007 E-16 E-17
<b>OPR</b>	Blue Water Avn 204-367-2762 Reg PPR
<b>PF</b>	B-1 C-2,3,5 D-4
<b>FLT PLN</b>	NOTAM FILE CYDN
<b>ACC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	100LL, JA
<b>OIL</b>	20/50, 25/60, 2380
<b>S</b>	1,2,4,5,6
<b>RWY DATA</b>	Rwy 14(144°)/32(324°) 2575x100 turf/snow
<b>RCR</b>	Opr
<b>COMM</b>	
<b>ATF</b>	tfc 122.9 5NM 3800 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B847

## SIMCOE (DENNISON FIELD) ON

CPA4


<b>REF</b>	N42 49 09 W80 15 57 2SE 10°W UTC-5(4) Elev 722' A5000 F-21
<b>OPR</b>	R. Dennison 519-426-8602 Reg PPR
<b>PF</b>	C-1,2,3,4,5
<b>FLT PLN</b>	NOTAM FILE CYFD
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 16/34 2200x80 turf
<b>RCR</b>	Opr No win maint. Rwy may be soft when wet.
<b>COMM</b>	
<b>ATF</b>	tfc 122.9 5NM 3700 ASL
<b>PRO</b>	Rgt hand circuits rwy 34 (CAR 602.96).



## SIMCOE (NORFOLK GEN HOSP) ON (Heli)

CPA8

<b>REF</b>	N42 50 48 W80 19 11 Adj 9°W UTC-5(4) Elev 710' A5000
<b>OPR</b>	Simcoe (Norfolk Gen Hosp) 519-426-0750 Cert PPR
<b>FLT PLN</b>	NOTAM FILE CYFD
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>PAD DATA</b>	86' dia 114' x 114' asphalt Max heli length 57.5'
<b>LIGHTING</b>	RY(LO) RF(FL)
<b>PRO</b>	Arr/dep btwn 117°-127° fr heli. Arr/dep btwn 245°-266° fr heli rstd to multi-engine heli only, trees in apch.
<b>CAUTION</b>	Para jumping at Simcoe Flying Club A/D 1.2NM E. Heli pilot shall monitor 122.9




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B848 AERODROME/FACILITY DIRECTORY

## SIoux LOOKOUT VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
CBC TOWER	VCCBC	N50° 04.52 W92° 01.67
DECEPTION LANDING	VCDCP	N50° 11.00 W91° 48.00
DEVILS ELBOW	VCDEV	N50° 13.50 W92° 06.00
HOLE IN THE WALL	VCWAL	N50° 12.00 W91° 55.00
HUDSON	VCHUD	N50° 06.00 W92° 10.00
LAC SEUL SETTLEMENT	VCLSS	N50° 19.50 W92° 17.00
MCDUGALL MILLS	VCMCD	N50° 10.00 W91° 32.00
PELICAN FALLS SCHOOL	VCPEL	N50° 07.50 W91° 59.50
SOUTH SHORE LITTLE VERMILLION	VCSSH	N49° 58.50 W92° 13.50
SOUTHEAST SHORE MINNITAKI	VCMIN	N49° 57.00 W91° 47.00
STRANGER LAKE BRIDGE	VCSLB	N50° 16.00 W91° 29.00
SUPERIOR JUNCTION	VCSJC	N50° 05.75 W91° 46.75
THE CHUTES	VCHTS	N50° 02.80 W91° 53.75
UMFREVILLE	VCUMF	N49° 52.50 W91° 28.50

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B849

## SIoux LOOKOUT ON

CYXL

<b>REF</b>	N50 06 50 W91 54 19 Adj NE 1°W UTC-6(5) Elev 1258' A5008 E-17 LO4 HI4 CAP	
<b>OPR</b>	Municipality 807-737-2829 Cert Ldg fees	
<b>PF</b>	A-1,2,3,6 C-4,5	
<b>CUST</b>	AOE/15 888-226-7277 14-22Z‡ May 18-Sep 14	
<b>FLT PLN</b>	NOTAM FILE CYXL	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>WX</b>	METAR H24.	
<b>PIK</b>	TAF H24, issue times: 02, 08, 14, 20Z ATB, pilot lounge, airside access 1130-06Z‡.	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs	
<b>FUEL</b>	100LL, JA-1 807-737-3594 1230-05Z‡ Sun-Fri, 1230-04Z‡ Sat	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5,6	
<b>RWY DATA</b>	Rwy 16(161°)/34(341°) 5300x100 asphalt Thld 16 displ 300' Rwy 16 up 0.5%	
<b>RCR</b>	Opr CRFI PLR	
<b>LIGHTING</b>	16-AS(TE ME) P2, 34-AS(TE ME) P2	
<b>COMM</b>	<b>RADIO</b> 122.0 (E) (emerg only 807-737-2819) <b>RCO</b> Winnipeg rdo 126.0 (FISE) 126.7 (FISE) <b>ATIS</b> 124.75 1215-0215Z‡ <b>CLNC DEL</b> 122.6 ltd hrs <b>MF</b> rdo 122.0 5NM 4300 ASL (CAR 602.98) <b>VDF</b> 122.0	
<b>NAV</b>	<b>VOT</b> 111.8 <b>NDB</b> YXL 346 (M) N50 07 06 W91 53 52 at A/D <b>DME</b> XL 113.1 Ch 78 N50 07 04 W91 53 55 (1337') at A/D	
<b>PRO</b>	Rgt hand circuits rwy 34 (CAR 602.96).	
<b>CAUTION</b>	Actual wind may vary significantly fr reported winds due to anemometer loc & lcl topography. Possibility of deer or wildlife within aprt perimeter. Model acct activity 6.0NM SW of A/D (N50 03 17 W92 01 55) max alt 500 AGL.	

## SIoux LOOKOUT FSS – RCO

Dryden 122.1 (RAAS) (N49 52 W92 51)

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B850 AERODROME/FACILITY DIRECTORY

## SIoux LOOKOUT ON (Heli)

CKF7

<b>REF</b>	N50 04 W91 55 1S 1°W UTC-6(5) Elev 1181' A5008
<b>OPR</b>	Ontario Ministry of Natural Resources 807-737-1140 Reg PPR
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYXL <b>FIC</b> Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	F-34
<b>PAD DATA</b>	60' x 180' 16' x 16'
<b>RCR</b>	Opr No win maint




<b>COMM</b>	
<b>RADIO</b>	Sioux Lookout rdo 122.0 (E) at Sioux Lookout A/D 2.9NM N (emerg only 807-737-2819)
<b>RCO</b>	Winnipeg rdo 126.0 (FISE) 126.7 (FISE)
<b>MF</b>	Sioux Lookout rdo 122.0 5NM 4300 ASL (CAR 602.98) centred on Sioux Lookout A/D 2.9NM N.
<b>CAUTION</b>	Model acct activity 4.5NM W of A/D (N50 03 17 W92 01 55) max alt 500 AGL.

## SIoux NARROWS ON

CKM2

<b>REF</b>	N49 23 24 W93 59 43 4.3SE 2°E UTC-6(5) Elev 1100' A5007 E-17 LO4 HI4
<b>OPR</b>	Sioux Narrows Apt Management 807-226-5240 Reg
<b>PF</b>	C-1,2,5
<b>FLT PLN</b>	NOTAM FILE CYQK <b>FIC</b> Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b>	Call out chg may be required for one or more svcs. Ldg & prkg fees rqrd
<b>S</b>	4
<b>RWY DATA</b>	Rwy 06(063°)/24(243°) 3300x115 turf Rwy 06 slopes down.
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 4100 ASL
<b>CAUTION</b>	Trees adj both sides of rwy.



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B851

## SLATE FALLS ON

CKD9


<b>REF</b>	N51 07 48 W91 39 56 2SW 1°W UTC-6(5) ELEV 1355' A5008 E-17 LO4 CAP
<b>OPR</b>	Govt of Ontario 807-473-2082 Cert
<b>FLT PLN</b>	NOTAM FILE CYXL
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 10(101°)/28(281°) 3500x100 gravel Thld 10 displ 200' Rwy 28 up 0.39%
<b>RCR</b>	APM 807-701-2630 14-23Z± Mon-Fri exc hols. Rwy strength & cond subject to seasonal & climatic var.
<b>LIGHTING</b>	10-(TE ME) AP, 28-(TE ME) AP ARCAL-123.2 type K
<b>COMM</b>	
<b>ATF</b>	tfc 122.8 5NM 4400 ASL



## SLAVE LAKE AB

CYZH

<b>REF</b>	N55 17 35 W114 46 38 Adj N 19°E UTC-7(6) Elev 1912' A5014 A5015 E-15 E-16 LO1 HI3 CAP
<b>OPR</b>	Slave Lake Airport Services Commission 780-849-3089 Cert Ldg fees
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYZH
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>WX</b>	Legacy AWOS H24 TAF H24, issue times: 01, 07, 13, 19Z.
<b>SERVICES</b>	Call out chg may be levied for one or more svcs
<b>FUEL</b>	100LL, JA-1 (with FSII) 780-849-5353
<b>OIL</b>	All
<b>S</b>	1,2,3,4,5,6
<b>JASU</b>	Elect start 10/15
<b>PVT ADV</b>	CAN-WEST 122.8
<b>RWY DATA</b>	Rwy 10(097°)/28(277°) 5561x100 asphalt Thld 28 displ 558'
<b>TWY</b>	Twys A & C and adj aprons rstd to Forest Service use only. No win maint.
<b>RCR</b>	Opr PLR
<b>LIGHTING</b>	10-(TE ME) V1, 28-(TE ME) V1 ARCAL-123.2 type K
<b>COMM</b>	
<b>RCO</b>	Edmonton rdo 122.1 (FISE)
<b>ATF</b>	tfc 123.2 5NM 5000 ASL
<b>PAL</b>	Edmonton Ctr 127.825 304.2
<b>NAV</b>	
<b>NDB</b>	YZH 343 (L) N55 17 54 W114 46 23 193° 0.4NM to A/D
<b>DME</b>	Y5 111.0 (M) Ch 47 N55 17 40 W114 46 35 (1935') at A/D Pvt





## CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B852 AERODROME/FACILITY DIRECTORY

---

### SLAVE LAKE AB (Cont'd)

CYZH

---

<b>PRO</b>	Rgt hand circuits rwy 28 (CAR 602.96). Avoid flying over town.
<b>CAUTION</b>	Water bomber activity at or in vic of A/D Apr thru Sep. Wildlife may be on or in vic rwy.

---


---

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B853

## SMITHERS VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B854 AERODROME/FACILITY DIRECTORY

## SMITHERS BC

CYYD

<b>REF</b>	N54 49 31 W127 10 58 2N 22°E UTC-8(7) Elev 1716' A5013 E-15 LO1 HI2 HI3 CAP	
<b>OPR</b>	Town of Smithers 250-847-3664 Page 250-847-7036 Fax 250-847-2605 Cert	
<b>PF</b>	A-1,2(ltd hrs),3,6 C-2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYYD	
<b>FIG</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>WX</b>	METAR H24. TAF 14-06Z, issue times: 14, 19, 01Z.	
<b>PIK</b>	NAV CANADA building, main floor, airside access	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs	
<b>FUEL</b>	100LL, JA-1, FSII, SP (JA-1 only) 250-847-3414/877-1275	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5 (ltd), 6 (ltd)	
<b>SUP FL</b>	D-ice, HPOX (ltd) (Jazz Air Inc./Central Mountain Air 250-847-2811/4780)	
<b>JASU</b>	Elect 28V up to 1500 amps (Jazz Air Inc. 250-847-2811)	
<b>RWY DATA</b>	Rwy 15(148°)/33(328°) 7544x150 asphalt Thld 15 displ 259' Thld 33 displ 262'	
<b>TWY</b>	Twy B no vehicle control.	
<b>RCR</b>	Opr Ltd win maint Nov-Mar, ctc opr for hrs of ops O/T 3 hrs PNR call out chg may be levied. CRFI, PLR/PCN	
<b>LIGHTING</b>	15-AO(TE ME) P2, 33-AO(TE ME) P2 PAPI rwy 15 OCL to 2NM; PAPI rwy 33 OCL to 2NM	
<b>COMM</b>		
<b>RADIO</b>	122.3 262.7 (E) (emerg only 250-847-2035)	
<b>RCO</b>	Pacific rdo 126.7 (FISE)	
<b>MF</b>	rdo 122.3 5NM 4700 ASL (CAR 602.98)	
<b>VDF</b>	122.3 Unusable below 12,000 ASL beyond 5NM btwn 180°-270° & beyond 20NM btwn 360°-070°	
<b>NAV</b>		
<b>VOT</b>	111.8	
<b>NDB</b>	YD 230 (M) N54 44 51 W127 06 28 307° 5.0NM to A/D TELKWA TK 391 (L) N54 40 11 W126 59 33 301° 11.2NM to A/D KATHLYN M9 240 (M) N54 49 29 W127 10 49 at A/D Pvt Unmonitored	
<b>VOR/DME</b>	HOUSTON YYD 114.7 Ch 94 N54 27 08 W126 39 03 (4189') 301° 29NM to A/D	
<b>PRO</b>	Rgt hand circuits rwy 33 (CAR 602.96). De-icing/anti-icing activity to be carried out on E edge of apron only. Ngt circuit alt 2800 ASL (1100 AGL) see VTPC.	
<b>CAUTION</b>	Soaring activity W of aprt Apr-Oct. Ocsl parachuting aprx 5NM S. Marked & lgtd antenna 1752 ASL on apch to rwy 33 aprx 1400' fr thld. Smithers/Tyhee Lake water A/D: MF 122.3 aprx 9NM SE. Ngt ops are not recommended unless all 3 hazard bcns are oprg. Only pilots familiar with lcl terrain should use this aprt dur hrs of darkness.	

## SMITHERS (CANADIAN) BC (Heli)

CAA6

<b>REF</b>	N54 46 30 W127 08 06 22°E UTC-8(7) Elev 1600' A5013
<b>OPR</b>	Canadian Helicopters Ltd 250-847-9444 Reg PPR

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B855

## SMITHERS (CANADIAN) BC (Heli) (Cont'd)

CAA6


<b>FLT PLN</b>	NOTAM FILE CYYD
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>PAD DATA</b>	200' x 200' concrete/turf
<b>COMM</b>	
<b>MF</b>	rdo 122.3 5NM centred on Smithers A/D 4700 ASL (CAR 602.98)

## SMITH FIELD ON — See ORTON / SMITH FIELD

## SMITHS FALLS (COMMUNITY HOSP) ON (Heli)

CNS9


<b>REF</b>	N44 54 26 W76 01 38 Adj W 14°W UTC-5(4) Elev 409' A5000
<b>OPR</b>	Smiths Falls Community Hosp 613-283-2330 Cert PPR
<b>FLT PLN</b>	(bil) NOTAM FILE CYND
<b>FIC</b>	Québec 866-WXBRIEF or 866-GOMÉTÉO (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>PAD DATA</b>	86' dia asphalt 114' dia Rstd max heli length 57.5'
<b>RCR</b>	Opr
<b>LIGHTING</b>	DR RY(LO) RF(FL)
<b>PRO</b>	Arr/dep 160° fr heli



## SMITHS FALLS-MONTAGUE (RUSS BEACH) ON

CYSH

<b>REF</b>	N44 56 45 W75 56 26 3.5NE 14°W UTC-5(4) Elev 416' A5000 A5002 F-21 LO6 LO7 T2 CAP
<b>OPR</b>	Smiths Falls Flying Club 613-283-1148 Cert
<b>PF</b>	B-1 C-2,3,4,5 D-6
<b>FLT PLN</b>	(bil) NOTAM FILE CYND
<b>FIC</b>	Québec 866-WXBRIEF or 866-GOMÉTÉO (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>FUEL</b>	100LL (self-serve H24)
<b>S</b>	1,5
<b>RWY DATA</b>	Rwy 06/24 4000x75 asphalt
<b>RCR</b>	Opr Ltd win maint
<b>LIGHTING</b>	06-(TE ME)AP, 24-(TE ME)AP ARCAL-122.9 type K
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.7 5NM 3400 ASL excluding the airspace that lies within Ottawa TCA class D airspace.
<b>NAV</b>	
<b>NDB</b>	YSH 334 (L) N44 54 03 W76 00 38 062° 3.7NM to A/D



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B856 AERODROME/FACILITY DIRECTORY

## SMITHS FALLS-MONTAGUE (RUSS BEACH) ON (Cont'd)

CYSH

<b>PRO</b>	VFR FLIGHTS IN OTTAWA CLASS C AND TERMINAL CLASS D AIRSPACE SEE OTTAWA/MACDONALD-CARTIER INTL FOR PROCEDURES.
<b>CAUTION</b>	Wildlife frequently on rwy. Glider tow & winch operations spring & fall by NOTAM & monitor 122.7. Frequent aerobatic activity below 3000 MSL. 4.3NM SE of aprt btwn towns of Merrickville and Jasper.

## SMOKY LAKE (GEORGE MCDUGALL HEALTH CENTRE) AB (Heli)

CGM2

<b>REF</b>	N54 07 19 W112 27 58 Adj NE 17E UTC-7(6) Elev 2000' RCAP	
<b>OPR</b>	Smoky Lake (George McDougall Health Centre) 780-656-3034 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYEG	ELEV 2000
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	33' x 33' concrete/grass FATO 65' dia. Aaft max length 42.5'.	
<b>LIGHTING</b>	RF(FH) PNR Lgt'd windsock on top of hosp bldg.	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 5200 ASL	
<b>PRO</b>	Arr/dep btwn 200°-230° fr heli, slope 8%; Arr/dep btwn 230°-020° fr heli, slope 16%, rstd to multi-engine aaft.	
<b>CAUTION</b>	P-line along north side of highway, north of heli.	

## SNAP LAKE NT

CSK6

<b>REF</b>	N63 35 37 W110 54 20 Adj 19°E UTC-7(6) Elev 1557' A5030 LO5 HI2 RCAP	
<b>OPR</b>	De Beers Canada 867-767-8555 Reg PPR	
<b>FLT PLN</b>	NOTAM FILE CYZF	ELEV 1557
<b>FIC</b>	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>RWY DATA</b>	Rwy 09T(085°T)/Rwy 27T(265°T) 5250x150 gravel	
<b>RCR</b>	Opr Regular maint all year.	
<b>LIGHTING</b>	09T-(TE LO), 27T-(TE LO)	
<b>COMM</b>		
<b>ATF</b>	UNICOM (AU) 1100-2300Z± 123.5 5NM 4600 MSL	
<b>CAUTION</b>	Blasting all quadrants, ocsl by NOTAM.	

SNARE LAKE NT — See WEKWEËTÌ

Sep 09

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B857

## SNARE RIVER NT

CEV9


<b>REF</b>	N63 26 W116 11 24°E UTC-7(6) Elev 700' A5029 D-13
<b>OPR</b>	Northwest Territories Power Corp, Yellowknife 867-669-3300 Reg PPR
<b>FLT PLN</b>	NOTAM FILE CYZF
<b>FIC</b>	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 11(117°)/29(297°) 3000x75 sand Opr Ltd maint. Rwy soft in spring.
<b>RCR</b>	
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3700 ASL
<b>CAUTION</b>	Caribou may be on or in vic of rwy.



## SNOW LAKE MB

CJE4

<b>REF</b>	N54 53 50 W99 49 08 8ENE 7°E UTC-6(5) Elev 993' A5016 E-16 E-17 LO3
<b>OPR</b>	Town 204-358-2551 Reg
<b>PF</b>	B-1 D-2,3,4,5
<b>FLT PLN</b>	NOTAM FILE CYQD
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>S</b>	4,5,6
<b>RWY DATA</b>	Rwy 03(031°)/21(211°) 3510x75 gravel Rwy 21 first 1500' up 0.6% & last 2000' down 0.7%
<b>RCR</b>	Opr Ltd win maint
<b>LIGHTING</b>	03-(TE LO), 21-(TE LO) ARCAL-122.8 key mic 3 times within 5 secs for 15 min duration.
<b>COMM</b>	
<b>ATF</b>	tfc 122.8 5NM 4000 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B858 AERODROME/FACILITY DIRECTORY

## SOMERSET MB

CKC8


<b>REF</b>	N49 24 01 W98 41 33 1.3SW 6°E UTC-6(5) Elev 1563' A5007 E-16 E-17
<b>OPR</b>	Lorne Municipal Aprt Comsn 204-836-2773 Reg
<b>PF</b>	C-1,2,4,5
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYDN Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 08(084°)/26(264°) 2500x100 turf Opr No win maint, caution dur spring break-up.
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 4600 ASL
<b>CAUTION</b>	Wind turbines to 2100 ASL (400 AGL) E thru SSW of A/D.



## SONORA RESORT BC (Heli)

CSR6

<b>REF</b>	N50 22 54 W125 09 26 Adj 19°E UTC-8(7) Elev 46' A5004 RCAP
<b>OPR</b>	London Enterprises Limited 250-203-1350 Reg PPR Ldg fees
<b>PF</b>	B-1,2,5
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYBL Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>PAD DATA</b> <b>RCR</b>	100' dia concrete 104' dia concrete/turf Rstd max heli length 55' Opr 15-03Z†
<b>LIGHTING</b>	RY DR
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 3000 ASL
<b>PRO</b>	Single arr/dep 036° fr heli. Day apch - avoid fit over bldgs. Fit over bldgs rstd to acct cert and configured for CAT A tkof/lgd. All transient acft require PPR thru opr.
<b>CAUTION</b>	Hi gnd S of helipad to 3500'.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B859

## SOREL QC

CJY3

<b>REF</b>	N45 58 49 W73 02 32 4SE 16°W UTC-5(4) Elev 76' VTA A5002 F-21 LO6 LO7 LO8	
<b>OPR</b>	Gestion Aéroportuaire de Sorel 450-782-3188 Reg	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	(bil) NOTAM FILE CYUL Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JB O/R	
<b>OIL</b>	All	
<b>S</b>	4,5	
<b>RWY DATA</b>	Rwy 03/21 4000x75 asphalt	
<b>RCR</b>	Gestion Aéroportuaire de Sorel 450-782-3188	
<b>LIGHTING</b>	03-(TE LO), 21-(TE LO) O/R PNR 450-782-3188.	
<b>COMM</b>	(bil)	
<b>ATF</b>	tfc 123.2 5NM 3100 ASL	

## SOURIS MB — See SOURIS GLENWOOD INDUSTRIAL AIR PARK

Sep 09

## SOURIS GLENWOOD INDUSTRIAL AIR PARK MB

CJX5

<b>REF</b>	N49 38 W100 12 2.5E 8°E UTC-6(5) Elev 1480' A5007 E-16 E-17 LO4	
<b>OPR</b>	Souris & Glenwood Aprt Comsn 204-483-3821/2822 Reg	
<b>PF</b>	B-1 C-2,3,4,5	
<b>FLT PLN</b>	NOTAM FILE CYBR Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL	
<b>S</b>	1(Ltd),2	
<b>RWY DATA</b>	Rwy 14(141°)/32(321°) 2900x100 asphalt	
<b>RCR</b>	Rwy 08(081°)/26(261°) 2200x80 turf Opr Ltd win maint	
<b>LIGHTING</b>	14-(LO), 32-(LO) SS-SR	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 4500 ASL	
<b>PRO</b>	Ultra-light circuit hgt 2000 ASL.	
<b>CAUTION</b>	Ultra-light tfc. Agricultural spray acft dur sum. 60 AGL P-lines 1.0NM NW thid rwy 14. Lgtd twr 1815 ASL (355 AGL) 1.5NM SW of A/D.	



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009


B860 AERODROME/FACILITY DIRECTORY

## SOUTH CALGARY AB — See DE WINTON / SOUTH CALGARY

### SOUTHAMPTON ON

CPF7


<b>REF</b>	N44 29 38 W81 20 07 1.4E 9°W UTC-5(4) Elev 685' A5000 F-21
<b>OPR</b>	G. Wilson 519-832-2070/6170 Reg
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM CYVV
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 13/31 1670x37 gravel/asphalt, 24' asphalt width
<b>RCR</b>	No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 122.8 5NM 3700 ASL
<b>CAUTION</b>	P-Lines aprx 30' high, aprx 920' fr thld 13.



### SOUTHEND SK

CKA9

<b>REF</b>	N56 20 14 W103 17 36 2W 11°E UTC-6 Elev 1120' A5016 A5024 D-13 E-16
<b>OPR</b>	H. Ulriksen 306-758-2020 Fax 306-758-2020 Reg
<b>PF</b>	C-1
<b>FLT PLN</b>	NOTAM FILE CYVC
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>SERVICES</b>	Ldg fees qrtd
<b>RWY DATA</b>	Rwy 03(030°)/21(210°) 2125x90 clay/gravel
<b>RCR</b>	Opr Soft when saturated
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 4200 ASL




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B861

## SOUTH INDIAN LAKE MB

CZSN



<b>REF</b>	N56 47 34 W98 54 26 2E 6°E UTC-6(5) Elev 951' A5024 D-13 LO3 RCAP
<b>OPR</b>	Govt of Manitoba 204-677-6722 Cert
<b>PF</b>	A-1 C-2,4,5 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols
<b>FLT PLN</b>	NOTAM FILE CYTH
<b>FIG</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 18(181°)/36(001°) 3510x100 crushed rock Rwy 36 up 0.81%
<b>RCR</b>	APM 204-374-2225 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-374-2263
<b>LIGHTING</b>	18-(TE ME) P1, 36-(TE ME) P1 ARCAL-122.8 type K (see CAUTION)
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4000 ASL
<b>NAV</b>	
<b>NDB</b>	2A 330 (L) N56 47 38 W98 54 16 at A/D Pvt
<b>CAUTION</b>	Acft at opposite ends of the rwy may not be visible to each other. Twr 400' AGL 1NM W thld rwy 18.

**SOUTHPORT MB** — See PORTAGE LA PRAIRIE / SOUTHPORT

**SOUTH RENFREW MUNI ON** — See ARNPRIOR / SOUTH RENFREW MUNI

**SOUTH SHORE REGIONAL NS** — See LIVERPOOL / SOUTH SHORE REGIONAL

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B862 AERODROME/FACILITY DIRECTORY

## SOUTH RIVER / SUNDRIDGE ON

CPE6

<b>REF</b>	N45 49 W79 20 2.6SE 12°W UTC-5(4) Elev 1160' A5000 A5001 F-21	
<b>OPR</b>	South River/Sundridge District Airport 705-386-2710, South River Village Office 705-386-2573	
<b>PF</b>	B-1 C-2,3,4,5 D-6	
<b>FLT PLN</b>	NOTAM FILE CYYB	
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>	Almaguin Aero Maintenance 705-386-0011/0223	
<b>FUEL</b>	100LL 14-22Z‡, Call out chg levied btwn 12-14Z‡ & 22-24Z‡	
<b>OIL</b>	All	
<b>S</b>	2,3,4,5,6	
<b>RWY DATA</b>	Rwy 04/22 3200x150 turf Rwy 12/30 2800x150 turf	
<b>RCR</b>	Opr 14-22Z‡ O/T O/R Ltd win maint PNR	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4200 ASL	
<b>CAUTION</b>	Painted & lgtd twr 1705' ASL 1.5 NM WSW aprt. Marked fence 50' fr thld 04.	

## SPARWOOD / ELK VALLEY BC

CYSW

<b>REF</b>	N49 50 W114 53 4N 17°E UTC-7(6) Elev 3800' A5005 E-15 LO2	
<b>OPR</b>	Regional District of East Kootenay 250-489-2791 Reg	
<b>PF</b>	B-1 C-2,3,4,5	
<b>FLT PLN</b>	NOTAM FILE CYXC	
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>WX</b>	METAR 14-24Z (DT 13-01Z) 5NM to A/D	
<b>SERVICES</b>		
<b>FUEL</b>	100LL (self-serve) 250-425-2242	
<b>OIL</b>	15W50	
<b>RWY DATA</b>	Rwy 17(169°)/35(349°) 4000x75 asphalt Elk Valley Flying Club 250-425-2242 Ltd win maint	
<b>RCR</b>		
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 6800 ASL	
<b>NAV</b>		
<b>NDB</b>	5M 200 (M) N49 50 14 W114 53 04 at A/D Pvt	
<b>CAUTION</b>	Wildlife ocsl on rwy.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B863

## SPIRIT RIVER AB

CFS5


<b>REF</b>	N55 47 01 W118 50 23 Adj N 21°E UTC-7(6) Elev 2044' A5014 E-15 LO1
<b>OPR</b>	Town 780-864-3998/3977 Reg
<b>PF</b>	B-1 C-2,3,4,5
<b>FLT PLN</b>	NOTAM FILE CYQU
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>SERVICES</b>	
<b>FUEL</b>	100LL A. Ross 780-864-3731/3978
<b>RWY DATA</b>	Rwy 06/24 3000x75 asphalt
<b>RCR</b>	Opr Ltd maint
<b>LIGHTING</b>	06-(TE LO), 24-(TE LO) ARCAL-123.2 type K
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5100 ASL
<b>CAUTION</b>	350 AGL antenna tower 1NM SSW aprt.



## SPIRITWOOD SK

CKH7

<b>REF</b>	N53 21 48 W107 32 54 Adj W 14°E UTC-6 Elev 1915' A5015 E-16
<b>OPR</b>	Town 306-883-2161 Reg
<b>PF</b>	C-1,2,4,5
<b>FLT PLN</b>	NOTAM FILE CYP A
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 16(166°)/34(346°) 2500x80 turf
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5000 ASL



## SPRINGBANK AB — See CALGARY / SPRINGBANK

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B864 AERODROME/FACILITY DIRECTORY

## SPRINGDALE NL

CCD2

<b>REF</b>	N49 28 44 W56 10 41 4W 22°W UTC-31/2(21/2) Elev 250' A5011 A5012 E-19 F-22 LO8	
<b>OPR</b>	Govt of Newfoundland & Labrador 709-292-4326 or 709-256-1048 Reg	
<b>PF</b>	C-1,2,3,4,5	
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYYT Halifax 866-WXBRIEF or (French) 866-GOMÉTEO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>SERVICES</b> <b>FUEL</b>	100LL Ltd hrs Springdale Aviation 709-673-3313	
<b>OIL</b>	80, 100 Ltd hrs Springdale Aviation 709-673-3313	
<b>RWY DATA</b> <b>RCR</b>	Rwy 10/28 2800x75 asphalt Opr Ltd win maint	
<b>LIGHTING</b>	10-(TE ME), 28-(TE ME) ARCAL-122.8 type J	
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 3300 ASL	
<b>NAV</b> <b>NDB</b>	2B 364 (L) N49 29 24 W56 11 05 180° 0.7NM to A/D Pvt Unmonitored	
<b>PRO</b>	Rgt hand circuits rwy 10 (CAR 602.96).	
<b>CAUTION</b>	Possible windshear on apch rwy 28 due to deep ravine 100' fr button. ARCAL lgt may not activate at lower alt due to higher terrain. Heli tfc W of A/D.	

## SPRINGHOUSE AIRPARK BC

CAQ4

<b>REF</b>	N51 57 20 W122 08 22 20°E UTC-8(7) Elev 3250' A5004 E-15	
<b>OPR</b>	Springhouse Airpark Society 250-392-3195/5360 Reg	
<b>PF</b>	B-1 D-2,3,4,5,6	
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYWL Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>SERVICES</b> <b>FUEL</b>	100LL, MG-3	
<b>OIL</b> <b>S</b>	All 1,2,3,4,5	
<b>RWY DATA</b> <b>RCR</b>	Rwy 15/33 4800x100 turf Lawrence Avn 250-392-3195 daylight hrs Ltd win maint.	
<b>COMM</b> <b>ATF</b>	UNICOM 122.8 2NM 4800 ASL	
<b>CAUTION</b>	Tall trees & P-line on apch rwy 15. Float planes opr fr Boitano Lake E side rwy.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B865

## SPRING VALLEY (NORTH) SK

CKP2


<b>REF</b>	N50 03 36 W105 24 07 7N 12°E UTC-6 Elev 2200' A5006 E-16
<b>OPR</b>	B. Forman 306-799-4501 Reg
<b>FLT PLN</b>	NOTAM FILE CYQR <b>FIC</b> Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>PF</b>	B-1 D-2,3,4,5,6
<b>SERVICES</b>	
<b>FUEL</b>	100LL
<b>OIL</b>	80, 100
<b>S</b>	4,5,6
<b>RWY DATA</b>	Rwy 17(167°)/35(347°) 3000x50 turf/gravel, centre 20' gravel
<b>RCR</b>	Opr No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5200 ASL



## SPRINGWATER (BARRIE AIRPARK) ON

CNA3

<b>REF</b>	N44 24 23 W79 43 54 Adj NW 11°W UTC-5(4) Elev 963' A5000 F-21 LO6 CAP
<b>OPR</b>	Zlin Aerospace Corp 705-722-3522 Reg
<b>PF</b>	B-1,2 C-3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYEE <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>SERVICES</b>	
<b>OIL</b>	All
<b>S</b>	1,2
<b>RWY DATA</b>	Rwy 07(073°)/25(253°) 2100x100 turf/asphalt, centre 40' asphalt Thld 07 displ 100'. Thld 25 displ 200'.
<b>RCR</b>	Opr 13-22Z± Ltd win maint
<b>LIGHTING</b>	07-(TE LO), 25-(TE LO) O/R ctc opr
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 123.0 5NM 4000 ASL
<b>PRO</b>	Rgt hand circuits rwy 25 (CAR 602.96).
<b>CAUTION</b>	Possible windshear ldg rwy 25 in NW sfc winds exceeding 10 knots.




# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B866 AERODROME/FACILITY DIRECTORY


## SQUAMISH VFR TERMINAL PROCEDURES CHART



### SQUAMISH BC

CYSE

<b>REF</b>	N49 46 54 W123 09 43 5.4N 19°E UTC-8(7) Elev 171' A5004 E-15
<b>OPR</b>	District of Squamish 604-892-5217 Reg
<b>PF</b>	B-1 D-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYVR
<b>FIG</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>SERVICES</b>	<b>S</b> 5
<b>RWY DATA</b>	Rwy 14/32 2400x75 asphalt
<b>RCR</b>	Opr No win maint
<b>COMM</b>	<b>ATF</b> UNICOM 122.8 3NM 2500 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B867

## SQUAMISH BC (Cont'd)


CSYE

<b>PRO</b>	NOISE ABATEMENT PROCEDURES: dep rwy 14 climb hdg 172° when safe. Arr rwy 32 offset approaches. Avoid noise sensitive areas (see VTPC).
<b>CAUTION</b>	Strong sfc winds may produce significant turbulence and/or downdrafts.

## SQUAW RAPIDS SK

CKQ2

<b>REF</b>	N53 40 43 W103 21 00 2.5SW 10°E UTC-6 Elev 1040' A5016 E-16
<b>OPR</b>	Saskatchewan Power Corp 306-862-3808 Reg
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYP Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 02(025°)/20(205°) 3000x200 turf No win maint
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 4100 ASL




## STANFIELD INTL NS — See HALIFAX / STANFIELD INTL

## STANHOPE QC

CSN5

<b>REF</b>	N45 00 56 W71 47 40 Adj NW 16°W UTC-5(4) Elev 1450' A5002 F-21
<b>OPR</b>	Alliance Consultant Ltd 819-849-4023/4821 Reg PPR
<b>PF</b>	B-1 C-2 D-3,4,5,6
<b>FLT PLN</b> <b>FIC</b>	(bil) NOTAM FILE CYSC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
<b>RWY DATA</b> <b>RCR</b>	Rwy 15/33 2000x60 turf Opr No win maint
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 4500 ASL
<b>CAUTION</b>	P-line on apch rwy 33.



## STANHOPE ON — See HALIBURTON / STANHOPE



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B868 AERODROME/FACILITY DIRECTORY

## STANLEY NS

CCW4

<b>REF</b>	N45 06 02 W63 55 14 12NE 19°W UTC-4(3) Elev 95' A5003 F-22 LO8 T2	
<b>OPR</b>	Stanley Sport Avn 902-632-2251 Reg	
<b>PF</b>	D-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYHZ Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) <b>ACC</b> Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>RWY DATA</b>	Rwy 02/20 1900x90 turf Rwy 09/27 2600x125 turf/asphalt Rwy 15/33 1800x100 turf	
<b>RCR</b>	Opr No win maint.	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3100 ASL	
<b>CAUTION</b>	50' high trees on apch to rwy 09.	

## STANSTEAD / WELLER QC

CTQ2

<b>REF</b>	N45 02 04 W72 02 06 2.5NE 16°W UTC-5(4) Elev 1250' aprx A5002 F-21	
<b>OPR</b>	G. Weller 819-876-2528 Reg PPR	
<b>PF</b>	C-1	
<b>FLT PLN</b>	(bil) NOTAM FILE CYSC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 01/19 2600x50 aprx turf	
<b>RCR</b>	No win maint	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 4300 ASL	
<b>CAUTION</b>	Anticipate gusty wind fr the W first 500' fr thld 19 due to surrounding terrain.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B869

## STARBUCK MB

CKJ7


<b>REF</b>	N49 43 W97 41 4S W 5°E UTC-6(5) Elev 785' VTA A5007 E-16 E-17
<b>OPR</b>	Winnipeg Gliding Club 204-735-2868 Reg
<b>PF</b>	C-1,2,5 D-3,4,6
<b>FLT PLN</b>	NOTAM FILE CYDN
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 08(084°)/26(264°) 1900x125 turf Rwy 13(129°)/31(309°) 3000x275 turf Rwy 18(176°)/36(356°) 2550x200 turf
<b>RCR</b>	Opr No win maint. Rws ruf, soft when wet.
<b>COMM</b>	
<b>ATF</b>	tfc 123.4 5NM 2800 ASL
<b>PRO</b>	Gliders fly left hand circuits. Powered acft fly rgt hand circuits (CAR 602.96).



## STEEN RIVER AB

CFB7


<b>REF</b>	N59 38 W117 10 Adj 22°E UTC-7(6) Elev 996' A5022 A5023 D-13
<b>OPR</b>	Alberta Sustainable Resource Development, Forest Protection Division High Level 780-926-5402 Reg
<b>FLT PLN</b>	NOTAM FILE CYOJ
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 17(171°)/35(351°) 5000x100 turf
<b>RCR</b>	Opr Ltd maint. No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 4000 ASL
<b>CAUTION</b>	Water bomber activity at or in vic of A/D Apr thru Sep.



## STEEN TOWER AB

CFG7

<b>REF</b>	N59 38 W117 47 22°E UTC-7(6) Elev 2320' A5022 D-13
<b>OPR</b>	Alberta Sustainable Resource Development, Forest Protection Division High Level 780-926-5402 Reg
<b>FLT PLN</b>	NOTAM FILE CYOJ
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 06(068°)/24(248°) 2000x100 turf
<b>RCR</b>	Opr No maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 5400 ASL



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

## B870 AERODROME/FACILITY DIRECTORY

### STEINBACH MB

CJB3

<b>REF</b>	N49 32 58 W96 40 46 1N 4°E UTC-6(5) Elev 850' VTA A5007 E-16 E-17 LO4	
<b>OPR</b>	City of Steinbach 204-326-9877 Reg	
<b>PF</b>	A-1 B-6 14Z±-SS C-2,3,4,5	
<b>FLT PLN</b>	NOTAM FILE CYDN	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)	
<b>ACC</b>	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.	
<b>SERVICES</b>	For svcg 204-771-9800, 204-355-4499, 204-377-4354	
<b>FUEL</b>	100LL	
<b>OIL</b>	All	
<b>S</b>	4,5,6	
<b>RWY DATA</b>	Rwy 14(146°)/32(326°) 3000x75 asphalt	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	14-(TE LO), 32-(TE LO) ARCAL-122.7 type J	
<b>COMM</b>		
<b>ATF</b>	tfc 122.7 5NM 3900 ASL	
<b>PRO</b>	Rgt hand circuits rwy 32 (CAR 602.96). Do not overfly A/D unless intentions bcst on 122.7 due possible conflict with parajumps. <b>ATS REQUIREMENTS:</b> VFR & IFR Flight Plans, file at least 30 min prior to ETD. All non-flight planned acft intending flt within Winnipeg Class "D" airspace (Winnipeg CZ & tml) refer to ATS REQUIREMENTS under Winnipeg/James Armstrong Richardson Intl, CYWG, PRO.	
<b>CAUTION</b>	Model acft activity 0.5NM N A/D. Aerobatics may be in progress within 1NM of airport sfc to 6000 ASL daylight hrs. Bcst intentions on ATF or establish visual ctc with aerobatic acft prior to entering the area. Aerobatic acft above 3000 ASL are in ctc with Winnipeg Tml (121.0). Ocsl parajump activity within 3NM of A/D, daylight hrs Apr 01-Oct 31, activated by NOTAM. Max alt 11,000 ASL. Drop zone E of rwy. Parajumpers crossing rwy.	

### STEINBACH (SOUTH) MB

CKK7

<b>REF</b>	N49 29 38 W96 41 56 2S 4°E UTC-6(5) Elev 888' VTA A5007 E-16 E-17 LO4 CAP	
<b>OPR</b>	Harv's Air Service 204-326-2434 Reg PPR	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYDN	
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)	
<b>ACC</b>	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B871


## STEINBACH (SOUTH) MB (Cont'd)

CYK7

<b>SERVICES</b>	
<b>FUEL</b>	100LL
<b>OIL</b>	All
<b>S</b>	2,3,4,5,6
<b>RWY DATA</b>	Rwy 07(071°)/25(251°) 1835x100 turf Rwy 18(175°)/36(355°) 3100x100 turf/asphalt, centre 25' asphalt Rwy 36 down 0.31%
<b>RCR</b>	Opr
<b>LIGHTING</b>	18-(TE LO), 36-(TE LO) ARCAL-123.3 type J
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.7 5NM 3900 ASL
<b>PRO</b>	Circuit hgt 1600 ASL. <b>ATS REQUIREMENTS:</b> VFR & IFR Flight Plans, file at least 30 min prior to ETD. All non-flight planned acft intending flt within Winnipeg Class "D" airspace (Winnipeg CZ & tml) refer to ATS REQUIREMENTS under Winnipeg/James Armstrong Richardson Intl, CYWG, PRO.
<b>CAUTION</b>	Steinbach A/D tfc & parajumps 3.4NM N. Extv flt tng in vic Mon-Sat.

## STEPHENVILLE NL

CYJT



<b>REF</b>	N48 32 39 W58 33 00 1.5SE 22°W UTC-31/2(21/2) Elev 80' A5011 A5012 E-19 F-22 LO8 HI6 CAP
<b>OPR</b>	Stephenville Airport Corporation 709-643-8443 Cert
<b>PF</b>	A-1,2,3,5,6 C-4
<b>CUST</b>	AOE/30 12-20Z± Mon-Fri, Gen Avn (AOE/15) H24 888-226-7277

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B872 AERODROME/FACILITY DIRECTORY

## STEPHENVILLE NL (Cont'd)


CYJT

<b>FLT PLN</b>	NOTAM FILE CYJT Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) <b>ACC</b> Gander 709-651-5225 or 888-751-5225. Fit Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep. <b>WX</b> 709-643-6815/8445 METAR H24 TAF H24, issue times: 00, 06, 12, 18Z
<b>SERVICES</b>	Call out chg, dependent on supplier, may be levied for one or more svcs.
<b>FUEL</b>	JA-1, FSII, 100LL
<b>OIL</b>	Turbo 2380, Aviation EE80
<b>S</b>	1,2,3,6
<b>ARFF</b>	6 (Cat 7 avbl 30 min PNR)
<b>SUP FL</b>	D-Ice
<b>JASU</b>	CE13, CA1
<b>PVT ADV</b>	Stephenville Aviation Svcs 122.725 YJT Ramp Svcs 122.725
<b>RWY DATA</b>	Rwy 09(093°)/27(273°) 10,000x200 asphalt Rwy 27 down 0.70% Rwy 09 RVR 1200(1/4sm)/27 RVR 1200(1/4sm) Rwy 02/20 3900x150 asphalt/concrete No win maint. <b>RCR</b> Opr CRFI, PLR/PCN
<b>LIGHTING</b>	09-AD(non-std 1000') (TE HI) P3, 27-AN(TE HI)
<b>COMM</b>	
<b>RCO</b>	Halifax rdo 123.55 (FISE) 126.7 (bcst)
<b>MF</b>	aprt rdo 122.1 5NM 3100 ASL (CAR 602.98)
<b>PAL</b>	Gander Ctr 132.3 247.0
<b>NAV</b>	
<b>NDB</b>	JT 390 (M) N48 32 38 W58 45 17 114° 7.4NM to thld 09
<b>VORTAC</b>	HARMON ZJT 340 (L) N48 34 53 W58 22 49 274° 6.3NM to thld 27
<b>ILS</b>	YJT 113.1 Ch 78 N48 34 57 W58 40 09 (1184') 133° 5.2NM to A/D IJT 109.5 (Rwy 27) RVR
<b>PRO</b>	Rgt hand circuits for gliders using both rwy 20 and conducting westerly departures from abandoned area N of rwy 09/27 (CAR 602.96).
<b>CAUTION</b>	Daily radiosonde balloon launches with an ascent rate of 1000 ft/min btwn hrs of 1115-1345Z and 2315-0145Z. Glider activity Apr-Jun rwy 02/20 and abandoned area N of rwy 09/27. Vehicle launching.

## STETTLER AB

CEJ3

<b>REF</b>	N52 18 36 W112 45 14 1.5SW 17°E UTC-7(6) Elev 2686' A5005 A5015 E-15 E-16 LO2
<b>OPR</b>	Town & County 403-742-8305 Reg
<b>PF</b>	B-1 D-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYQF
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>SERVICES</b>	
<b>FUEL</b>	100
<b>S</b>	1,2,3,5
<b>RWY DATA</b>	Rwy 07(073°)/25(253°) 3000x75 asphalt Thld 07 displ 200'.
<b>RCR</b>	Opr Ltd maint



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B873

## STETTLER AB (Cont'd)

CEJ3

<b>LIGHTING</b>	07-(TE ME), 25-(TE ME) ARCAL-123.0 type K
<b>COMM</b>	
<b>ATF</b>	UNICOM ltd hrs O/T tfc 123.0 5NM 5700 ASL
<b>PRO</b>	Rgt hand circuits rwy 07 (CAR 602.96).

## STETTLER (HEALTH CENTRE) AB (Heli)

CLH2

<b>REF</b>	N52 19 24 W112 43 31 Adj 17°E UTC-7(6) Elev 2694' A5015 RCAP	
<b>OPR</b>	Stettler Health Centre 403-742-7400 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYQF	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	TLOF 33' dia concrete FATO 56' dia concrete/grass Safety Area 78' dia grass	
<b>LIGHTING</b>	RY PNR (lgtd windsock on hosp roof)	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 123.0 (centred on Stettler aprt 1.3NM SW) 5NM 5700 ASL	
<b>PRO</b>	Arr/dep 005° & 207° fr heli.	
<b>CAUTION</b>	P-lines N heli.	

## STEWART BC

CZST

<b>REF</b>	N55 56 W129 59 Adj E 23°E UTC-8(7) Elev 24' A5013 E-15 LO1	
<b>OPR</b>	District 250-636-2251 Reg	
<b>PF</b>	C-1,2,4,5	
<b>FLT PLN</b>	NOTAM FILE CYPR	
<b>FIC</b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
<b>WX</b>	METAR 15-01Z (DT 13-01Z) dly	
<b>SERVICES</b>	Granmac Svcs 250-636-2402, fuel in 45 gal drum lots, pilot must supply own pump	
<b>FUEL</b>	80, 100, JB	
<b>RWY DATA</b>	Rwy 18/36 3900x75 asphalt/snow	
<b>RCR</b>	Opr No win maint	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 3100 ASL	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

## B874 AERODROME/FACILITY DIRECTORY

### STEWART (HEALTH CENTRE) BC (Heli)

CHC2


<b>REF</b>	N55 56 25 W129 59 26 23°E UTC-8(7) Elev 26' A5013
<b>OPR</b>	Northern Health Authority 250-636-2221 Reg PPR
<b>PF</b>	A-1,4 C-2,4,5
<b>FLT PLN</b>	NOTAM FILE CYPR
<b>    <b>FIG</b></b>	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
<b>    <b>WX</b></b>	METAR 15-01Z (DT 13-01Z)
<b>SERVICES</b>	JB 250-636-2402 (fuel in 45 gal drums, must supply own pump)
<b>    <b>S</b></b>	1,4,5,6 2 ltd availability
<b>PAD DATA</b>	66' x 66' 105' x 105' concrete SEASONAL VARIANCES: High snow banks.
<b>    <b>RCR</b></b>	Opr
<b>COMM</b>	
<b>    <b>ATF</b></b>	tfc 123.2 5NM 3100 ASL



### STIRLING ON

CPJ5

<b>REF</b>	N44 14 29 W77 33 42 12°W UTC-5(4) Elev 625' A5000 F-21
<b>OPR</b>	Oak Hills Flying Club 613-395-2360/2158 Reg PNR
<b>PF</b>	C-1,2,3,5 D-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYPQ
<b>    <b>FIG</b></b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 09/27 2350 turf/asphalt Rwy 27 first 1000x50 asphalt, remainder 1350x125 turf Thld 27 displ 1000' Thld 09 displ 200'
<b>    <b>RCR</b></b>	Opr Ltd win maint
<b>COMM</b>	
<b>    <b>DRCO</b></b>	London rdo (Campbellford) 126.7 (FISE)
<b>    <b>TWR</b></b>	Trenton 128.7
<b>    <b>ATF</b></b>	UNICOM ltd hrs O/T tfc 122.8 5NM 3600 ASL
<b>PRO</b>	Advise Trenton twr prior to entering CZ or on dep as soon as stable flt has been established. All NORDO flts must ctc CFB Trenton prior to departing PJ5 or prior to entering the CZ. The twr can be reached at 613-965-3788. Trenton twr will accept collect calls.
<b>CAUTION</b>	Trees east of thld rwy 27, 60 AGL. Downdrafts on rwy 09 associated with E winds, downdrafts on rwy 27 associated with W winds. Wildlife may be on rwy.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B875

## STONEY CREEK ON

CPF6

<b>REF</b>	N43 10 W79 42 2E 10°W UTC-5(4) Elev 680' VTA A5000 F-21	
<b>OPR</b>	Canadian Aviation Investment Group Inc 905-643-7334, Fax 905-643-7223 Reg PPR	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYHM <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>	<b>FUEL</b> 100LL <b>OIL</b> 60, 80, 100 <b>S</b> 1,5	
<b>RWY DATA</b>	Rwy 02/20 2850x165 turf/asphalt, centre 25' asphalt. Thld 02 displ 400'. Thld 20 displ 950' Rwy 09/27 1515x185 turf Thld 09 displ 415'.	
<b>RCR</b>	Opr Ltd win maint rwy 02/20, no win maint rwy 09/27.	
<b>LIGHTING</b>	02-(TE LO), 20-(TE LO) PPR Opr	
<b>COMM</b>		
<b>ATF</b>	tfc 122.8 5NM 3700 ASL	

## STONEY POINT (LE CUNFF) ON

CRML

<b>REF</b>	N42 17 44 W82 32 06 Adj SE 7°W UTC-5(4) Elev 625' A5000 F-21	
<b>OPR</b>	A. Le Cunff 519-798-3286 Reg PPR	
<b>PF</b>	C-1,2 D-3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYQG <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 18/36 2250x50 turf Thld 36 displ 250'	
<b>RCR</b>	Opr Ltd win maint Rwy soft when wet	
<b>COMM</b>		
<b>ATF</b>	tfc 122.9 5NM 3600 ASL	
<b>CAUTION</b>	Bldgs & unmarked twr aprx 40 AGL aprx 600' fr thld 36. Trees on apch to rwy 36. Cultivated fields at both edges of rwy 18/36.	



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B876 AERODROME/FACILITY DIRECTORY

## STONY PLAIN (LICHTNER FARMS) AB

CSP3

<b>REF</b>	N53 32 15 W114 04 06 18°E UTC-7(6) Elev 2415' VTA A5015 E-15 E-16	
<b>OPR</b>	Frank J. Lichtner 780-719-9078/ 780-836-6439 Reg PPR	
<b>FLT PLN</b>	NOTAM FILE CYEG	
<b>FIC</b>	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>RWY DATA</b>	Rwy 06(063°)Y/24(243°) 2345x65 turf	
<b>RCR</b>	Rwy strength and condition subject to seasonal and wx cond.	
<b>PRO</b>	For VFR Routes, Edmonton VTTC or as directed by ATC. Transponder required in Control Zone.	
<b>CAUTION</b>	Trees and powerline 150' west of threshold rwy 06. Rwy on ridge. Strong crosswinds may be encountered.	

## STONY PLAIN (WESTVIEW HEALTH CENTRE) AB (Heli)

CSP2

<b>REF</b>	N53 32 17 W113 58 42 18°E UTC-7(6) Elev 2311' VTA A5015	
<b>OPR</b>	Capital Health Authority 780-968-3600 Cert PPR	
<b>PF</b>	A-1,2,3,4 C-5 D-6	
<b>FLT PLN</b>	NOTAM FILE CYEG	
<b>FIC</b>	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	64' dia asphalt 85' dia grass	
<b>LIGHTING</b>	RY(LO)RR PNR ctc Opr	
<b>COMM</b>	<b>ATF</b>	tfc 123.2 5NM 5400 ASL
<b>PRO</b>	Arr/dep 118° & 320° fr pad. Routing via Edmonton VTTC or as directed by ATC.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B877

## STONY RAPIDS SK

CYSF

<b>REF</b>	N59 15 01 W105 50 29 Adj S 14°E UTC-6 Elev 805' A5023 D-13 LO1 LO5 HI2 CAP	
<b>OPR</b>	Ministry of Hwys & Infrastructure 306-953-3263 Cert	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYSF <b>FIC</b> Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) <b>WX</b> METAR H24. TAF 10-04Z, issue times: 10, 12, 18, 00Z.	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs <b>FUEL</b> 100LL, JB <b>OIL</b> 80, 100 <b>S</b> 1,2,3,4,6 <b>PVT ADV</b> Transwest Air 129.45 306-439-2089/2066/2040; Athabaska Fuel Service Ltd. 306-439-4933/4898/2138/2056 Ext 4	
<b>RWY DATA</b>	Rwy 06(060°)/24(240°) 5050x100 treated gravel <b>RCR</b> Area Office 306-953-3262 or Opr	
<b>LIGHTING</b>	06-(TE ME) P1, 24-(TE ME) P1 ARCAL-122.2 type K.	
<b>COMM</b>	<b>RCO</b> Regina rdo 122.2 (RAAS) 13-04Z Edmonton rdo 126.7 (FISE) <b>MF</b> Regina rdo 13-04Z O/T tfc 122.2 5NM 3900 ASL (CAR 602.98) <b>PAL</b> Edmonton Ctr 124.475	
<b>NAV</b>	<b>NDB</b> YSF 287 (M) N59 15 20 W105 50 10 at A/D	
<b>PRO</b>	Rgt hand circuits rwy 06 (CAR 602.96).	

## STRAFFORDVILLE ON

CNS6

<b>REF</b>	N42 44 18 W80 49 00 2.5SW 9°W UTC-5(4) Elev 732' A5000 F-21	
<b>OPR</b>	B & W Rycquart 519-866-3483 Reg PPR	
<b>PF</b>	B-1 C-2 D-3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYXU <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>RWY DATA</b>	Rwy 11/29 2050x75 turf <b>RCR</b> Opr Ltd win maint. Rwy slippery when wet.	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM 3700 ASL	
<b>CAUTION</b>	Rwy slopes down 0.05% to W. Watch for animals, birds, (deer, geese, etc.). Trees on apch to rwy 29 and rwy 11. Bldg adj S to rwy 11/29 aprx 71' from rwy centreline.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B878 AERODROME/FACILITY DIRECTORY

## STRATFORD MUNI ON

CNM4

<b>REF</b>	N43 24 56 W80 56 04 2NE 9°W UTC-5(4) Elev 1215' A5000 F-21 LO6 HI5 CAP	
<b>OPR</b>	Corp of the City of Stratford 519-271-4881/272-0933 Cert	
<b>PF</b>	A-1 C-2,3,4,5,6	
<b>CUST</b>	AOE/15 888-226-7277 1330-22Z‡ Mon-Fri exc hols	
<b>FLT PLN</b>	NOTAM FILE CYKF	
<b>FIC</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>		
<b>FUEL</b>	100LL, JA	
<b>OIL</b>	All	
<b>S</b>	1,2,3,4,5	
<b>RWY DATA</b>	Rwy 05(052°)/23(232°) 5000x100 asphalt Thld 23 displ 1030' Rwy 17(174°)/35(354°) 2829x50 asphalt	
<b>TWY</b>	Twy B rstd day use only	
<b>RCR</b>	Opr Snow removal 13-22Z‡ O/T on request	
<b>LIGHTING</b>	05-AS(TE ME) P1, 23-(TE ME) P1, 17-(TE ME) AP, 35-(TE ME) AP 3.5° ARCAL-122.8 type K	
<b>COMM</b>		
<b>ATF</b>	UNICOM ltd hrs O/T tfc 122.8 5NM 4200 ASL	
<b>PRO</b>	Rgt hand circuits rwy 17 & 23 (CAR 602.96). Rwy 35 climb rwy hdg to 1715 ASL BPOC.	
<b>CAUTION</b>	Ocsl deer crossing rwys.	

## STRATHCLAIR MB

CJY5

<b>REF</b>	N50 23 46 W100 25 31 1W 8°E UTC-6(5) Elev 1875' A5007 E-16 E-17		
<b>OPR</b>	Strathclair Aprt Comsn 204-365-2196 Reg		
<b>PF</b>	C-1,2,4,5		
<b>FLT PLN</b>	NOTAM FILE CYBR		
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)		
<b>SERVICES</b>	for svcg 204-365-2196		
<b>RWY DATA</b>	Rwy 17(173°)/35(353°) 2950x100 turf		
<b>RCR</b>	Opr 15-23Z‡ Mon-Fri O/T ctc l. Gerrard 204-365-2784 No win maint		
<b>COMM</b>			
<b>ATF</b>	tfc 123.2 5NM 4900 ASL		

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B879

## STRATHMORE (D.J. MURRAY) AB

CDJ5

<b>REF</b>	N51 08 03 W113 33 37 8.3WNW 17°E UTC-7(6) Elev 3097' VTA A5005 LO2 T1 RCAP	
<b>OPR</b>	Don Murray 403-934-5222 Reg	
<b>PF</b>	B-1 D-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYBW Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) <b>ACC</b> Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>SERVICES</b>		
<b>FUEL</b>	100	
<b>RWY DATA</b>	Rwy 16/34 4068x90 asphalt (centre 40' asphalt, remainder smooth grass)	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	16-(LO), 34-(LO) PNR	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 6200 ASL	
<b>PRO</b>	Rgt hand circuits rwy 16 (CAR 602.96).	
<b>CAUTION</b>	3' fence adj thld 16. Powerline aprx 1100' S thld 34.	

## STRATHMORE (HOSP) AB (Heli)

CSM2

<b>REF</b>	N51 03 36 W113 23 10 1.5NNE 17°E UTC-7(6) Elev 3216' VTA A5005 E15 E16 LO2 T1	
<b>OPR</b>	Calgary Health Region (CHR) 403-361-7000 Reg	
<b>FLT PLN</b>	NOTAM FILE CYBW Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) <b>ACC</b> Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	72' x 62' concrete 94' x 83' grass safety area	
<b>LIGHTING</b>	RY(LO)	
<b>PRO</b>	Arr/dep btwn 023°-073° fr heli.	
<b>CAUTION</b>	Manoeuvring area enclosed by 3' high chain link fence. Significant poles & poplar trees on the N side of Brent Blvd.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B880 AERODROME/FACILITY DIRECTORY

## STRATHROY (BLUE YONDER) ON

CPK2


<b>REF</b>	N42 57 57 W81 35 30 1E 8°W UTC-5(4) Elev 780' A5000 F-21
<b>OPR</b>	J. Pollock 519-245-4725/3000 Reg
<b>PF</b>	C-1,2,3,4,5,6
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYXU London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>SERVICES</b> <b>S</b>	5
<b>RWY DATA</b> <b>RCR</b>	Rwy 11/29 2000x75 turf Opr Ltd win maint
<b>COMM</b> <b>ATF</b>	tfc 123.2 5NM 3800 ASL
<b>PRO</b>	Rgt hand circuits rwy 29 (CAR 602.96).
<b>CAUTION</b>	Lgtd twr 295 AGL aprx 1NM NE. Trees 250' fr thld 29. Trees on apch to rwy 11 & rwy 29. Trees adj to rwy 11/29 aprx 57' fr rwy centreline on S side. P-line 400' fr thld 29. Lgtd twr 340 AGL aprx 2NM NW. Lgtd twr 342 AGL aprx 1.5NM E.



## STURGEON FALLS (WEST NIPISSING GEN HOSP) ON (Heli)

CNM3

<b>REF</b>	N46 22 26 W79 54 55 Adj NE 11°W UTC-5(4) Elev 680' A5001 RCAP
<b>OPR</b>	West Nipissing Gen Hosp 705-753-3110 Cert PPR
<b>FLT PLN</b> <b>FIC</b>	NOTAM FILE CYYB London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
<b>PAD DATA</b>	86' x 86' 114' x 114' asphalt Rstd max heli length 57.5'
<b>LIGHTING</b>	RY(LO) RF(FL)
<b>COMM</b> <b>A/G</b>	Ambulance dispatch 129.275
<b>PRO</b>	Arr/dep btwn 345°-015° fr heli.




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B881

SUDBURY / RAMSEY LAKE VFR TERMINAL PROCEDURES CHART



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B882 AERODROME/FACILITY DIRECTORY

## SUDBURY ON

CYSB

<b>REF</b>	N46 37 30 W80 47 56 11NE 11°W UTC-5(4) Elev 1141' A5000 A5001 F-21 LO4 HI4 HI5 CAP	
<b>OPR</b>	Muni 705-693-2514 Cert	
<b>PF</b>	A-1,2,3,6 C-4,5	
<b>CUST</b>	AOE/15 888-226-7277 (DT 13-21Z) May 15-Sep 15; 14-22Z† Mon-Fri exc hols, Sep 16-May 14	
<b>FLT PLN</b>	NOTAM FILE CYSB	
<b>FIG</b>	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>WX</b>	METAR H24. TAF H24, issue times: 02, 08, 14 & 20Z.	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs.	
<b>FUEL</b>	100LL, FSII, JA-1, HPR (CON S IP JA-1, FSII)	
<b>OIL</b>	All	
<b>S</b>	1,2,3	
<b>ARFF</b>	5 12-04Z† O/T aprt clsd to acft 20 seats & abv, exc for diversions or as an altn A/D, without PPR.	
<b>SUP FL</b>	D & A-ice	
<b>PVT ADV</b>	Northern Aviation Services/Shell 122.95 705-693-2972 10-01Z† Sun-Fri, 10-23Z† Sat Page 24 hrs 705-671-6945; Platinum Aviation/Esso 123.35 1030-02Z† Mon-Fri, 1030-01Z† Sat & Sun O/T 705-693-2705, Fax 705-693-0304, Page 705-671-7841	
<b>MIL CON</b>	Northern Aviation Services (Shell) 705-693-2972	
<b>RWY DATA</b>	Rwy 04(040°)/22(220°) 6600x200 asphalt Rwy 12(117°)/30(297°) 5000x150 asphalt	
<b>RCR</b>	FSS CRFI/RSC avbl 11-04Z† no win maint 04-11Z† O/T call out chg, 2 hrs PNR. PLR/PCN	
<b>LIGHTING</b>	04-AO(TE HI) P2, 22-AN(TE HI), 12-AO(TE ME) P2, 30-AO(TE ME) P2	
<b>COMM</b>	<b>RADIO</b> 125.5 (V) <b>RCO</b> London rdo 123.475 (FISE) 126.7(bcst) <b>ATIS</b> 127.4 <b>MF</b> rdo 125.5 7NM 4000 ASL (CAR 602.98) <b>PAL</b> Toronto Ctr 135.5 285.7 <b>VDF</b> 125.5	
<b>NAV</b>	<b>NDB</b> SB 362 (M) N46 38 53 W80 55 22 115° 4.9NM to thld 12 Unmonitored NORANDA ZSB 344 (L) N46 41 00 W80 44 58 221° 3.5NM to thld 22 Unmonitored <b>VOR/DME</b> YSB 112.3 Ch 70 N46 37 45 W80 47 54 at A/D <b>ILS</b> ISB 110.3 (Rwy 22-04) RVR	
<b>PRO</b>	Rgt hand circuits rwys 22 & 30 (CAR 602.96).	
<b>CAUTION</b>	Extv float/ski/helicopter tfc in vic Azilda, ATF 122.8, Ramsey Lake, ATF 123.0 and Coniston A/D 8NM S, ATF 123.0.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B883

## SUDBURY / CONISTON ON

CSC9

<b>REF</b>	N46 28 56 W80 50 02 6E 11°W UTC-5(4) Elev 886' A5000 A5001 F-21	
<b>OPR</b>	Central North Flying Club 705-694-9000 Reg	
<b>PF</b>	A-1 avbl 11-02Z seasonal C-1,2,4,5 D-3,6	
<b>FLT PLN</b>	NOTAM FILE CYSB <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>SERVICES</b>	<b>FUEL</b> 100LL, SP <b>OIL</b> W80, 15W-50, 80 <b>S</b> 1,4,5,6	
<b>RWY DATA</b>	Rwy 13/31 2260x35 treated gravel Rwy 13 up 2.3% Rwy 04/22 1190x35 treated gravel <b>APRON</b> Overnight prkg fees only (waived with fuel purchase). <b>RCR</b> Opr Rwy 04/22 no win maint.	
<b>COMM</b>	<b>RCO</b> London rdo 123.475 (FISE) 126.7(bcst) <b>ATF</b> tfc 123.0 5NM 3900 ASL Excluding the Sudbury arpt CZ. <b>PAL</b> Toronto Ctr 135.5 285.7	
<b>CAUTION</b>	Aerodrome is within 8NM of CYSB, obstacles on apch to rwy 31 & rwy 04, twr aprx 1NM NW of aerodrome & twin smoke stacks aprx 400 AGL 1NM SW of aerodrome. Extv float/ski/helicopter tfc in vic Azilda, ATF 122.8 and Ramsey Lake, ATF 123.0.	

## SUDBURY (GEN HOSP) ON (Heli)

CND3

<b>REF</b>	N46 28 44 W80 59 25 Adj SE 10°W UTC-5(4) Elev 912' A5000 A5001	
<b>OPR</b>	Sudbury Gen Hosp 705-675-4795 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYSB <b>FIC</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
<b>PAD DATA</b>	86' diameter 11,200 lbs Concrete Rstd max heli length 57.5'	
<b>LIGHTING</b>	RY(LO) RF(FL) ARCAL-123.05 type J	
<b>COMM</b>	<b>A/G</b> Ambulance Dispatch 129.275 <b>ATF</b> tfc 123.0 5NM centred on Ramsey Lake water A/D 3900 ASL Excluding the Azilda ATF area and Sudbury arpt CZ.	
<b>PRO</b>	Arr/dep btwn 080°-200° fr heli.	
<b>CAUTION</b>	Extv float/ski/helicopter tfc in vic Azilda, ATF 122.8, Ramsey Lake, ATF 123.0 and Coniston, ATF 123.0.	



# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B884 AERODROME/FACILITY DIRECTORY

## SUFFIELD AB (Heli)

CYSD


<b>REF</b>	N50 16 W111 11 3NNW 15°E UTC-7(6) Elev 2525' A5005 E-16
<b>OPR</b>	DND 403-544-4310/4314 CSN 319-520-4310/4314 Mil PPR
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYSD
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>SERVICES</b>	PNR, Mil acft
<b>FUEL</b>	F-34 from British Army PPR
<b>PAD DATA</b>	130' x 375' concrete
<b>LIGHTING</b>	RF (FL)
<b>COMM</b>	
<b>TWR</b>	126.2 230.5 avbl Apr 1-Oct 31 & on irregular basis Nov 1-Mar 31
<b>MIL</b>	Range ctl 49.9 FM
<b>PRO</b>	Rwys abandoned. Parachuting from 12,500 ASL. Gliding to 4500 ASL. Adjacent to CYR 205 areas 1 & 2 which has live firing year round. Acft in vic bcst on 126.2. Avoid overflying camp & ammo compound. Touchdown heli on thld of disused rwy 22 & taxi south.



## SUMMER BEAVER ON

CJV7

<b>REF</b>	N52 42 31 W88 32 31 2.5SW 5°W UTC-5(4) Elev 833' A5017 E-17 LO3 CAP
<b>OPR</b>	Govt of Ontario 807-473-2082 Cert Opr
<b>FLT PLN</b>	NOTAM FILE CYXL
<b>FIC</b>	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
<b>RWY DATA</b>	Rwy 17(173°)/35(353°) 3500x100 gravel
<b>RCR</b>	APM 807-593-2181 14-23Z± Mon-Fri exc hols. Rwy strength & cond subject to seasonal & climatic var.
<b>LIGHTING</b>	17-(TE ME) AP, 35-(TE ME) AP ARCAL-123.2 type K
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3800 ASL
<b>CAUTION</b>	Lgtd tower 1289 ASL (525 AGL) 2.3NM NNE of A/D.



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B885

## SUMMERSIDE PE

CYSU

<b>REF</b>	N46 26 26 W63 50 01 3.5NNW 20°W UTC-4(3) Elev 56' A5003 F-22 LO8 HI6 CAP	
<b>OPR</b>	Slemon Park Corp 902-432-1760 Reg	
<b>PF</b>	B-1,2,3,5 C-1,2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYSU	
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>WX</b>	AWOS (Pvt) (see COMM)	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs.	
<b>FUEL</b>	100LL, JA-1 (CON IRVING IP JA-1, FSII) Ltd hrs contact Opr	
<b>MILCON</b>	Slemon Park Corp (Irving Oil) 902-432-1760 Ltd hrs contact Opr.	
<b>RWY DATA</b>	Rwy 06(055°)/24(235°) 8000x200 asphalt	
<b>TWY</b>	Twy B & D not lighted. No win maint twy B.	
<b>RCR</b>	Opr	
<b>LIGHTING</b>	06-AD AS(TE LO) V2 2.5°, 24-AD AS(TE LO) V2 2.5° all lighting O/R 1 hr PNR	
<b>COMM</b>		
<b>ATF</b>	UNICOM (AU) Ltd hrs O/T tfc 122.95 5NM 3100 ASL	
<b>AWOS (Pvt)</b>	122.55	
<b>NAV</b>		
<b>NDB</b>	5B 254 (M) N46 23 49 W63 52 54 059° 3.3NM to A/D Pvt	
<b>CAUTION</b>	Parajumps at A/D to 12,500'. Training areas west & south of A/D, see Moncton VTPC - Training areas.	

## SUMMERSIDE (PRINCE COUNTY HOSP) PE (Heli)

CCH6

<b>REF</b>	N46 25 04 W63 46 26 Adj 20°W UTC-4(3) Elev 39' A5003	
<b>OPR</b>	Prince County Hospital 902-438-4293 Cert	
<b>FLT PLN</b>	NOTAM FILE CYSU	
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>PAD DATA</b>	79' dia asphalt	
<b>LIGHTING</b>	FH	
<b>COMM</b>		
<b>ATF</b>	UNICOM (AU) Ltd hrs (at land A/D 2.4NM WNW) O/T tfc 122.95 5NM 3100 ASL	
<b>PRO</b>	Arr/dep 271° & 013° fr heli	
<b>CAUTION</b>	Tower 200 AGL, 225 ASL (N46 25 20 W63 46 13) 0.3NM 049° fr heli.	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B886 AERODROME/FACILITY DIRECTORY

## SUNDRE AB

CFN7

<b>REF</b>	N51 46 27 W114 40 37 2SW 17°E UTC-7(6) Elev 3656' A5005 E-15 E-16 LO2 T1 RCAP	
<b>OPR</b>	Mountain View County 403-335-3311 Reg	
<b>PF</b>	A-1 C-2,3,4,5 D-6	
<b>FLT PLN</b>	NOTAM FILE CYQF	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>SERVICES</b>		
<b>FUEL</b>	100	
<b>S</b>	2,4,5,6	
<b>RWY DATA</b>	Rwy 14(146°)/32(326°) 4285x75asphalt Thld rwy 14 displ 300'. Thld rwy 32 displ 212'. Rwy 05(056°)/23(236°) 1968x75 gravel Ltd win maint	
<b>RCR</b>	Opr Ltd win maint	
<b>LIGHTING</b>	14-(TE ME), 32(TE ME) ARCAL-123.2 type K	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM 6700 ASL	
<b>NAV</b>		
<b>NDB</b>	9G 405 (M) N51 46 48 W114 41 00 at A/D Pvt Unmonitored	
<b>CAUTION</b>	tfc at Sundre/Goodwins Farm, 1.5NM SE.	

## SUNDRE / GOODWINS FARM AB

CFZ5

<b>REF</b>	N51 44 W114 40 4S 17°E UTC-7(6) Elev 3700' A5005 E-15 E-16	
<b>OPR</b>	B. Goodwin 403-638-3215 Reg	
<b>PF</b>	A-1 C-2,3,4,5 D-6	
<b>FLT PLN</b>	NOTAM FILE CYBW	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>RWY DATA</b>	Rwy 16/34 2000x60 turf	
<b>RCR</b>	Opr Ltd maint	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 5NM centred on Sundre A/D 1.5NM NW 6700 ASL	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B887

## SUNDRE (HOSPITAL & HEALTH CARE CENTRE) AB (Heli)

CS22

<b>REF</b>	N51 48 25 W114 38 11 Adj NE 17E UTC-7(6) Elev 3589' A5005	
<b>OPR</b>	David Thompson Health Region 403-507-8112 Cert PPR	
<b>FLT PLN</b>	NOTAM FILE CYQF Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) <b>ACC</b> Edmonton IFR 888-358-7526 or 780-890-8304/8305	
<b>PAD DATA</b>	31' dia asphalt 67' x 123'. Acft max length 42.5' touchdown & lift-off area SE pad only.	
<b>LIGHTING</b>	FL(LO) PNR	
<b>COMM</b>	<b>ATF</b> tfc 123.2 5NM centred on Sundre A/D 2.5NM SSW 6700 ASL	
<b>PRO</b>	Arr/dep 287° fr SE pad, slope 16%, uses touchdown & lift-off area; 111° fr NW pad slope 16%, uses aim point; both rstd to multi-engine acft.	
<b>CAUTION</b>	Light poles: one 80' S heli 3621 ASL; one 160' S heli 3617 ASL; one 180' NW heli 3620 ASL.	

## SUNDRIDGE ON — See SOUTH RIVER / SUNDRIDGE

## SURREY / KING GEORGE AIRPARK BC

CSK8

<b>REF</b>	N49 05 42 W122 49 10 1.7SW 19°E UTC-8(7) Elev 5' VTA A5004	
<b>OPR</b>	Airflow Ultralight Aviation 604-596-7452 Reg	
<b>PF</b>	A-1 C-2,3,4,5 D-6	
<b>FLT PLN</b>	NOTAM FILE CYVR Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) <b>FIC</b>	
<b>SERVICES</b>	<b>FUEL</b> MOGAS	
<b>RWY DATA</b>	Rwy 07/25 1000x40 turf <b>RCR</b> Opr daylight hrs Soft spots in fall and winter	
<b>COMM</b>	<b>ATF</b> tfc 123.5 Irregular shape, 1NM east & west, 0.5NM north, 0.75NM south of aprt 1400 ASL	
<b>PRO</b>	Circuit rwy 25/07 alt 800 ASL. Rgt hand circuit rwy 07 (CAR 602.96). Avoid fit over Serpentine Bird Sanctuary S of airfield and Panorama Ridge to the N of airfield.	
<b>CAUTION</b>	Busy tfc area, ultra-light tng. Farm vehicles and personnel in vic. Rwy 07: 36' power pole adj SW; berm on apch. Rwy 25: berm & bldg on apch.	

# CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B888 AERODROME/FACILITY DIRECTORY

## SUSSEX NB

CCY3


<b>REF</b>	N45 41 11 W65 32 31 3SW 19°W UTC-4(3) Elev 467' A5003 F-22
<b>OPR</b>	Ross Keirstead 506-433-3554 Reg
<b>PF</b>	C-1,2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYSJ
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep
<b>RWY DATA</b>	Rwy 04/22 3200x60 treated gravel (first 600' rwy 04 treated gravel/grass)
<b>RCR</b>	No win maint
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 3400 ASL
<b>CAUTION</b>	Ocsl wildlife on rwy.



## SWAN HILLS AB

CEM5

<b>REF</b>	N54 40 15 W115 24 53 2.5S 19°E UTC-7(6) Elev 3473' A5014 E-15 E-16 LO1
<b>OPR</b>	Muni District of Big Lakes 780-523-5955 Reg
<b>PF</b>	B-1 C-2,3,4,5,6
<b>FLT PLN</b>	NOTAM FILE CYEG
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
<b>ACC</b>	Edmonton IFR 888-358-7526 or 780-890-8304/8305
<b>SERVICES</b>	
<b>FUEL</b>	JB(D) supply own pump 888-778-8765
<b>RWY DATA</b>	Rwy 10(106°)/28(286°) 4500x100 asphalt Rwy 10 down 1.21% Opr
<b>LIGHTING</b>	10-(TE ME) V1, 28-(TE ME) V1 ARCAL-123.2 type K
<b>COMM</b>	
<b>ATF</b>	tfc 123.2 5NM 6500 ASL
<b>NAV</b>	
<b>NDB</b>	4O 251 (M) N54 40 30 W115 25 28 107° 0.4NM to A/D Pvt Unmonitored



# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B889

## SWAN RIVER MB

CZJN

<b>REF</b>	N52 07 14 W101 14 11 Adj ENE 8°E UTC-6(5) Elev 1100' A5006 A5016 E-16 LO2 LO4	
<b>OPR</b>	Swan Valley Muni Aprt Comsn 204-734-4586 Cert	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYDN <b>FIC</b> Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
<b>SERVICES</b>	Call out chg may be levied after hrs 100LL, JA 14-24Z† <b>FUEL</b> 1,4,5,6 <b>S</b>	
<b>RWY DATA</b>	Rwy 02(020°)/20(200°) 3933x100 asphalt Rwy 08(078°)/26(258°) 1950x75 turf/asphalt, 850x75 asphalt, 1100x75 turf <b>RCR</b> 204-734-4586/8963 Mon-Fri 14-24Z† O/T 204-734-8963/0780/4370 Rwy 08/26 no win maint.	
<b>LIGHTING</b>	02-AS(TE LO) P1, 20-AS(TE LO) P1 ARCAL-122.8 type K	
<b>COMM</b>	<b>DRCO</b> Winnipeg rdo 123.45 (FISE) <b>ATF</b> tfc 122.8 5NM 4100 ASL	
<b>NAV</b>	<b>NDB</b> N4 350 (L) N52 06 55 W101 14 06 at A/D Pvt Unmonitored	
<b>PRO</b>	Maintain rwy centreline while S of river on apch to rwy 20 & dep rwy 02.	
<b>CAUTION</b>	Watch for gliders using rgt hand circuits (CAR 602.96).	

## SWIFT CURRENT SK

CYYN

<b>REF</b>	N50 17 31 W107 41 26 4E 13°E UTC-6 Elev 2680' A5006 E-16 LO2 HI3 CAP	
<b>OPR</b>	Swift Current Aprt Ltd 306-773-6322/6619 Cert	
<b>PF</b>	A-1 C-2,3,4,5,6	
<b>FLT PLN</b>	NOTAM FILE CYYN Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) <b>WX</b> Legacy AWOS 306-773-7516 (see COMM) TAF 11-05Z, issue times: 11, 18, 00Z.	
<b>SERVICES</b>	Fuel & oil: 14-22Z Mon-Fri exc hols O/T call out chg may be levied. <b>FUEL</b> 100LL, JA-1 <b>OIL</b> All <b>S</b> 4,5,6	
<b>RWY DATA</b>	Rwy 12(123°)/30(303°) 4250x150 asphalt Rwy 12 up 0.4% Rwy 04(036°)/22(216°) 2500x50 asphalt Rwy 22 up 0.76% <b>RCR</b> Opr 14-23Z Mon-Fri exc hols PLR/PCN	
<b>LIGHTING</b>	04-(TE LO), 22-(TE LO), 12-(TE LO), 30-AD(TE LO) ARCAL-122.3 type J	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B890 AERODROME/FACILITY DIRECTORY

## SWIFT CURRENT SK (Cont'd)

CYYN

<b>COMM</b>	<p><b>RCO</b> Edmonton rdo 123.275 (FISE) 351.3 (FISE)  <b>MF</b> tfc 122.3 (no ground station) 5NM 5700 ASL (CAR 602.98)  <b>PAL</b> Winnipeg Ctr 132.8 232.3  <b>Legacy AWOS</b> 124.7</p>
<b>NAV</b>	<p><b>VOR/DME</b> YYN 117.4 Ch 121 N50 17 50 W107 41 27 at A/D</p>

## SYDNEY NS

CYQY

<b>REF</b>	N46 09 41 W60 02 53 5ENE 20°W UTC-4(3) Elev 203' A5003 A5012 F-22 LO8 HI6 CAP OC	
<b>OPR</b>	Sydney Airport Authority 902-564-7720 Cert	
<b>PF</b>	A-1,2,6 C-3,4,5	
<b>CUST</b>	AOE/44 (200 stage off-loading), 12-21Z† Mon-Fri, 12-20Z† Sat-Sun exc hols. Gen Avn call 888-226-7277 to rpt arr.	
<b>FLT PLN</b>	NOTAM FILE CYQY	
<b>FIC</b>	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
<b>ACC</b>	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>WX</b>	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z	
<b>PIK</b>	ATB, main floor room 01051	
<b>SERVICES</b>	Call out chg may be levied for one or more svcs. Hook-up fee of \$30.00 per acft. 100LL 902-564-7723, JA-1 0730-2230Z† dly O/T PNR (PLH Aviation 902-564-8101) (CON IRVING IP JA-1, FSII) 15W50 OIL 1.2 S D & A ice SUP FL Airconsol Avn (Irving Oil) 902-564-8101 MIL CON	
<b>RWY DATA</b>	Rwy 07(066°)/25(246°) 7070x200 asphalt Rwy 01(005°)/19(185°)5997 x 150 asphalt RCR Opr CRFI, win maint 0830-04Z Mon-Fri Dec 1-Mar 31; 11-1930Z† Apr 1-Nov 30	
<b>LIGHTING</b>	01-AO(TE HI) P2, 19-AN(TE HI), 07-AN(TE HI), 25-AO(TE HI) P2 Rwy 01/19 and associated lighting ARCAL 123.2 type K. Rwy 07/25 and associated lighting ARCAL 122.0 type K. Rotating beacon, taxi and apron lights activated with either selection.	
<b>COMM</b>	<p><b>RCO</b> Charlottetown rdo 122.0 (RAAS) (U) Halifax rdo 126.7 (FISE)  <b>MF</b> Charlottetown rdo 122.0 5NM 3200 ASL (CAR 602.98)  <b>PAL</b> Moncton Ctr 118.6 266.3</p>	
<b>NAV</b>	<p><b>VOT</b> 114.8  <b>NDB</b> QY 263 (M) N46 12 41 W59 58 32 246° 3.8NM to thld 25  <b>VORTAC</b> YQY 114.9 Ch 96 N46 09 12 W60 03 21 (258') at A/D  <b>ILS</b> IQY 110.3 (Rwy 07) RVR</p>	

# CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B891

## SYDNEY (CAPE BRETON REGIONAL HOSP) NS (Heli)

CSY9

<b>REF</b>	N46 06 36 W60 10 34 Adj SE 20°W UTC-4(3) Elev 224' A5003 A5012	
<b>OPR</b>	Cape Breton Regional Hosp 902-567-7245 (Herb Martell) Reg PPR	
<b>FLT PLN</b>	NOTAM FILE CYQY <b>FIC</b> Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) <b>ACC</b> Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
<b>PAD DATA</b>	80' dia circular asphalt	
<b>LIGHTING</b>	FH	
<b>COMM</b>	<b>RCO</b> Halifax rdo 126.7 (FISE) <b>MF</b> Charlottetown rdo 122.0 5NM centred on Sydney land A/D 6.2NM NE 3200 ASL (CAR 602.98) <b>ATF</b> tfc 123.2 5NM 3200 ASL	
<b>CAUTION</b>	Tower 525 ASL 0.4NM N of heli. Power line adj N & E sides of pad.	