

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B191


DAUGHNEY YT

CFY5

REF	N60 06 11 W130 56 01 63W 25°E UTC-8(7) Elev 3250' A5021 A5028 A5099 D-12 LO5	
OPR	Govt of Yukon 867-634-2450 or 867-851-6471 Reg	
PF	C-1,2,5 (Seasonally May 15-Sep 30)	
FLT PLN	NOTAM FILE CYQH Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA) ACC Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES	S 4	
RWY DATA	Rwy 16/34 3000x100 gravel	
RCR	Opr No maint	
COMM	ATF tfc 123.2 5NM 6300 ASL	

DAUPHIN (LT. COL W.G. (BILLY) BARKER, VC APRT) MB

CYDN



REF	N51 06 03 W100 03 09 3S 7°E UTC-6(5) Elev 999' A5007 E-16 E-17 LO4 HI4 CAP
OPR	Dauphin Regional Aprt Authority 204-622-3280 Fax 204-622-3281 Cert
PF	A-1,6 C-2,3,4,5

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B192 AERODROME/FACILITY DIRECTORY

DAUPHIN (LT. COL W.G. (BILLY) BARKER, VC APRT) MB (Cont'd)


CYDN

FLT PLN	NOTAM FILE CYDN
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	Legacy AWOS 204-638-0938 (see COMM) TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA-1 Ltd hrs PNR 204-648 5330/638-1571
OIL	All
S	1(ltd), 3
RWY DATA	Rwy 14(143°)/32(323°) 5000x150 asphalt Rwy 08(083°)/26(263°) 2700x75 asphalt Rwy 02(023°)/20(203°) 2000x60 gravel
RCR	Opr No win maint rwy 02/20. 12-21Z (Nov 1-Mar 31), 12-20Z (Apr 1-Oct 31) Mon-Fri exc hols O/T 2 hrs PNR thru Winnipeg FSS. PLR/PCN
LIGHTING	08-(TE ME), 14-AD(TE ME), 26-(TE ME), 32-AD(TE ME) ARCAL-122.3 type K
COMM	
RCO	Brandon rdo 122.3 297.0 (RAAS) 12-02Z‡ Winnipeg rdo 123.375 (FISE)
MF	Brandon rdo 12-02Z‡ O/T tfc 122.3 297.0 5NM 4000 ASL (CAR 602.98)
Legacy AWOS	128.6
NAV	
NDB	DAUPHIN DN 224 (M) N51 05 53 W100 03 42 at A/D
VOR/DME	DAUPHIN YDN 116.1 Ch 108 N51 06 18 W100 03 09 (1022') at A/D
CAUTION	Expect mdt to severe turbulence & wind shear with wind fr Riding mtns.

DAVIDSON MUNI SK

CJC3

REF	N51 14 52 W105 58 35 Adj S 12°E UTC-6 Elev 2025' A5006 E-16
OPR	Town 306-567-2040/3035 Reg
PF	B-1 C-2,4,5
FLT PLN	NOTAM FILE CYXE
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 13(129°)/31(309°) 3400x65 turf
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 5100 ASL
PRO	Rgt hand circuits rwy 31 (CAR 602.96)
CAUTION	Grain elevator 360' E of rwy centreline. Ocls severe turbulence with wind fr N to E.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B193


DAVIN LAKE SK

CKW6

REF	N56 53 W103 35 11°E UTC-6 Elev 1200' A5024 D-13 E-16
OPR	Davin Lake Lodge 306-221-1288 or 306-955-3502 Reg PPR Jun 1-Aug 31
PF	B-1,2,5 PNR Opr
FLT PLN	NOTAM FILE CYVC FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES	
FUEL	MOGAS
RWY DATA	Rwy 04(039°)/22(219°) 1770x50 treated sand
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 4200 ASL



DAWSON CITY VFR TERMINAL PROCEDURES CHART



DAWSON YT — See DAWSON CITY

Sep 09

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B194 AERODROME/FACILITY DIRECTORY

DAWSON CITY YT

CYDA

REF	N64 02 32 W139 07 49 8E 26°E UTC-8(7) Elev 1215' A5028 A5034 C-9 LO5 HI2 CAP	
OPR	Govt of Yukon 867-634-2450 or 867-993-5338/5344 Cert	
PF	A-1 D-2,3,4,5,6	
CUST	AOE/30 888-226-7277 (DT 15-03Z) dly, May 16-Oct 31; 18-02Z‡ Wed-Sun, Nov 1-May 15.	
FLT PLN	NOTAM FILE CYDA	
FIC	Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
CARS	867-993-5338 Ltd hrs (see COMM)	
WX	METAR dur CARS hrs ops (see COMM). TAF 16-23Z‡ Oct 1-May 31; 15-03Z‡ Jun 1-Sep 30 issue times: 16, 18Z (DT 15, 18Z) Oct 1-May 31; (DT 15, 18, 24Z) Jun 1-Sep 30.	
SERVICES	Call out chg may be levied for one or more svcs	
FUEL	100LL, JB 16-24Z‡ Mon-Fri	
OIL	80, 100	
S	4,5,6	
RWY DATA	Rwy 02(024°)/20(204°) 5007x100 gravel	
TWY	Twys D & E clsd Sep 15-Mar 31. Twys B & C occasionally clsd dur snow removal ops. Twys B & C rstd to acft with max taxi weight 12,500 lbs or less.	
RCR	CARS, dur CARS hrs ops (see COMM) Ltd maint	
LIGHTING	02-P2 3.0°, 20-P2 4.0° P2 lghts avbl dur CARS hrs ops only. Rising terrain penetrates PAPI apch slope aprx 1.9NM fr thld rwy 02.	
COMM		
RCO	Whitehorse rdo 126.7 (FISE)	
MF	aprt rdo ltd hrs O/T tfc 122.1 5NM 4200 ASL (CAR 602.98)	
APRT RDO	122.1 (V) 14-04Z‡ Jun 1-Sep 30; 14-23Z‡ Oct 1-May 31	
NAV		
NDB	DA 214 (M) N64 01 44 W139 10 05 026° 0.9NM to A/D Unmonitored when CARS clsd	
PRO	AIRPORT RESTRICTION: Pursuant to CAR 602.96 (3) (d), aprt use rstd to daylight hrs only exc for emergencies. Only pilots auth by the Aprt Opr in accordance with the procedures in the approved Aprt Ops Manual can use the aprt dur hrs of darkness. Rgt hand circuits rwy 20 (CAR 602.96). Obtain IFR dep clnc fr Whitehorse rdo 126.7 prior to contacting aprt rdo.	
CAUTION	Hi gnd penetrates tkof/apch slopes aprx 2NM fr each end of rwy. Hang/paragliding activity near Dawson City townsite.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B195

DAWSON CREEK BC

CYDQ

REF	N55 44 32 W120 10 59 2SE 21°E UTC-7 Elev 2148' A5014 E-15 LO1 HI3 CAP	
OPR	City 250-782-3142 Cert	
PF	A-1,2,3,6 avbl 14-0230Z Mon-Fri, 16-2359Z Sat-Sun C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYDQ	
FIG	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	Legacy LWIS (see COMM) WxCam	
PIK	ATB, airside access, E side.	
SERVICES	After hrs call out chg may be levied for one or more svcs.	
FUEL	100LL, JA, FSII (Full/Self-serve, Visa, Mastercard, Amex)	
OIL	All	
S	1,4,5,6	
SUP FL	D & A-ice	
RWY DATA	Rwy 06(065°)/24(245°) 5000x150 asphalt	
RCR	Opr 15-24Z Mon-Fri, no rpt avbl Sat-Sun CRFI, PLR/PCN	
LIGHTING	06-AO (non-std 1450') (TE ME) P2, 24-AO(TE ME) P2 ARCAL-122.2 type K	
COMM		
RCO	Peace River rdo 122.2 (RAAS) 1330-0530Z emerg only 780-624-5142	
MF	Peace River rdo 122.2 1330-0530Z O/T t/c 122.2 5NM 5200 ASL (CAR 602.98)	
Legacy LWIS	128.55	
NAV		
NDB	DQ 394 (L) N55 43 40 W120 04 06 263° 3.6NM to A/D	
PRO	For IFR clnc outside of RAAS hrs phone Edmonton ACC prior to dep.	

DAWSON CREEK (FLYING L RANCH) BC

CDC3

REF	N55 49 14 W120 27 10 7.5NW 21°E UTC-7 Elev 2680' A5014 E-15	
OPR	Flying L Ranch 250-843-7270 Reg PNR	
PF	B-1 D-2,3,4,5,6	
FLT PLN	NOTAM FILE CYDQ	
FIG	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES		
S	4,5,6	
RWY DATA	Rwy 07/25 2000x75 turf Rwy 25 up 1.5%.	
RCR	Opr Ltd win maint. Rwy strength/cond subject to seasonal/climatic vars.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B196 AERODROME/FACILITY DIRECTORY

DAWSON CREEK (FLYING L RANCH) BC (Cont'd)

CDL3

COMM	
ATF	tfc 122.2 5NM 5700 ASL (Common freq with Dawson Creek A/D 10NM E).
CAUTION	Terrain rises 25' & trees to 40 AGL within 400' W thld rwy 07. Trees aprx 20 AGL along S side rwy. Anticipate turbulence on apch rwy 25.

DAYSLAND HEALTH CENTRE AB (Heli)

CDL3

REF	N52 52 08 W112 16 23 17°E UTC-7(6) Elev 2307' VTA A5015 RCAP	
OPR	Daysland Health Centre 780-374-3746 Cert PPR	
FLT PLN	NOTAM FILE CYLL	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
PAD DATA	39' dia asphalt, 64' dia FATO, 85' dia safety area.	
RCR	Opr	
LIGHTING	RY(LO)	
COMM		
ATF	tfc 123.2 5NM 5400 ASL	
PRO	N arr/dep path 013°, S arr/dep path 227°.	
CAUTION	P-lines N & E of heli.	


DAYSRING AIRPARK NS — See BRIDGEWATER / DAYSRING AIRPARK

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B197

DEASE LAKE VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B198 AERODROME/FACILITY DIRECTORY

DEASE LAKE BC

CYDL

REF	N58 25 20 W130 01 56 1.5S 24°E UTC-8(7) Elev 2600' A5021 D-12 LO5 HI2 CAP	
OPR	Dease Lake Airport Society 250-771-3261 Reg	
PF	B-1 C-2,4,5	
FLT PLN	NOTAM FILE CYDL	
FIC	Whitehorse 866-WXBRIEF (Toll free within Canada) or 866-541-4107 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	METAR 15-22Z± Mon-Fri. TAF 17-22Z±, Mon-Fri, issue times: 17, 18Z (16, 18Z DT) Legacy LWIS (see COMM)	
SERVICES		
FUEL	100LL, JB 250-771-5911 or 771-4400	
S	4	
RWY DATA	Rwy 02/20 6000x90 asphalt Thld 20 displ 400'. First 1600' rwy 02 up 1.5%	
RCR	Pacific Western Heli 250-771-5911 Ltd win maint	
LIGHTING	02-AS (TE ME) P2 4°, 20-AS (TE ME) P2 4° ARCAL-123.2 type K exc RILS on high setting only. Ngt ops are not recommended unless all 3 hazard bcns are oprg.	
COMM		
RCO	Whitehorse rdo 126.7 (FISE)	
ATF	tfc 123.2 5NM 5600 ASL	
Legacy LWIS	128.7	
NAV		
NDB	YDL 200 (M) N58 27 14 W129 59 46 180° 1.7NM to A/D	
PRO	Rgt hand circuits rwy 02 (CAR 602.96). Ngt circuits 3800 ASL (1200 AGL). Ngt circuit pro depicted on VTPC.	
CAUTION	Only pilots familiar with lcl terrain should use this aprt dur hrs of darkness.	

DEBDEN SK

CKH3

REF	N53 31 55 W106 53 02 Adj N 13°E UTC-6 Elev 1700' aprx A5015 E-16	
OPR	Town 306-724-2040 Reg	
PF	B-1,2 C-5	
FLT PLN	NOTAM FILE CYP A	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES	For svcg 306-724-2035/2165	
FUEL	MG-1	
S	4	
RWY DATA	Rwy 13(128°)/31(308°) 3000x100 turf Rwy 13 slopes down.	
RCR	Opr O/T 724-2035 Ltd win maint	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B199

DEBDEN SK (Cont'd)

CKH3

COMM	
ATF	tfc 123.2 5NM 4700 ASL
PRO	Rgt hand circuits rwy 31 (CAR 602.96).
CAUTION	Berm aprx 10' high 100' NW of thld 13.

DEBERT NS

CCQ3

REF	N45 25 07 W63 27 38 20°W UTC-4(3) Elev 142' A5003 F-22 LO8 HI6 CAP	
OPR	Colchester Regional Development Agency 902-662-2228/890-1269 Reg	
PF	B-1 C-2,3 D-4,5,6	
FLT PLN	NOTAM FILE CYHZ	
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by Fax 506-867- 7180 & include phone numbers where pilot can be reached prior to dep	
SERVICES		
FUEL	100LL	
OIL	15W50	
RWY DATA	Rwy 05(049°)/23(229°) 3000x150 asphalt Rwy 09(092°)/27(272°) 5000x150 asphalt Rwy 16(155°)/34(335°) 5000x150 asphalt Thld 16 displ 500'.	
RCR	Opr Ltd win maint	
LIGHTING	09-(TE ME), 27-(TE ME) ARCAL 122.8 type J PNR	
COMM		
ATF	UNICOM ltd hrs O/T tfc 123.0 5NM 3100 ASL	
ARR	Halifax Tml 119.2	
DEP	Halifax Tml 119.2	
PRO	Rgt hand circuits auth for gliders & tow planes (CAR 602.96). DO NOT OVERFLY AERODROME dur glider ops. Preferred rwy 23 gliders, rwy 27 others, winds permitting. Glider ops 123.0 dur glider activity.	
CAUTION	GLIDER: Glider activity Jun-Aug. Vehicle & acft launching. TWYS: All twys ruf. PARADROPS: Paradrrops Jan to May & Sep to Dec below 12,500 ASL within 2NM. RWY: Rwy 05/23 surfaces deteriorating. 2000' abandoned portion of rwy 05/23 suitable for taxi only.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B200 AERODROME/FACILITY DIRECTORY

DEBOLT AB

CFG4


REF	N55 14 W118 02 1N 20°E UTC-7(6) Elev 2120' A5014 E-15
OPR	Municipal District of Greenview 780-524-7601 Reg
PF	A-1 D-2,3,4,5,6
FLT PLN	NOTAM FILE CYQU
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 07(070°)/25(250°) 2950x75 turf
RCR	Opr Clsd 1 Oct thru 30 Apr Ltd maint
COMM	
ATF	tfc 123.2 5NM 5200 ASL



DEEP RIVER / ROLPH ON

CPH2

REF	N46 07 W77 32 2NW 13°W UTC-5(4) Elev 490' A5001 F-21
OPR	A.H. Smith 613-584-4576 Reg
PF	B-1,2,5 C-3,4,6
FLT PLN	NOTAM FILE CYTA
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 15/33 2700x150 turf
RCR	Opr Ltd win maint. Soft when wet.
COMM	
ATF	tfc 122.8 5NM 3500 ASL



DEERHURST RESORT ON — See HUNTSVILLE / DEERHURST RESORT


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B201

DEER LAKE NL

CYDF



REF	N49 12.39 W57 23.29 3NNE 22°W UTC-3 1/2(21/2) Elev 72' A5011 A5012 E-19 F-22 LO8 HI1 HI6 CAP
OPR	Deer Lake Regional Airport Authority Inc. 709-635-3601 Cert
PF	A-1,2,3,6 C-4,5
FLT PLN	NOTAM FILE CYDF
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Gander 709-651-5225 or 888-751-5225. Flt plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
WX	METAR H24. TAF H24, issue times: 02, 08, 14, 20Z.
PIK	ATB, 2nd Floor room 0231, airside access.
SERVICES	
FUEL	100LL, JA-1 (CON IRVING IP JA-1, FSII)
OIL	All
ARFF	6 0830-0430± dly for arr/dep all sked CAT 6 acft, 5 0830-0430± dly for arr/dep all sked CAT 3,4, and 5 acft O/T aprt clsd to acft 20 seats & abv, exc for diversions or as an altn A/D without PPR, svcs avbl for non sked acft 2 hrs PNR.
MIL CON	Airconsol Avn (Irving Oil) 709-635-5402
PVT ADV	Nalair 122.85 709-635-3574 fax 709-635-3901

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B202 AERODROME/FACILITY DIRECTORY

DEER LAKE NL (Cont'd)

CYDF

RWY DATA	Rwy 07(069°)/25(249°) 6000x150 asphalt Rwy 25 down 0.38% Rwy 07 RVR 1200(1/4sm)/25 RVR 1200(1/4sm)
PAD DATA	Two 50' dia pads.
TWY	Twy B 49' wide.
RCR	Opr CRFI 0830-0430Z†. No win maint 0430-0830Z† O/T 2 hrs PNR PLR/PCN
LIGHTING	07-AD (non-std 2600') AS (TE HI) P2, 25-AN (TE HI)
COMM	
RADIO	122.2 239.6 (E) (emerg only 709-635-2848)
RCO	Halifax rdo 126.7 (FISE)
MF	rdo 122.2 5NM 3100 ASL (CAR 602.98)
PAL	Gander Ctr 134.6
VDF	122.2
NAV	
NDB	DF 350 (M) N49 10 48 W57 27 26 078° 2.7NM to thld 07 JUNCTION FK 335 (L) N49 15 47 W57 18 29 249° 4.0NM to thld 25
VOR/DME	YDF 113.3 Ch 80 N49 13 57 W57 12 48 (470') 280° 7NM to A/D
ILS	IDF 110.3 (Rwy 25-07) LOC (Back Course) reliable only within 25° either side of LOC centreline
CAUTION	Water tower 1NM N of threshold rwy 25, 225 ASL.

DEER LAKE ON

CYZV

REF	N52 39 21 W94 03 41 3N 1°E UTC-6(5) Elev 1092' A5017 E-17 LO3 LO4 CAP RCAP	
OPR	Govt of Ontario 807-473-2082 Cert opr 14-23Z† Mon-Fri exc hols	
PF	C-1,4	
FLT PLN	NOTAM FILE CYXL	
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
RWY DATA	Rwy 13(127°)/31(307°) 3506x100 gravel Rwy 13 up 0.81%	
RCR	APM 807-775-2003 14-23Z† Mon-Fri exc hols. Rwy strenght & cond subject to seasonal & climatic var.	
LIGHTING	13-(TE LO) AP, 31-(TE LO) AP ARCAL-122.8 type K for APAPI, rwy lgts low ints only.	
COMM		
ATF	tfc 122.8 5NM 4100 ASL	
NAV		
NDB	YZV 201 (L) N52 38 56 W94 03 26 at A/D Unmonitored	

DEER LAKE FSS-RCO

St. Anthony 122.3 (RAAS) (N51 23 31 W56 04 59)

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B203

DEL BONITA / WHETSTONE INTL AB

CEQ4

REF	N48 59 55 W112 46 35 2S 16°E UTC-7(6) Elev 4335' A5005 E-15 E-16	
OPR	Montana Aeronautics Division 406-444-2506 Reg	
CUST	AOE/15 888-226-7277; U.S. cust 406-336-2130 (DT15-04Z) Jun 1-Sep 15; 16-01Z† Sep 16-May 31	
FLT PLN FIC	NOTAM FILE CYQL Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 07(074°)/25(254°) 4363x65 turf Opr Ltd win maint	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 7400 ASL	
CAUTION	Twy/prkg area W of thld rwy 07 along extended rwy centreline.	

DE LESSEPS LAKE ON

CKF9

REF	N50 43 03 W90 41 01 2°W UTC-6(5) Elev 1312 aprx A5008 E17	
OPR	Guardian Eagle Resort 807-584-2943/ 737-2267 Reg PPR	
PF	B-1,2,5 PNR Opr May 1-Sep 30	
FLT PLN FIC	NOTAM FILE CYPL Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
SERVICES FUEL OIL S	PNR Opr 100LL Shell 15W50 5	
RWY DATA RCR	Rwy 08(079°)/26(259°) 3020x70 concrete/gravel. Rwy 08/26 900x70 concrete, 1520x70 gravel, 600x70 concrete Opr No win maint. Rwy rises fr both thlds towards mid-point.	
COMM UNICOM	Ltd hrs O/T tfc 122.8 5NM 4400 ASL	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B204 AERODROME/FACILITY DIRECTORY

DÉLINE NT

CYWJ

REF	N65 12 40 W123 26 11 1.4NW 28°E UTC-7(6) Elev 703' A5035 C-10 LO5 CAP	
OPR	Govt of Northwest Territories (Norman Wells) 867-587-2451 Emerg/Incident rpt ctc Govt of Northwest Territories 877-989-1400 Cert	
PF	C-1,2,4	
FLT PLN	NOTAM FILE CYWJ	
FIG	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
CARS	867-589-3033 Ltd hrs (see COMM)	
WX	METAR dur CARS hrs of ops (see COMM). TAF 15-00Z‡, Mon-Sat, issue times: 1510, 1740Z (DT 1410 -1740Z).	
RWY DATA	Rwy 07(074°)/25(254°) 3933x100 gravel Rwy 25 up 0.7%, last 2000' up 0.3%	
RCR	Opr Win maint 16-24Z‡ Mon-Fri exc hols O/T 2 hrs PNR 867-587-2555 & call out chg may be levied.	
LIGHTING	07-AS(TE ME) AP, 25-AS(TE ME) AP ARCAL-122.1 type K APAPI avbl only dur CARS hrs ops.	
COMM		
MF	aprt rdo ltd hrs O/T tfc 122.1 5NM 3700 ASL (CAR 602.98)	
APRT RDO	122.1 (V) 14-00Z‡ Mon-Sat, 18-23Z‡ Sun, exc hols	
NAV		
NDB	WJ 287 (L) N65 11 13 W123 25 07 314° 1.5NM to A/D	
CAUTION	Caribou may be on or in vic rwy.	

DELORAINÉ MB

CJJ4

REF	N49 09 02 W100 30 02 3S 8°E UTC-6(5) Elev 1684' A5007 E-16 E-17 LO4 CAP	
OPR	Delorainé Flying Club 204-747-2018/4011/2256/2550 Fax 204-747-2927 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYBR	
FIG	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)	
SERVICES	For svcs ctc opr	
FUEL	100LL	
OIL	80, 100, 20W50	
S	4,5,6	
RWY DATA	Rwy 08(082°)/26(262°) 3980x75 asphalt Rwy 08 up 0.31%. Rwy 17(172°)/35(352°) 2218x100 turf/gravel Rwy 17 up 0.41%.	
RCR	Opr Rwy 17/35 ltd win maint.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009


AERODROME/FACILITY DIRECTORY B205

DELORAINÉ MB (Cont'd)

CJJ4

LIGHTING	08-(TE LO), 17-(TE LO), 26-(TE LO), 35-(TE LO) Rwy 08/26 rwy lghts lctd 12.5' outside of rwy edge. ARCAL - 122.8 activates only rwy alignment strobes (4 lghts) rwy 26 and (3 lghts) rwy 08 (5 clicks on, 3 clicks off)
COMM	ATF tfc 122.8 5NM 4700 ASL
CAUTION	Rising terrain S of A/D.

DELTA / DELTA HERITAGE AIR PARK VFR TERMINAL PROCEDURES CHART




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B206 AERODROME/FACILITY DIRECTORY

DELTA / DELTA HERITAGE AIR PARK BC

CAK3



REF	N49 04 25 W122 56 28 4.5E 19°E UTC-8(7) Elev 10' VTA A5004 E-15
OPR	Recreational Aircraft Association, Chap 85 (Dapcom), 604-543-8894 Reg PPR by phone 604-878-9050
PF	B-1 C-2,3,6 D-4,5
FLT PLN	NOTAM FILE CYVR
FIG	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
S	4,5
RWY DATA	Rwy 07/25 2600x75 turf
RCR	Opr No win maint
COMM	
ATIS	Boundary Bay 125.5
ATF	tfc 123.3 2NM below 1000 ASL Excluding that portion which penetrates Boundary Bay class "C" airspace.
PRO	
HELI	Heli tng not auth.
NOISE	NOISE ABATEMENT PROCEDURES: Rwy 25 Dep: Rgt hand circuit (CAR 602.96). When safe hdg 280° climb til vic of tree lined ditch then proceed via vic of tree lined ditch to downwind. Avoid noise sensitive area. Refer to VTPC. Rwy 07 Arr: From downwind, turn on base leg vic of tree lined ditch til S of railway tracks then hdg 100° to intercept final apch. Avoid noise sensitive area. Refer to VTPC. Remain below 1000 ASL, circuit alt 600 ASL. Downwind dep auth rwy 25 at 600 ASL. No southbound dep until clear of circuit to E. Avoid fit over dike and adj water area below 600 ASL. Boundary Bay A/D 2.5NM W, obtain clnc prior to entering Boundary Bay CZ. Procedures for crossing the Southern Strait of Georgia within Tml Class C airspace refer to Vancouver Intl VTPC for crossing the Southern Strait of Georgia.
CAUTION	Extremely confined circuit. Trees 750' from thld rwy 07, trees adj to thld rwy 25. Acft unable to conform to noise abatement procedures should avoid the airpark.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009


AERODROME/FACILITY DIRECTORY B207

DELTA HERITAGE AIR PARK BC — See DELTA / DELTA HERITAGE AIR PARK

DE WINTON (HIGHWOOD) AB (Heli)

CE06


REF	N50 48 11 W113 53 34 5ESE 17°E UTC-7(6) Elev 3435' VTA A5005 E-15 E-16
OPR	418682 Alberta Ltd 403-938-7582 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYBW
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
PAD DATA	100'X125' concrete and turf
RCR	Opr
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 6500 ASL
PRO	Arr/Dep btwn 075°-115° fr heli



DE WINTON / SOUTH CALGARY AB

CEH4

REF	N50 49 19 W113 49 28 7E 17°E UTC-7(6) Elev 3355' VTA A5005 E-15 E-16
OPR	Cordillera Petroleum of Canada Ltd 403-243-5326 Reg PPR
PF	D-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYBW
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 10/28 3015x150 asphalt Rwy 16/34 2931x150 asphalt
RCR	Opr No win maint
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 6400 ASL
CAUTION	Rwy 10/28 and 16/34 sfcs deteriorating.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B208 AERODROME/FACILITY DIRECTORY

DIAVIK NT

CDK2

REF	N64 30 41 W110 17 22 20°E GV130°E UTC-7(6) Elev 1413' A5036 C-10 L05 HI2 RCAP	
OPR	Diavik Diamond Mines 867-766-5456/5936/5400 Reg PPR	
FLT PLN	NOTAM FILE CYZF	
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
RWY DATA	Rwy 10T(099°T)/28T(279°T) 5235x167 gravel	
RCR	Opr	
LIGHTING	10T-AN (TE HI) P3, 28T-AN (non-std 1500') (TE HI) P3	
COMM		
ATF	UNICOM ltd hrs O/T tfc 122.7 25NM centred on Ekati A/D 5000 ASL	
NAV		
NDB	DIHAVIK 2Z 382 (M) N64 30 35 W110 18 36 at A/D Pvt	
DME	DIHAVIK IDK 111.3 Ch 50 (X) N64 30 31 W110 18 22 at A/D Pvt	
LOC	LOC IDK 111.3 (Rwy 10T) N64 30 35 W110 16 02 (Pvt); LOC IDV 111.3 (Rwy 28T) N64 30 46 W110 18 44 Pvt	
CAUTION	High density tfc - see EKATI-DIAVIK VTPC. Caribou may be on or in vic rwy. Blasting area 0.5NM SSE A/D sfc to 2500 ASL and 14NM NW A/D (EKATI) sfc to 2600 ASL. Blasting and all clear announcements on DIAVIK unicom 122.7. Stockpile S of rwy to 1634 ASL.	

DIDSBURY AB — See OLDS-DIDSBURY

DIDSBURY / MINTY FIELD AB

CDM2

REF	N51 39 12 W114 21 04 8W 17°E UTC-7(6) Elev 3483' A5005 E-16	
OPR	C Minty 403-335-9875 Reg PPR	
PF	B-1 D-4,5	
FLT PLN	NOTAM FILE CYBW	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	RWY 17(169°)/35(349°) 2450x36 turf Rwy 35 up 0.82%	
RCR	Opr	
COMM		
ATF	tfc 123.2 3NM 6500 ASL	
CAUTION	P-Lines 26' AGL at both thlds.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B209

DIDSBURY (VERTICAL EXTREME SKYDIVING) AB

CDV4

REF	N51 38 05 W114 06 40 2SSE 17°E UTC-7(6) Elev 3557' A5005	
OPR	Vertical Extreme Skydiving 403-968-4687 Fax 403-335-8143 Reg PPR	
PF	B-1 C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYBW	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES		
FUEL	100LL	
RWY DATA	Rwy 14(145°)/32(325°) 2137x80 Turf	
RCR	Opr	
COMM		
ATF	tfc 123.2 3NM 6600 ASL	
CAUTION	150' lgt tower E of thld rwy 14. Terrain south of A/D drops significantly.	

DIGBY NS

CYID

REF	N44 32 44 W65 47 20 4.5S 19°W UTC-4(3) Elev 499' A5003 F-22 LO8 CAP	
OPR	Muni of the District of Digby 902-245-5885 Cert	
PF	A-1 C-2,3,4,5	
FLT PLN	NOTAM FILE CYQI	
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)	
ACC	Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
SERVICES		
FUEL	100LL	
OIL	W65, W100, 15W50, 20W50	
RWY DATA	Rwy 06(062°)/24(242°) 3950x75 asphalt Rwy 06 up 1.0%	
RCR	Opr Win maint 12-24Z± O/T Contact opr PNR	
LIGHTING	06-(TE LO), 24-(TE LO) ARCAL-122.8 type J (includes A/D rotating beacon)	
COMM		
ATF	UNICOM 122.8 5NM 3500 ASL	
NAV		
NDB	Y9 220 (L) N44 32 51 W65 47 21 at A/D Pvt Unmonitored	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B210 AERODROME/FACILITY DIRECTORY

DIGBY (GEN HOSP) NS (Heli)

CDG2

REF	N44 36 58 W65 45 43 Adj SW 19°W UTC-4(3) Elev 105' A5003	
OPR	Digby Gen Hosp 902-245-2501 Cert PPR	
FLT PLN	NOTAM FILE CYQI FIC Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) ACC Moncton 506-867-7176 or 866-480-8200 Fit Plns by Fax 506-867-7180 & include phone numbers where pilot can be reached prior to dep	
PAD DATA	79' circular asphalt (rstd to heli with max overall length of 52.5').	
LIGHTING	FH	
COMM	ATF UNICOM 122.8 at Digby land A/D 4.2NM SW	
PRO	Arr/Dep btwn 185° & 265° fr heli.	

DINSMORE SK

CKX5

REF	N51 19 50 W107 26 15 Adj E 13°E UTC-6 Elev 1900' A5006 E-16	
OPR	Town 306-846-2220/4509 Fax 306-846-2999 Reg	
PF	B-1 C-2,4,5	
FLT PLN	NOTAM FILE CYXE FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 04(043°)/22(223°) 2150x75 turf RCR Opr Ltd win maint	
COMM	ATF tfc 123.2 5 NM 4900 ASL	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B211

DOAKTOWN NB

CDU6

REF	N46 33 09 W66 05 38 2.3NE 19°W UTC-4(3) Elev 326 A5003 F-22 RCAP
OPR	J.D. Irving Woodlands 506-632-7777 Reg PPR
PF	C-1,2 D-3,4,5,6
FLT PLN	NOTAM FILE CYQM
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flight plans by fax 506-867-7180 & include phone numbers where pilots can be reached prior to dep



RWY DATA	Rwy 11(114°)/29(294°) 3996x49 asphalt
RCR	Opr No win maint


COMM	
ATF	tfc 123.2 5NM 3400 ASL

CAUTION Storage tanks 1050' from thld rwy 29 right side. Tanker operations dur sum months.

DOIG AB

CFX3

REF	N56 57 W119 31 22°E UTC-7(6) Elev 3500' A5022 D-12 D-13
OPR	Alberta Sustainable Resource Development, Forest Protection Division Peace River 780-624-6190 Reg
FLT PLN	NOTAM FILE CYXJ
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 10(103°)/28(283°) 3000x50 turf
RCR	Opr Ltd maint. No win maint.
COMM	
ATF	tfc 123.2 5NM 6500 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B212 AERODROME/FACILITY DIRECTORY

DOLBEAU-ST-FÉLICIEN QC

CYDO

REF	N48 46 42 W72 22 30 8.5SW 18°W UTC-5(4) Elev 372' A5010 E-18 F-21 LO7 HI1 HI5 HI6 CAP	
OPR	Régie Intermunicipale de l'Aprt 418-679-5516/3543/4306 Reg	
PF	A-1,2 (ltd hrs) C-3,4,5,6 D-2	
FLT PLN	(bil) NOTAM FILE CYRJ	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 800-633-1353	
SERVICES		
FUEL	100LL, JA-1 418-679-1651	
OIL	All	
S	1,2,3,4,5,6	
RWY DATA	Rwy 11(112°)/29(292°) 4971x100 asphalt	
RCR	418-679-3543/5516	
LIGHTING	11-AD AS(TE ME), 29-AS(TE ME) AS O/R (both rwys) ARCAL-122.7 type J	
COMM	(bil)	
ATF	UNICOM 14-22Z± O/T tfc 122.7 5NM 3400 ASL	
NAV		
NDB	DOLBEAU D8 386 (L) N48 47 01 W72 28 04 113° 3.3NM to thld rwy 11 Pvt	
CAUTION	Ultra-light activities.	

DOLBEAU-ST-MÉTHODE QC — See DOLBEAU-ST-FÉLICIEN

Sep 09

DOLBEAU-MISTASSINI/POTVIN HELI-BASE QC (Heli)

CPH4

REF	N48 55 51 W72 12 18 18°W UTC-5(4) Elev 425' A5010
OPR	R. Potvin 418-671-1222 Reg PPR
FLT PLN	NOTAM file CYRJ
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
PAD DATA	24' x 60' asphalt
RCR	Opr
COMM	
ATF	tfc 123.2 5NM 3500 ASL

DONALDSON QC — See KATTINIQUÉ / DONALDSON

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B213

DONNELLY AB

CFM4


REF	N55 42 34 W117 05 40 1.5S 20°E UTC-7(6) Elev 1949' A5014 E-15
OPR	Smoky River Aprt Comsn 780-837-2623/2221 Reg
PF	B-1 D-2,3,4,5
FLT PLN	NOTAM FILE CYPE
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 07(070°)Y25(250°) 2953x75 asphalt
RCR	Opr Ltd maint
LIGHTING	07-(TE ME), 25-(TE ME) ARCAL-123.2 type K
COMM	
ATF	tfc 123.2 5NM 5000 ASL
NAV	
NDB	3Y 234 (L) N55 42 38 W117 05 59 at A/D Pvt Unmonitored
DME	3Y 108.2 Ch 19 N55 42 40 W117 05 57 at A/D Pvt Unmonitored



DORE LAKE SK

CJE2

REF	N54 37 W107 23 Adj S 14°E UTC-6 Elev 1565' A5015 E-16
OPR	Ministry of Hwys & Infrastructure 306-953-3263 Reg
PF	C-1,2,5
FLT PLN	NOTAM FILE CYP A
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 12(117°)Y30(297°) 3000x75 turf
RCR	Area Office 306-953-3550 or Opr. Rwy clsd Nov 1-May 1. No win maint Rwy strength & cond subject to seasonal and/or climatic vars
COMM	
ATF	tfc 123.2 5NM 4600 ASL
CAUTION	Terrain rises rapidly SE of thld rwy 30. Twr 136 AGL 1.3NM W.



DOUGALL CAMPBELL FIELD BC — See OIE LAKE / DOUGALL CAMPBELL FIELD

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B214 AERODROME/FACILITY DIRECTORY

DOUGLAS LAKE BC

CAL3


REF	N50 10 W120 11 Adj E 19°E UTC-8(7) Elev 2700' A5004 E-15
OPR	Douglas Lake Cattle Co 250-350-3344 Reg PPR
FLT PLN	NOTAM FILE CYKA
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
RWY DATA	Rwy 08/26 4600x40 asphalt
RCR	Opr
COMM	
ATF	tfc 123.2 5NM 5700 ASL



DOWNS GULCH NB

CDV2

REF	N47 45 13 W67 25 34 7.5N 19°W UTC-4(3) Elev 883' A5003 F-22 RCAP
OPR	J.D. Irving Woodlands 506-632-7777 Reg PPR
PF	D-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYCL
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Moncton 506-867-7176 or 866-480-8200 Flt Plns by fax 506-867-7180 & include phone nos where pilots can be reached prior to dep
RWY DATA	Rwy 05(051°)/23(231°) 4003x47 asphalt Rwy 23 down 0.66%.
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 3900 ASL



DOWNSVIEW ON — See TORONTO / DOWNSVIEW

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B215

DRAYTON VALLEY (HEALTH CENTRE) AB (Heli)

CFV9

REF	N53 12 42 W114 58 14 18°E UTC-7(6) Elev 2879' A5014 A5015 RCAP	
OPR	Drayton Valley Health Ctr 780-621-4925 Cert PPR	
PF	C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYEG	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
PAD DATA	65' dia asphalt 85' dia	
LIGHTING	DR RY(LO) PNR	
COMM	ATF UNICOM ltd hrs O/T tfc 122.8 5NM centered on Drayton Valley Industrial A/D 3.3NM N 5800 ASL	
PRO	Two arr/dep paths brg 198° & 049° fr heli Slope 16%. To be used by multi engine acft only.	
CAUTION	Antenna twr aprx 200' WNW heli 2970 ASL (250 AGL).	

DRAYTON VALLEY INDUSTRIAL AB

CER3

REF	N53 15 57 W114 57 37 2.5NE 18°E UTC-7(6) Elev 2776' A5014 A5015 E-15 E-16 LO2	
OPR	Town 780-514-2200/0297 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYEG	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES	FUEL 100 S 1,2,4,5	
RWY DATA	Rwy 14(143°)/32(323°) 5066x75asphalt Thld 14 displ 761'. Thld 32 displ 344'. RCR Opr Ltd maint	
LIGHTING	14-(TE LO) AP, 32-(TE LO) AP ARCAL-122.8 type J	
COMM	ATF UNICOM ltd hrs O/T tfc 122.8 5NM 5800 ASL	
NAV	NDB 3M 385 (L) N53 15 59 W114 57 18 at A/D Pvt	
CAUTION	Acft on opposite ends of rwy may not be visible to each other. Wild animals may stray onto rwy. Rdo controlled acft below 500 AGL aprx 1.4NM NE thld rwy 14.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B216 AERODROME/FACILITY DIRECTORY

DRUMHELLER (HEALTH CENTRE) AB (Heli)

CDH2

REF	N51 28 09 W112 43 42 Adj NW 16°E UTC-7(6) Elev 2246' VTA A5005 RCAP	
OPR	David Thompson Health Region	
FLT PLN	NOTAM FILE CYBW	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
PAD DATA	65' dia asphalt 85' dia Acraft max length 42.5'	
LIGHTING	RY(LO) PNR	
COMM		
ATF	UNICOM 122.8 ltd hrs O/T tfc 122.8 5NM centered on Drumheller Muni A/D 1.8NM NW 5600 ASL	
PRO	Arr/dep btwn 015°-245° fr heli; slope 8%	

DRUMHELLER MUNI AB

CEG4

REF	N51 29 47 W112 44 55 3NW 16°E UTC-7(6) Elev 2597' VTA A5005 E-15 E-16 LO2 CAP T1	
OPR	Town 403-823-3000 Reg	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYBW	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
SERVICES	Call out chg unless prior arngs made	
FUEL	100LL	
S	4,5,6	
RWY DATA	Rwy 16(164°)/34(344°) 3500x75 asphalt	
RCR	403-823-3000	
LIGHTING	16-(TE LO), 34-(TE LO) ARCAL-122.8 type K	
COMM		
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 5600 ASL	
NAV		
NDB	5V 395 (M) N51 30 09 W112 45 03 152° 0.4NM to A/D Pvt	
DME	5V 110.0 Ch 37 N51 30 06 W112 45 03 (2625') at A/D Pvt	
PRO	Pilots are to phone Edmonton FIC for IFR clnc prior to dep.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B217

DRUMHELLER / OSTERGARD'S AB

CDO2

REF	N51 17 40 W112 36 49 10NM SSE 16°E UTC-7(6) Elev 2900 VTA A5005 E-15 E-16	
OPR	Ostergard's Seed Farm Ltd 403-823-9326 Reg	
PF	B-1 D-2,3,4,5,6	
FLT PLN	NOTAM FILE CYBW	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
RWY DATA	12(120°)/30(300°) 2400x75 turf	
RCR	Opr Ltd win maint	
COMM		
ATF	tfc 123.2 5NM 5900 ASL	
CAUTION	Unmarked pwr lines 1/4NM N thld rwy 12. 4' fence 100' fr thld rwy 30. Farm bldg adj NE thld rwy 12. Deer in vic of rwy. Farm machinery may be maneuvering on rwy.	

DRUMMONDVILLE QC

CSC3

REF	N45 50 43 W72 23 41 4ESE 16°W UTC-5(4) Elev 365' A5002 F-21 LO6 LO7 LO8 CAP	
OPR	Corp de l'aéroport Régional de Drummondville 819-472-1011 Reg	
PF	B-1 C-2,3,4,5,6	
CUST	AOE/15 888-226-7277 13-2130Z± Mon-Fri exc hols	
FLT PLN	(bil) NOTAM FILE CYSC	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 800-633-1353	
SERVICES	Call out chgs	
FUEL	100LL, JA	
OIL	80, 100, 15W50	
S	1,2,4,5,6	
RWY DATA	Rwy 06/24 4000x75 asphalt	
RCR	Opr Ltd win maint	
LIGHTING	06-(TE HI), 24-(TE HI) P1 ARCAL-122.8 type K	
COMM	(bil)	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 3400 ASL	
NAV		
NDB	Y8 401 (L) N45 50 50 W72 23 56 140° 0.2NM to A/D	
PRO	Glider activity in the vic of A/D sfc up to 3000 ASL Sat-Sun & hols days fr mid-May to mid-Jun & fr mid-Aug to the end of Oct.	
CAUTION	Possibility of deer on rwy at night.	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B218 AERODROME/FACILITY DIRECTORY

DRYDEN BEST WESTERN ON (Heli)


CKV3

REF	N49 47 W92 50 Adj N 0° UTC-6(5) Elev 1200' aprx A5007
OPR	Best Western Motor Inn 807-223-3201 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYHD
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
PAD DATA	50' x 50' Rstd max heli length 33.3'
COMM	MF Sioux Lookout rdo 122.1 5NM centred on Dryden Regional A/D 4.5NM NE 4400 ASL (CAR 602.98).
CAUTION	Smoke stacks N49 46 57 W92 50 44, 365 AGL 1600 ASL 0.5NM W of heli.



DRYDEN REGIONAL ON

CYHD



REF	N49 49 54 W92 44 39 4.3NE 0° UTC-6(5) Elev 1354' A5007 E-17 LO4 HI4 CAP
OPR	City 807-937-4959 Cert
PF	A-1,6 avbl 1130-05Z‡ B-1 C-2,3,4,5
CUST	AOE/15 888-226-7277 1430-2230Z‡ seasonal May 18-Sep 21.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B219

DRYDEN REGIONAL ON (Cont'd)


CYHD

FLT PLN	NOTAM FILE CYHD
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	Legacy AWOS (See COMM) TAF H24, issue times: 02, 08, 14, 20Z.
PIK	ATB, Main floor room 119 dur hr of ops.
SERVICES	PNR and svc chg apply for after hr svc
FUEL	100LL, JA, FSII May 1-Sep 15 13-02Z†; Sep 16-Nov 01 14-24Z† Mon-Fri, 14-22Z† Sat-Sun; Nov 02-Apr 01 14-22Z† Mon-Fri, 14-18Z† Sat-Sun; Apr 02-Apr 30 14-23Z†. CTC 807-221-8032 or 1-866-812-5443 or Fax 807-937-5122.
OIL	20W50 and TURBO 2380 only
S	1(ltd),2,3,4,5,6
RWY DATA	Rwy 12(115°)/30(295°) 6000x150 asphalt Thld 30 displ 200'. Rwy 06(055°)/24(235°) 2000x75 sand
RCR	Opr CRFI, No win maint rwy 06/24. PLR/PCN
LIGHTING	12-AS(TE HI) P1, 30-AD(TE HI) P1 ARCAL-122.1 type K
COMM	
RCO	Sioux Lookout rdo 122.1 (RAAS)
MF	Sioux Lookout rdo 122.1 5NM 4400 ASL (CAR 602.98)
PAL	Winnipeg Ctr 132.2 245.0
A/G	MNR Ops 122.9
Legacy AWOS	128.7
NAV	
NDB	YHD 413 (L) N49 51 52 W92 50 57 115° 4.1NM to thld 12 BARCLAY ZHD 399 (L) N49 48 03 W92 38 41 296° 3.8NM to thld 30
DME	IHD 109.7 Ch 34 N49 50 06 W92 44 59 (1349')
ILS	IHD 109.7 (Rwy 12) RVR
CAUTION	Rock outcrop 740' from dep end of rwy 12, 690' rgt of centreline 1465 ASL. Wildlife frequently on rwy. Aerobatics may be in progress on aprt 4400 ASL & below.

DUNCAN BC

CAMB3

REF	N48 45 30 W123 43 00 Adj SSW 19°E UTC-8(7) Elev 300' VTA A5004 E-15
OPR	Duncan Flying Club 250-216-8001 Reg
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	
S	4,5
RWY DATA	Rwy 13/31 1520x30 asphalt. Rwy 31 up 0.5%. Thld rwy 13 displ 70'.
RCR	Opr
LIGHTING	13-(TE LO), 31-(TE LO)
COMM	
ATF	tfc 122.8 2NM 1800 ASL



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B220 AERODROME/FACILITY DIRECTORY

DUNCAN BC (Cont'd)

CAM3

PRO	Rgt hand circuits rwy 13 (CAR 602.96).
NOISE	Noise Abatement Procedures: dep rwy 31, climb rwy hdg, then climb hdg 291° when safe, til clear of subdivision. Avoid noise sensitive area to the E.
CAUTION	Ravines at both ends; gravel pit & 4' windrow W side rwy. Downdrafts, crosswinds & windshear may be encountered. Trees on apch to rwy 31. <u>Strongly</u> recommended that only pilots familiar with apt & lcl terrain should use this apt dur hrs of darkness.

DUNNVILLE ON

CDU9

REF	N42 52 20 W79 35 45 2S 10°W UTC-5(4) Elev 600' A5000 F-21	
OPR	Niagara Skydive Centre Inc 905-701-5867 Reg	
PF	B-1,2 C-3,4,5,6	
FLT PLN FIC	NOTAM FILE CYSN London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES FUEL	100LL, JA ctc Niagara Skydive Centre Inc 905-701-5867	
RWY DATA	Rwy 09/27 3500x60 asphalt Rwy 05/23 2400x30 asphalt	
COMM ATF	tfc 123.2 5NM 3600 ASL	
PRO	Rgt hand circuits rwys 09 & 23 (CAR 602.96). Parachute activity, do not over fly A/D, join circuit on downwind leg.	
CAUTION	Parajumps on A/D & within 2NM radius to 14,000 ASL dly.	

DUNNVILLE (HALDIMAND WAR MEM HOSP) ON (Heli)

CPA9

REF	N42 54 50 W79 37 41 0.5N 10°W UTC-5(4) Elev 596' A5000	
OPR	Haldimand War Mem Hosp 905-774-7431 Cert PPR	
FLT PLN FIC	NOTAM FILE CYSN London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
PAD DATA	85' x 85' 115' x 115' Rstd max heli length 56.6'	
LIGHTING	DR RY(LO) RF(FL) Portable PNR	
PRO	Arr/dep 336° fr heli. Cert for ngt use with portable lgt.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B221

DUNSEITH / INTL PEACE GARDEN ND USA

S28

REF	N48 59 52 W100 02 37 11N 9°E UTC-6(5) Elev 2314' A5007 E-16 E-17 LO4	
OPR	North Dakota Aeronautics Comsn 701-328-9650 Fax 701-328-9656 Reg	
PF	B-1	
CUST	AOE/15 Cdn cust 888-226-7277; US cust 701-263-4513. All acft ctc appropriate cust on ATF unicom.	
FLT PLN FSS	NOTAM FILE GFK Grand Forks 800-992-7433	
RWY DATA RCR	Rwy 10(100°)/28(280°) 3000x60 asphalt Opr 701-263-4513 Ltd win maint	
COMM ATF	Peace Garden UNICOM 122.8 5NM 5300 ASL	
PRO	Acft entering Canada park on N apron.	
CAUTION	Deer on & in vic of aprt.	

DURHAM (MEM HOSP) ON (Heli)

CPD3

REF	N44 11 W80 50 Adj W 10°W UTC-5(4) Elev 1125' A5000	
OPR	Durham Mem Hosp 519-369-2340 Cert PPR	
FLT PLN FIC	NOTAM FILE CYVV London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
PAD DATA	86' x 86' 114' x 114' Rstd max heli length 57.5'	
LIGHTING	RY(LO) RF(FL)	
COMM A/G	ambulance dispatch 129.275	
PRO	Arr/dep btwn 211°-281° fr heli.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B222 AERODROME/FACILITY DIRECTORY

DURHAM (MULOCK) ON

CNH3

REF	N44 13 45 W80 54 50 6NW 10°W UTC-5(4) Elev 1100' A5000 F-21	
OPR	Dr. D. Culver 519-369-5100 Reg PPR	
PF	B-1 C-2,3,4,5,6	
FLT PLN	NOTAM FILE CYVV London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES	S 5	
RWY DATA	Rwy 18/36 1900x50 gravel Thld 18 displ 200'. Thld 36 displ 240'. RCR Opr No win maint	
COMM	ATF UNICOM ltd hrs O/T tfc 123.0 5NM 4100 ASL	
CAUTION	Buried hydro line at thld 36, resurface beyond 50' either side rwy thld, 18 AGL posts marked.	

DU ROCHER-PERCÉ (PABOK) QC

CTG3

REF	N48 23 00 W64 33 52 4W 21°W UTC-5(4) Elev 87' A5011 E-19 F-22 LO8 CAP	
OPR	MRC du Rocher-Percé 418-385-3709/689-2043 Reg	
PF	A-1 C-2,3,4,5,6	
FLT PLN	(bil) NOTAM FILE CYGP Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 800-633-1353	
SERVICES	FUEL 100LL, JB 12-22Z± O/T PNR 418-385-3709. Possible charge may be levied. S 4,6 JASU 10/15	
RWY DATA	Rwy 08(085°)/26(265°) 4000x100 asphalt RCR Opr Contract Mon-Fri	
LIGHTING	08-(TE LO), 26-(TE LO) ARCAL-122.35 type J	
COMM	(bil) ATF UNICOM ltd hrs O/T tfc 122.35 5NM 3100 ASL	
NAV	NDB W7 219 (M) N48 22 54 W64 33 50 at A/D Unmonitored	
CAUTION	Extv bird activity May-Oct.	