

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B613

NAHANNI BUTTE NT

CBD6

REF	N61 01 47 W123 23 20 25°E UTC-7 Elev 600' A5029 D-12	
OPR	Govt of Northwest Territories (Fort Simpson) 867-695-2471 Settlement 867-602-2900 Emerg/Incident rpt ctc Govt of Northwest Territories 877-989-1400 Reg	
FLT PLN	NOTAM FILE CYFS	
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
RWY DATA	Rwy 15(150°)/33(330°) 2475x50 gravel/earth	
RCR	Settlement Win maint 17-21Z† Mon-Fri exc hols, O/T 2 hrs PNR, ctc Regional APM 867-695-2491. Call out chg may be levied.	
COMM		
ATF	tfc 123.2 5NM 3600 ASL	
CAUTION	Buffalo may stray on to rwy. Recommend low apch to verify rwy not obstructed prior to landing.	

NAICAM SK

CJR9

REF	N52 24 41 W104 29 02 Adj SE 11°E UTC-6 Elev 1780' A5016 E-16	
OPR	Town 306-874-2280 Reg	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYXE	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 08(079°)/26(259°) 3050x65 turf Rwy 26 slopes up Opr No win maint	
RCR		
COMM		
ATF	tfc 123.2 5NM 4800 ASL	
PRO	Rgt hand circuits rwy 08 (CAR 602.96).	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B614 AERODROME/FACILITY DIRECTORY

NAIN NL

CYDP



REF	N56 33 02 W61 40 56 27°W UTC-4(3) Elev 22' A5027 D-15 LO5 HI1 CAP
OPR	Govt of Newfoundland & Labrador 709-896-7840 Cert (Day Ops only)
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYYR
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
ACC	Gander 709-651-5225 or 888-751-5225. Flt Plns by Fax 709-651-5205 & include phone numbers where pilot can be reached prior to dep.
WX	METAR 09-24Z†. TAF 11-24Z†, issue times: 11, 14, 20Z (DT 10, 14, 20Z)
RWY DATA	Rwy 05(047°)/23(227°) 1986x75 gravel
APRON	Acft prkg not permitted on that portion of the S apron within 30' of apron edge.
RCR	Opr 709-922-2263/2169 Ltd win maint, ctc opr
LIGHTING	05-AS, 23-AS
COMM	
RCO	Halifax rdo 123.65 (FISE)
ATF	tfc 122.8 5NM 3000 ASL
NAV	
NDB	YDP 247 (M) N56 32 01 W61 41 31 050° 1.0NM to A/D
CAUTION	Wind direction 270°-360° can cause turbulence & downdraft. Hills to 800 ASL 5000' W of thld 05.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B615

NAKINA ON

CYQN

REF	N50 10 58 W86 41 47 Adj 6°W UTC-5(4) Elev 1057' A5008 E-17 LO4 HI4 CAP	
OPR	Nakina Airservice Ltd 807-329-5341 After hrs Page 807-329-5983, wait for tone, dial 150 wait for tone Cert Ldg fees	
PF	A-1 C-2,4,5 D-3	
FLT PLN	NOTAM FILE CYGQ FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES	13-22Z± exc hols: O/T PNR Call out chg may be levied after hrs.	
FUEL S	100LL, JA-1, FSII 4,6	
RWY DATA RCR	Rwy 09(093°)/27(273°) 3500x100 asphalt Opr Mon-Sat exc hols 13-22Z± Call out chg may be levied after hrs.	
LIGHTING	09-(TE LO)AP, 27-(TE LO)AP ARCAL-122.8 type J	
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 4100 ASL	
NAV NDB	QN 233 (M) N50 10 48 W86 37 45 279° 2.4NM to A/D	
PRO	Consistent with safety, no turns to be made over the built up area of town.	

NAKUSP BC

CAQ5

REF	N50 15 59 W117 48 46 1.3NNW 18°E UTC-8(7) Elev 1689' A5005 E-15 LO2	
OPR	Village 250-265-3689 Reg	
PF	C-1,2,4,5	
FLT PLN	NOTAM FILE CYCG FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
RWY DATA RCR	Rwy 12/30 3000x75 asphalt Lowest elev 1680 aprx mid rwy. Rwy 12 down 1.5% and rwy 30 down 0.9% Opr Ltd win maint	
COMM ATF	tfc 123.2 5NM 4700 ASL	
PRO	Rgt hand circuits rwy 12 (CAR 602.96).	

| **NAMAO AB** — See EDMONTON/NAMAO

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B616 AERODROME/FACILITY DIRECTORY

NAMUR LAKE AB

CFB5

REF	N57 23 W112 48 18°E UTC-7(6) Elev 2560' A5023 D-13
OPR	Namur Lake Lodge, Fort McMurray 780-791-9299 Reg
FLT PLN	NOTAM FILE CYMM
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305
RWY DATA	Rwy 07(072°)/25(252°) 2000x100 turf
RCR	Opr No win maint. Rwy soft when wet
COMM	
ATF	tfc 123.2 5NM 5600 ASL




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B617

NANAIMO VFR TERMINAL PROCEDURES CHART - DAY / NIGHT CIRCUIT PROCEDURES



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B618 AERODROME/FACILITY DIRECTORY

NANAIMO BC

CYCD

REF	N49 03 08 W123 52 13 7SSE 19°E UTC-8(7) Elev 92' VTA A5004 E-15 LO2 HI3 T1 CAP	
OPR	Commission 250-245-2157 Cert Ldg fees	
PF	A-1,2,3,6 C-5 D-4	
CUST	AOE/30 888-226-7277	
FLT PLN	NOTAM FILE CYCD LWIS (see COMM)	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
ACC	Vancouver IFR 604-586-4590/4591 or 800-668-1333; IFR tng fits PPR ctc 604-586-4592 or 800-668-1333	
WX	LWIS (see COMM) METAR 14-05Z†. TAF 16-05Z†, issue times: 16, 18, 24Z (DT 15, 18, 24Z).	
PIK	Columbia Fuels, main floor N side, sum 08-20 lcl, win daylight hrs, airside access	
SERVICES	Call-out chg may be levied for one or more svcs 100LL, JA-1, FSII 16-03Z† 250-245-7402 All 2,3,4,5 Columbia Fuels 122.725	
RWY DATA	Rwy 16(161°)/34(341°) 5000x200 asphalt Thld 34 displ 1000'.	
TWY	Twy Golf unlighted, rstd day time use only, max wt 5000 lbs Twy C asphalt/gravel, rstd to 5,000 lbs, private use.	
APRON	Apron II day use only, rstd to 5,000 lbs. Itinerant parking N of apron I, accessible from twy C day only.	
RCR	Opr Win maint 1430-07Z dly, O/T 2 hrs PNR - cost recovery CRFI, PLR/PCN	
LIGHTING	16-AO(TE ME) P2 3.5°, 34-AS(TE ME) P1 3.5° PAPI rwy 34 offset 20° rgt, lgts O/R FSS dur hrs of ops, O/T ARCAL-122.1 type K exc RIL on high setting only within 8NM.	
COMM	RADIO 122.1 291.8 (E) 1330-0530Z† (emerg only 250-245-4032) RCO Pacific rdo 126.7 (FISE) MF/ATF rdo 122.1 1330-0530Z† O/T tfc 122.1 5NM 2500 ASL (CAR 602.98) TML Victoria 120.8 ARR Victoria Tml 133.95 252.3 DEP Victoria Tml 133.95 252.3 LWIS (Wind & altimeter) 128.425	
NAV	NDB YCD 251 (M) N49 07 40 W123 52 18 160° 4.1NM to A/D DME 1CD 111.4 Ch 51 N49 03 26 W123 52 18 (83') at A/D Pvt	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B619

NANAIMO BC (Cont'd)

CYCD

PRO	<p>Circuit alt 1200 ASL. Avoid fit over built-up areas below 1000 ASL.</p> <p>Rwy 34: Rgt hand circuits (CAR 602.96). Maintain 1200 ASL til over Ladysmith Harbour. PAPI offset 20° right. See VTPC.</p> <p>Rwy 16: Climb to safe alt. Left turn hdg 142° til over Ladysmith Harbour. Climb over Harbour to 1000 ASL BPOC. See VTPC.</p> <p>Gliders: Circuits to W of aprt.</p> <p>Procedures for crossing the southern Strait of Georgia within Tml Class C airspace refer to Vancouver Intl, VTPC for Crossing the Southern Strait of Georgia.</p> <p>ATS REQUIREMENTS:</p> <p>All VFR acft arriving, departing or transiting the Vancouver or Victoria Tower Class C or D airspace require a transponder code.</p> <ul style="list-style-type: none"> - All acft departing Vancouver or Victoria Intl (including Water Aerodrome) call Vancouver ACC at 888-987-2633 (888-YVR-CODE) or 604-586-4595 for code assignment at least 30 min prior to flight or file a VFR Flight Plan/Flight Itinerary. - All acft arriving Vancouver, Victoria Intl (including Water Aerodrome) or transiting Vancouver or Victoria Control Zones obtain a code from one of the following ATS units: Vancouver Harbour, Nanaimo, Victoria Harbour, Boundary Bay, Langley, Abbotsford or Pitt Meadows, or call Vancouver ACC at 888-987-2633 (888-YVR-CODE) or 604-586-4595. - All acft arriving Victoria Intl from a non NAV CANADA site call Vancouver ACC at 888-987-2633 (888-YVR-CODE) or 604-586-4595 for code assignment at least 30 minutes prior to flight or file a VFR Flight Plan/ Flight Itinerary.
CAUTION	<p>Recommend that only pilots familiar with the lcl area use this aprt dur hrs of darkness. Night ops not recommended unless all five hazard beacons are oprg.</p> <p>Rwy 34 PAPI offset 20° right. Deer in vic of rwy. Rising terrain immediately S of thld rwy 34 (see VTPC). Grass strip W of rwy 16/34. S of twy B, rstd to DND Air Cadet glider ops only, active Apr to June and Sep to Nov.</p>

NANAIMO FSS – RCO

Tofino 123.25 (RAAS) 1330-0530Z‡ (N49 05 W125 51)

NANAIMO (REGIONAL GEN HOSP) BC (Heli)

CBG5

REF	N49 11 05 W123 58 10 19°E UTC-8(7) Elev 292' A5004 VTA	
OPR	Nanaimo Regional Gen Hosp 250-755-7620 Cert PPR	
FLT PLN FIC	NOTAM FILE CYCD Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
PAD DATA RCR	35'x35' asphalt 120'x120' Opr	
LIGHTING	RY (LO) ARCAL-122.9 type K	
COMM ATF	tfc 122.9 5NM 3000 ASL, centred on Nanaimo Water A/D (CAC8), exc area within Nanaimo Land A/D CZ and class C airspace.	
PRO	Arr/dep rte 16% slope. Cert for multi engine use.	
CAUTION	P-lines W of pad	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B620 AERODROME/FACILITY DIRECTORY

NANAIMO (WEST COAST) BC (Heli)

CNH9

REF	N49 11 06 W123 59 20 19°E UTC-8(7) Elev 200' A5004 VTA	
OPR	West Coast Helicopters Ltd 250-754-5448 Reg	
PF	A-1 C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYCD FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES		
FUEL S PVT ADV	100LL, JA-1 16-01Z± O/T ctc OPR 2 16-01Z± West Coast 159.975	
PAD DATA RCR	78'x65' concrete max heli wt 6000 lbs Opr	
COMM	ATF tfc 122.9 5NM 3000 ASL, centred on Nanaimo Water A/D (CAC8), exc area within Nanaimo Land A/D CZ and Class C airspace.	
PRO	Arr/Dep hwy quad. Avoid built-up areas.	

NANISIVIK NU

CYSR

REF	N72 58 56 W84 36 49 8S 47°W GV38°E UTC-5(4) Elev 2106' A5046 A5047 B-8 LO9 HI1 HI2 CAP	
OPR	Govt of Nunavut 867-252-3923 Cert	
PF	B-1 D-2,3,4,5,6	
FLT PLN	NOTAM FILE CYSR	
FIC	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
CARS WX	867-439-3007 ltd hrs (see COMM) Fax 867-439-3008 Lcl wx only other wx O/R. METAR dur CARS hrs (see COMM) O/T Legacy LWIS TAF 18-02Z± Mon, Thu, issue times: 18, 19Z (DT 17, 19Z). TAF 17-21Z± Tue, issue times: 17Z±. TAF 16-23Z± Wed, issue times: 16Z±. TAF 18-01Z± Fri, issue times: 18, 19Z (DT 17, 19Z). TAF 13-21Z± Sat, issue times: 13, 19Z (DT 12, 19Z) exc hols.	
SERVICES FUEL S	Call out chg may be levied for one or more svcs. 4 hrs PNR 867-439-9934 JA-1, HPR ltd supply 12-21Z± 6	
RWY DATA RCR	Rwy 11T(106°T)/29T(286°T) 6400x150 gravel Opr Ltd hrs CRFI, PLR/PCN	
LIGHTING	11T-AS(TE ME)V2, 29T-AD AS(TE ME)V1 ARCAL-122.1 opr outside CARS hrs; key mic 3 times in 5 sec for rwy 11T lgts & VASIS; key mic 5 times in 5 sec for rwy 29T lgts & VASIS. Apch lgts & RIL not avbl on ARCAL.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B621

NANISIVIK NU (Cont'd)


CYSR

COMM	MF aprt rtd ltd hrs O/T tfc 122.1 5NM 5200 ASL (CAR 602.98)
ARPT RDO	122.1 (V) 13-22Z† Mon & Wed, 12-21Z† Tue., 12-22Z† Thu, 13-23Z† Fri, 15-22z† Sat, clsd Sun & federal observed hols
Legacy LWIS	128.7
NAV	NDB YSR 382 (M) N72 58 29 W84 31 59 286°T 1NM to thld 29T

NARAMATA BC (Heli)


CNM6

REF	N49 36 10 W119 34 43 1ENE 18°E UTC-8(7) Elev 1872' A5004 A5005
OPR	Finnair Ltd 250-770-0702 Reg PPR
FLT PLN	FIG NOTAM FILE CYYF Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	75' x 75' gravel 200'x 200' max heli length 50', max 8000 lbs
RCR	Opr Days only
COMM	ATF tfc 123.2 0.5NM 2200 ASL (Monitor Penticton 118.5 - See Penticton VTPC)
PRO	Dep/arr over abandoned railway to minimize noise.
CAUTION	Power lines SSW of pad.



NATASHQUAN QC

CYNA



REF	N50 11 24 W61 47 20 Adj NE 22°W UTC-5(4) Elev 39' A5011 E-19 F-22 L07 L08 H16 CAP
OPR	Village 418-726-3362 Cert
PF	B-1 C-2,3,4,5

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B622 AERODROME/FACILITY DIRECTORY

NATASHQUAN QC (Cont'd)

CYNA

FLT PLN	(bil) NOTAM FILE CYZV FIC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) ACC Montréal 800-633-1353 WX 418-726-3249 Legacy AWOS (English) 418-726-3814, (French) 418-726-3157 (see COMM) WxCam TAF H24, issue times: 02, 08, 14, 20Z.
SERVICES	
FUEL	100LL, JA-1 Trans-Sol Avn PNR
PVT ADV	Trans-Sol Avn 122.9 11-22Z† O/T 418-968-8095
RWY DATA	Rwy 14(140°)/32(320°) 4494x100 asphalt
RCR	Opr 418-726-3273/3564 CRFI, PLR/PCN
LIGHTING	14-AO(TE LO) P2, 32-AO(TE LO) P2 ARCAL-122.2 type K
COMM	(bil) RCO Sept-Îles rdo 122.2 (RAAS) 13-23Z† Québec rdo 126.7 (FISE) MF Sept-Îles rdo 13-23Z† O/T tfc 122.2 15NM 3000 ASL (CAR 602.98) ATF Corridor outside MF zone, see Section C Québec. Legacy AWOS 126.25 (English), 125.3 (French)
NAV	
VOR/DME	NATASH YNA 113.6 Ch 83 N50 11 01 W61 46 52 346° 0.5NM to A/D
PRO	Seaplane activities Aguanus River sector (13NM W of aprt).
CAUTION	Birds activity Aug-Sep at dump 0.5 NM E of thld 32.

NATUASHISH NL

CNH2

REF	N55 54 50 W61 11 04 1.6W 27°W UTC-4(3) Elev 33' A5020 E-19 LO7 CAP	
OPR	Govt of Newfoundland & Labrador 709-896-7840 Cert	
PF	C-1,2,4	
FLT PLN	NOTAM FILE CYR FIC Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA) ACC Gander 709-651-5225 or 888-751-5225 Fit Pins by fax 709-651-5205 & include phone number where pilot can be reached prior to dep.	
RWY DATA	Rwy 12(122°)/30(302°) 2500x75 gravel	
RCR	Opr 709-478-8745 Ltd win maint	
LIGHTING	12-AS(TE ME) P1, 30-AS(TE ME) P1 ARCAL-122.8 type K	
COMM		
ATF	tfc 122.8 5NM 3000 ASL	
NAV		
NDB	E8 492 (M) N55 54 44 W61 11 22 at A/D	
CAUTION	Power poles on approach rwy 30	

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B623

NEEPAWA MB

CJV5


REF	N50 13 58 W99 30 38 1.7W 7°E UTC-6(5) Elev 1277' A5007 E-16 E-17 LO4
OPR	Town 204-476-7600 Reg
PF	B-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYBR FIG Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	S 4,5,6
RWY DATA	Rwy 04(045°)/22(225°) 3510x75 asphalt RCR 204-476-2066 Ltd win maint.
LIGHTING	04-(TE ME), 22-(TE ME) ARCAL-122.8 type K
COMM	ATF UNICOM ltd hrs O/T tfc 122.8 5NM 4300 ASL
PRO	Ultralight circuit hgt 1800 ASL.
CAUTION	Hang glider & ultralight training in vic. Hang gliders & ultralights opr fr infield E of rwy 04/22 & N of apron.



NEILBURG SK

CJV2

REF	N52 49 53 W109 38 25 0.5SW 15°E UTC-6 Elev 2222' A5015 E-16
OPR	Village 306-823-4321 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYLL FIG Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 16(165°)/34(345°) 2600x75 turf/gravel RCR Opr 15-23Z Mon-Fri
COMM	ATF tfc 123.2 5NM 5300 ASL
PRO	Rgt hand circuits rwy 16 (CAR 602.96).



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B624 AERODROME/FACILITY DIRECTORY

NEJANILINI LAKE MB

CYNN


REF	N59 29 15 W97 46 49 3°E UTC-6(5) Elev 1000' aprx A5024 D-13 D-14
OPR	Nejanilini Lake Lodge SATCOM 600-700-3203 (sum) 705-444-6042 (win & sum) Reg PPR
PF	C-1,2,5 PNR Opr Jun 15-Sep 15
FLT PLN	NOTAM FILE CYBQ
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 17(172°)/35(352°) 3350x80 gravel/sand
RCR	Opr No win maint. Rwy rises fr both ends.
COMM	
ATF	UNICOM ltd hrs Jun 15-Sep 15 O/T tfc 122.8 5NM 4000 ASL



NEKWEAGA BAY SK

CKN8

REF	N57 44 33 W103 56 41 11°E UTC-6 Elev 1320' aprx A5024 D-13
OPR	D & D Camps 306-425-5426 (win) 600-702-4200 (sum) Reg PPR
PF	C-1,5 PNR Opr Jun 1-Sep 1
FLT PLN	NOTAM FILE CZWL
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
RWY DATA	Rwy 06(062°)/24(242°) 2200x50 clay/sand Rwy 06 slopes up.
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM 4400 ASL
CAUTION	Brush adj to rwy edges.




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B625

NELSON BC

CZNL



REF	N49 29 39 W117 18 02 18°E UTC-8(7) Elev 1755' A5005 E-15 LO2
OPR	City 250-352-8228 Reg
PF	A-1 C-2,3,4,5
FLT PLN	NOTAM FILE CYCG
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL City of Nelson 250-352-8228; JB High Terrain Helicopters, 250-354-8445, Thunderbird Helilog 250-505-2155
RWY DATA	Rwy 04(038°)/22(218°) 3100x75 asphalt Thld 22 displ 200'
RCR	Opr Ltd win maint. PLR
COMM	
RCO	Pacific rdo 126.7 (FISE)
ATF	tfc 123.2 4NM 3300 ASL
NAV	
NDB	CASTLEGAR CG 227 (M) N49 26 50 W117 34 30 056° 11.1NM to A/D
PRO	Rgt hand circuits rwy 22 (CAR 602.96).
CAUTION	Narrow mountainous valley. Arr/dep paths are offset as indicated on A/D sketch. Poles to 20 AGL aprx 450' NE & in apch area of rwy 22. Watch for wildlife on the rwy.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B626 AERODROME/FACILITY DIRECTORY

NEMISCAU QC

CYHH

REF	N51 41 28 W76 08 08 4SE 17°W UTC-5(4) Elev 802' A5009 E-18 LO3 HI1 CAP	
OPR	Hydro-Québec 819-672-3642 Reg PPR	
FLT PLN	(bil) NOTAM FILE CYGL	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 800-633-1353	
WX	METAR 12-21Z‡ Mon-Fri Sat-Sun by request only	
SERVICES	PPR charges may be levied for one or more svcs	
FUEL	JA-1, HPR, PNR	
RWY DATA	Rwy 09(091°)/27(271°) 5000x150 gravel Opr Win maint 12-22Z‡ Mon-Fri	
RCR		
LIGHTING	09-AS(TE HI) P2, 27-AS(TE HI) P2	
COMM	(bil)	
RCO	Québec rdo 123.275 (FISE) 126.7 (bcst)	
ATF	UNICOM (AU) ltd hrs O/T tfc 131.7 5NM 3900 ASL	
NAV		
NDB	K8 214 (M) N51 41 20 W76 08 03 336° 0.3NM to A/D Pvt Unmonitored	
PRO	Helicopter activity 4.3NM ESE of A/D, Mar-Nov, on frequency 126.7.	
CAUTION	Possible win maint eqpt on rwy outside ops hrs.	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B627

NESTOR FALLS ON

CJA5



REF	N49 08 25 W93 55 01 1N 2°E UTC-6(5) Elev 1195' aprx A5007 E-17
OPR	Community 807-484-2126 Reg
PF	C-1,5
FLT PLN	NOTAM FILE CYHD
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	
PVT ADV	Northwest Flying Inc 129.1 122.8
RWY DATA	Rwy 03(029°)/21(209°) 3665x75 treated gravel
RCR	Northwest Flying Inc 807-484-2126 No win maint
COMM	
ATF	ffc 129.1 5NM 4200 ASL
CAUTION	Sharp drop off at thlds. Twr 1535 ASL (385 AGL) 1.3NM S.

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B628 AERODROME/FACILITY DIRECTORY

NEW GLASGOW (ABERDEEN HOSP) NS (Heli)

CNG2


REF	N45 34 20 W62 38 39 Adj E 20°W UTC-4(3) Elev 77' A5003
OPR	Aberdeen Hospital 902-752-7600 Ext 4531 Reg PPR
FLT PLN	NOTAM FILE CYHZ
FIC	Halifax 866-WXBRIEF or (French) 866-GOMÉTÉO (Toll free within Canada) or 866-541-4106 (Toll free within Canada & USA)
PAD DATA	79 x 79 Rstd to heli max length 52.5'
LIGHTING	RY(LO) FL(LO)
COMM	
ATF	tfc 122.8 5NM 3100 ASL
PRO	Arr/dep btwn 290°-360° fr heli
CAUTION	Trenton 2.5NM N. Thorburn 2NM ESE.



NEW LISKEARD ON

CXP3


REF	N47 32 W79 37 12°W UTC-5(4) Elev 800' A5001 F-21
OPR	J.A. Rundle 705-647-7056 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYXR
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 10(102°)/28(282°) 2745x75 turf Thld 10 displ 280'. Thld 28 displ 400'. Opr No win maint
RCR	
COMM	
ATF	tfc 123.2 5NM 3800 ASL



NEW LISKEARD (TEMISKAMING HOSP) ON (Heli)

CNV3

REF	N47 29 40 W79 41 30 1SW 12°W UTC-5(4) Elev 895' A5001
OPR	Temiskaming Hosp 705-647-8121 Reg PPR
FLT PLN	NOTAM FILE CYXR
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PAD DATA	86' x 86' 114' x 114' asphalt Rstd max heli length 57.5'
LIGHTING	DR RY(LO) RF(FL)
COMM	
A/G	Ambulance dispatch 129.275
PRO	Tkof/apch fit path brg 280° fr heli.



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B629

NEW LOWELL ON

CPE7


REF	N44 23 15 W79 56 36 2.5NE 10°W UTC-5(4) Elev 625' A5000 F-21
OPR	Skydive Toronto Inc 705-424-5593/9437 Reg PPR
PF	B-1,5 C-2 D-3,4,6
FLT PLN	NOTAM FILE CYEE
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 13/31 2550x150 turf Rwy 09/27 2000x125 turf
RCR	Op ^r No win maint. Rwy may be soft when wet.
COMM	
ATF	tfc 123.5 5NM 3600 ASL
PRO	Rwy 31 rgt hand circuits at 1900 ASL (CAR 602.96). Circuits rwy 13 at 1900 ASL.
CAUTION	Road crossing thlds 27 & 31. 5' ditch at thlds 09 & 13.



NEW WESTMINSTER (ROYAL COLUMBIAN HOSP) BC (Heli)

CNW9

REF	N49 13 35 W122 53 25 19°E UTC-8(7) Elev 124' VTA
OPR	Fraser Health Authority 604-520-4457 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
PAD DATA	58' x 58' 116' x 116' concrete Rstd to max wt 16,000 lbs. Rstd to max length 58'.
RCR	Provincial Dispatch EHS 800-561-8011
LIGHTING	RY(LO)
COMM	
ATIS	Vancouver Airport 124.6
TWR	Vancouver Outer 124.0
A/G	Provincial Dispatch 130.275
PRO	Arr/dep within an arc 019° to 120° PPR Provincial Dispatch 800-561-8011
CAUTION	Crane 220 MSL 300' SE of pad



NIAGARA CENTRAL ON — See WELLAND / NIAGARA CENTRAL


NIAGARA DISTRICT ON — See ST. CATHARINES / NIAGARA DISTRICT

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B630 AERODROME/FACILITY DIRECTORY

NIAGARA FALLS VFR TERMINAL PROCEDURES CHART



LOCATION	IDENT	LAT/LONG
420/QEW	VCFRQ	N43° 05.75 W79° 07.00
NAVY ISLAND	VCNVY	N43° 02.50 W79° 01.00

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B631

NIAGARA FALLS VFR TERMINAL PROCEDURES CHART (Cont'd)

<p>CYR518: FLIGHTS IN RESTRICTED AREA PRIOR WRITTEN AUTHORIZATION IS REQUIRED From the Regional Director, Regional Director, Commercial & Business Aviation Address: TRANSPORT CANADA 4900 YONGE STREET WILLOWDALE, ONT. M2N 6A5</p> <p>NOTE: 10 days notice required/tel: 416-952-0011</p> <p>GENERAL</p> <p>CAUTION: Numerous flights in CYR518</p> <p>CAUTION: High speed aircraft departing Niagara Falls, N.Y. in the vicinity of Whirpool Bridge.</p> <p>CAUTION: Goat Island may be obscured by mist.</p>	<p>PROCEDURES</p> <p>ALL AIRCRAFT AT 3500' ASL OR ABOVE</p> <p>-Prior to pattern entry and in pattern: recognition, landing, strobe and/or anti-collision lights ON.</p> <p>-Fly clockwise pattern as depicted.</p> <p>-Do not exceed 130 kts or minimum safe speed.</p> <p>-Broadcast altitude, checkpoint & intentions on 122.050 MHz prior to entry & monitor that frequency in pattern.</p> <p>-Use Niagara Falls Intl Altitude Setting.</p> <p>WARNING: This is a VFR procedure "SEE AND BE SEEN". Pilots are responsible for own separation - See A.I.P. Canada RAC 1.11 Collision Avoidance.</p> <p>WARNING: Exit pattern as depicted, straight out, wings level.</p>										
	<p>COMMUNICATION FREQUENCIES</p> <table border="0"> <tr> <td>PATTERN FREQUENCY</td> <td>122.050</td> </tr> <tr> <td>Niagara Falls N.Y.</td> <td>120.8 ltd hrs</td> </tr> <tr> <td>ATIS</td> <td>118.5 ltd hrs</td> </tr> <tr> <td>TWR</td> <td>123.25 ltd hrs</td> </tr> <tr> <td>St. Catharines Radio</td> <td></td> </tr> </table>	PATTERN FREQUENCY	122.050	Niagara Falls N.Y.	120.8 ltd hrs	ATIS	118.5 ltd hrs	TWR	123.25 ltd hrs	St. Catharines Radio	
PATTERN FREQUENCY	122.050										
Niagara Falls N.Y.	120.8 ltd hrs										
ATIS	118.5 ltd hrs										
TWR	123.25 ltd hrs										
St. Catharines Radio											

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B632 AERODROME/FACILITY DIRECTORY

NIAGARA FALLS ON (Helicopter)

CPQ3

REF	N43 07 W79 04 Adj 11°W UTC-5(4) Elev 589' VTA A5000	
OPR	Niagara Helicopters Ltd 905-357-5672/5673 Fax 905-374-2856 Cert PPR	
PF	B-1,2 avbl 14-22Z† C-3,4,5,6	
FLT PLN	NOTAM FILE CYSN London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES PVT ADV	Niagara Helicopters 129.475 14-22Z†	
PAD DATA RCR	63' dia 93' x 93' concrete (rstd to heli with max overall length of 42') Opr	
LIGHTING	RY(LO) RF(FL) ARCAL-129.475	
PRO	For flt over falls, see Niagara Falls VTPC. Three arr/dep paths all originate fr NE (see sketch) Arr 1 - 044°; Arr 2 - 206°; Arr 3 - 295°	
CAUTION	Aerial cable (see sketch).	

NIAGARA FALLS / NIAGARA SOUTH ON

CNF9

REF	N42 59 58 W79 03 49 11°W UTC-5(4) Elev 576' A5000 F-21	
OPR	Russell Group Aviation 905-295-2777 Reg	
PF	A-1 B-2,5	
FLT PLN	NOTAM FILE CYSN London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES S	4,5	
RWY DATA	Rwy 16(158°)/34(338°) 4400x60 gravel Rwy 01(010°)/19(190°) 3700x200 grass	
COMM ATF	tfc 123.2 5NM 3600 ASL excluding Niagara Falls area pattern (in vicinity of CYR518) and Niagara Falls Int'l CZ	
PRO	For flts over falls see Niagara Falls VTPC.	
CAUTION	Extv tfc in the vicinity of CYR518. Possible aerobatic activity over A/D below 3600 ASL.	

NIAGARA SOUTH ON — See NIAGARA FALLS / NIAGARA SOUTH

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B633

NICOLET QC (Heli)

CSK9


REF	N46 13 13 W72 38 52 3E 16°W UTC-5(4) Elev 33' A5002
OPR	DND Range Controller 819-293-2004 Mil PPR
FLT PLN MIL	(bil) NOTAM FILE CYQB 819-293-2004 when range in use or dur working hrs
PAD DATA	125' x 250'
COMM ATF	tfc 123.2 5NM exc airspace of CYR 606 3000 ASL
PRO	Caution; helipad on eastern bdry of CYR 606. Safe apch may only be made by remaining clear of rstd area til apch from E is possible. Dep hdg 089° mandatory.



NIPAWIN SK

CYBU

REF	N53 19 57 W104 00 30 1.3S 11°E UTC-6 Elev 1220' A5016 E-16 LO2 CAP
OPR	Town 306-862-7902 Reg
PF	B-1 C-2,3,4,5,6
FLT PLN FIC WX	NOTAM FILE CYP A Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Legacy AWOS
SERVICES FUEL OIL S	100LL, MG-1 Nipawin Aviation Petro 306-767-2270, 306-862-4171 pilot's honour 24 hrs All 2,3,4,5,6
RWY DATA RCR	Rwy 03(030°)/21(210°) 2930x75 asphalt Rwy 12(119°)/30(299°) 2900x115 turf/snow McBain Avn 306-862-4171
LIGHTING	03-(TE LO), 21-(TE LO) ARCAL-122.8 type J
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 4300 ASL
NAV NDB	L4 402 (M) N53 20 05 W104 00 32 at A/D Pvt Unmonitored



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B634 AERODROME/FACILITY DIRECTORY

NIPIGON (DISTRICT MEM HOSP) ON (Heli)

CKE9


REF	N49 00 58 W88 16 44 Adj NW 4°W UTC-5(4) Elev 761' A5008
OPR	Nipigon District Mem Hosp 807-887-3026 Cert PPR
PF	B-1,4 C-2,3,5,6
FLT PLN	NOTAM FILE CYQT
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
PAD DATA	85' dia concrete 120' dia Rstd max heli length 56.6'
LIGHTING	RY PNR
COMM	
ATF	tfc 126.7 5NM 3800 ASL
PRO	Arr/dep btwn 195°-221° fr heli



NIXON ON

CNX8

REF	N42 50 51 W80 23 43 Adj SE 9°W UTC-5(4) Elev 780' A5000 F-21
OPR	Robert Bennett 519-428-8014 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYFD
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
OIL	20W50
S	1,2,3,4,5,6
RWY DATA	Rwy 12(120°)/30(300°) 2810x130 turf
RCR	Opr No win maint
COMM	
ATF	tfc 122.9



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B635

NORMAN WELLS NT

CYVQ

REF	N65 16 54 W126 47 54 Adj N 28°E UTC-7(6) Elev 238' A5034 A5035 C-10 LO5 HI2 CAP	
OPR	Govt of Northwest Territories 867-587-2451 Cert	
PF	A-1 C-2,3,4,5	
FLT PLN	NOTAM FILE CYVQ & CZNB	
FIG	North Bay 866-WXBRIEF (Toll free within Canada) or 866-541-4109 (Toll free within Canada & USA)	
ACC	Edmonton IFR 888-358-7526 or 780-890-8304/8305	
WX	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.	
PIK	Top floor of ATB adj to washrooms	
SERVICES	Call out chg may be levied for one or more svcs	
FUEL	100LL, JA-1, HPR 14-02Z± Mon-Fri; 15-23Z± Sat, Sun & hols. O/T call out chg will be levied.	
OIL	All	
S	4,6	
PVT ADV	SRP Petroleum (Imperial Oil) 123.0 867-587-2746/2587	
RWY DATA	Rwy 09(090°)/27(270°) 5997x150 asphalt	
TWY	Twy C uncontrolled	
RCR	Opr CRFI & win maint avbl 1430-24Z± Mon-Fri exc hols O/T 2 hr PNR 867-587-2555. Call out chg may be levied. PLR/PCN	
LIGHTING	09-AD(TE ME) P2, 27-AD AS(TE ME) P2 PAPI avbl - 35 min PNR	
COMM		
RADIO	122.2 282.3 (E) (emerg only 867-587-2555)	
RCO	Arctic rdo 123.275 (FISE) 126.7(bcst)	
MF	rdo 122.2 5NM 3300 ASL (CAR 602.98)	
PAL	Edmonton Ctr 134.825	
VDF	122.2	
NAV		
NDB	VQ 326 (M) N65 15 10 W126 40 11 270° 3.2NM to A/D	
VOR/DME	YVQ 112.7 Ch 74 N65 15 51 W126 43 31 (257°) 269° 1.6NM to A/D	
CAUTION	Radiosonde balloon launches fr N65 17 W126 45 (0.86NM NE thld rwy 27) at 1115-1129Z & 2315-2329Z dly. Extv bird activity Apr-Oct.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B636 AERODROME/FACILITY DIRECTORY

NORTH BATTLEFORD (CAMERON McINTOSH) SK

CYQW

REF	N52 46 09 W108 14 37 1.5E 14°E UTC-6 Elev 1799' A5015 E-16 LO2 HI3 CAP	
OPR	City of North Battleford 306-445-6606/ 306-441-5807/306-445-1730 Cert	
PF	A-1 C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYYN	
FX	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
WX	Legacy AWOS TAF H24, issue times: 00, 06, 12, 18Z.	
SERVICES	For svcg 306-445-6606 or 306-441-5807 13-22Z Mon-Fri exc hols	
FUEL	100LL, JA-1 (self-serve Visa, Mastercard & Amex)	
S	1,4,6	
RWY DATA	Rwy 12(122°)/30(302°) 5000x150 asphalt Rwy 06(062°)/24(242°) 2565x50 asphalt Rwy 06 up 0.43%	
TWY	Twy C gravel	
RCR	Opr Ltd win maint rwy 06/24 & 12/30. PLR/PCN.	
LIGHTING	12-(TE ME), 30-(TE ME) ARCAL-122.1 type K	
COMM		
RCO	Edmonton rdo 123.375 (FISE) 295.0 (FISE)	
MF	tfc 122.1 (no ground station) 5NM 4800 ASL (CAR 602.98)	
NAV		
NDB	NORTH BATTLEFORD QW 302 (L) N52 48 14 W108 20 07 106° 3.5NM to thld 12	
PRO	Rgt hand circuits rwy 30 (CAR 602.96). Glider tng wknds Apr-Jun, Sep-Oct.	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B637

NORTH BAY ON

CYYB



REF	N46 21 49 W79 25 22 4NNE 12°W UTC-5(4) Elev 1215' A5000 A5001 F-21 LO4 LO6 LO7 HI5 CAP
OPR	North Bay Jack Garland Airport Corporation 705-474-3020 Cert
PF	A-1,2,3,6 C-4,5
CUST	AOE/15 888-226-7277 13-21Z† Mon-Fri exc hols PNR

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B638 AERODROME/FACILITY DIRECTORY

NORTH BAY ON (Cont'd)

CCYB

FLT PLN	NOTAM FILE CCYB When FSS closed, pilots to open/close VFR flt pln with London rdo 126.7 or by phone.
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA). North Bay 705-476-0024/0037
WX	WD2 705-494-6011 Ext 6648 CSN 319-628-6648 (see COMM) METAR H24.
PIK	TAF H24, issue times: 02, 08, 14 & 20Z. Jack Garland Airport (old ATB), main floor room 118A, airside access
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA-1, HPR (CON I IP JA-1, FSII)
OIL	All
S	1,2,3,4,5,6
SUP FL	D & A-ice
JASU	10/15
PVT ADV	Weisflock Aviation Inc/Shell 122.95 705-472-4910 Voyageur Airport Svcs/Esso 131.75 705-476-1750 11-03Z† O/T 1 hr PNR
MIL CON	Voyageur Airport Services (Imperial Oil/Esso) 705-495-4184
RWY DATA	Rwy 08(077°)/26(257°) 10000x200 asphalt Rwy 18(180°)/36(360°) 4474x150 asphalt Rwy 13/31 2500x75 turf, seasonal use, May 15-Nov 30 Glider/ski activity area 2000x75 turf/snow, seasonal use, see caution
TWY	Twy L, btwn rwy 18/36 & apron III, restricted to acft with wingspans less than 118'.
APRON	Apron I no win maint. Apron I PPR, Voyageur Airways 705-476-1750 Ext 241.
RCR	FSS CRF/RSC 1130-0330Z Mon-Fri. O/T 2 hrs PNR. Call out chg may be levied. Ski area condition reports call Miller Aviation 705-498-3133. PLR/PCN.
LIGHTING	08-AN(TE HI) P1, 26-AD(TE HI) P1, 18-AD(TE HI) P1, 36-AD(TE HI) P1 ARCAL-118.3 type K all lgt. Apron III and apron IV retro-reflective only.
COMM	
RADIO	118.3 236.6 257.2 (E) 1130-0330Z† (emerg only 705-472-3270)
RCO	London 126.7 (FISE)
ATIS	124.9 228.2 1130-0330Z†
MF	rdo 118.3 1130-0330Z† O/T tfc 7NM 5000 ASL (CAR 602.98)
PAL	Toronto Ctr 121.225 127.250 233.4 356.3
PMSV	344.6
NAV	
VOT	110.4
NDB	YELLEK ZYB 404 (L) N46 19 52 W79 31 36 077° 3.8NM to A/D
VOR/DME	YYB 115.4 Ch 101 N46 21 50 W79 26 11 (1220') at A/D
ILS	IYB 110.9 (Rwy 08/26) RVR Unmonitored when FSS clsd
PRO	Rgt hand circuits rwy 18 & 26 (CAR 602.96).
CAUTION	Twr 1400' 1.8NM SE of thld rwy 26. Pilots should avoid overflight of Natural gas pumping stn lctd 2.1NM NW. Disposal area of waste explosives at N46 16 30 W79 25 00 (6NM S of aprt) should be avoided at alt less than 3700 ASL. Ski activity by NOTAM only through Miller Aviation and rwy 13/31 clsd by NOTAM when ski area active. Glider area rstd to glider ops. Glider activity at & in vic of aprt Sat, Sun, hols Apr-Jun & Sep-Nov. During win months btwn 10-1130Z (when FSS clsd), aprt maint & snow removal vehicles may be operating on the rwy surface. Ctc all ground vehicles on 118.3 when FSS is clsd. During win months ski hill snow making activity 1.5NM SSW of aprt may produce local obscuring & icing phenomena on apch to rwy 36 or dep from rwy 18. Extv heli tng activity.

NORTH BAY FIC – RCO

For Arctic RCOs, see: ARCTIC RADIO - RCO - NOTAM FILE CZNB

NORTH OF SIXTY NT — See OBRE LAKE / NORTH OF SIXTY

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

AERODROME/FACILITY DIRECTORY B639

NORTH SEAL RIVER MB

CEG88


REF	N58 58 10 W99 58 30 6°E UTC-6(5) Elev 980' A5024 D-13
OPR	North Seal River Inc 352-861-3174 Fax 352-861-9822 Reg PPR
PF	C-1,2,5
FLT PLN	NOTAM FILE CYBQ
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 03(027°)/21(207°) 4737x125 clay & sand
RCR	Opr No win maint.
COMM	
ATF	UNICOM (AU) ltd hrs O/T tfc 122.8 5NM 4000 ASL
CAUTION	Only opr experienced in area should plan on using this A/D. Oprg Jun-Sep.



NORTH SPIRIT LAKE ON

CKQ3


REF	N52 29 24 W92 58 16 5SE 0° UTC-6(5) Elev 1082' A5017 E-17 LO3 LO4
OPR	Govt of Ontario 807-473-2082 Cert
FLT PLN	NOTAM FILE CYXL
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 13(129°)/31(309°) 3518x100 gravel
RCR	Opr 14-23Z† Mon-Fri exc hols. Subject to seasonal & climatic variations.
LIGHTING	13-(TE ME) AP, 31-(TE ME) AP ARCAL-122.8 type K
COMM	
ATF	tfc 122.8 5NM 4100 ASL



NORWAY HOUSE MB

CYNE

REF	N53 57 30 W97 50 39 Adj SE 5°E UTC-6(5) Elev 734' A5016 E-16 E-17 LO3 HI4 CAP
OPR	Govt of Manitoba 204-677-6722 Cert
PF	A-1,3 C-2,4,5 Tml bldg opr 13-18Z†, 19-2115Z† Mon-Fri, clsd Sat, Sun & hols
FLT PLN	NOTAM FILE CYIV
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
WX	Legacy AWOS TAF H24, issue times: 01, 07, 13, 19Z.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 20 November 2008 to 0901Z 15 January 2009

B640 AERODROME/FACILITY DIRECTORY

NORWAY HOUSE MB (Cont'd)


CPYNE

RWY DATA	Rwy 05(055°)/23(235°) 3922x100 crushed rock
RCR	APM 204-359-6702 13-18Z†, 19-2115Z† Mon-Fri exc hols O/T 204-359-6392
LIGHTING	05-(TE ME) P1, 23-(TE ME) P1 ARCAL-122.1 type K (see CAUTION)
COMM	
RCO	Kenora rdo 122.1 (RAAS) 13-02Z† Winnipeg rdo 123.375 (FISE) 126.7 (bcst)
MF	Kenora rdo 13-02Z† O/T tfc 122.1 5NM 3700 ASL (CAR 602.98)
UNICOM	ltd hrs 122.8
NAV	
NDB	YNE 207 (M) N53 58 20 W97 50 25 184° 0.8NM to A/D
DME	NE 115.1 Ch 98 N53 58 19 W97 50 30 (791') 180° 0.8NM to A/D
CAUTION	Lighted tower 1126 ASL (375 AGL) 3.4NM NE. Extv bird activity Apr-Oct.

NORWOOD ON

CPY4

REF	N44 21 54 W77 59 59 1.5SW 12°W UTC-5(4) Elev 650' A5000 F-21
OPR	Maylan Flight Academy 705-761-2063 Reg
PF	C-1,2,4,5,6 D-3
FLT PLN	NOTAM FILE CYPQ
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 08/26 4300x75 gravel
RCR	Rwy 26 slopes up 1.5% Opr Ltd win maint.
COMM	
ATF	tfc 123.2 5NM 3700 ASL
CAUTION	Trees/hydro lines aprx 70 AGL at thld 08 and 26.



NUELTIN LAKE MB

CNL9

REF	N59 42 29 W100 07 38 6°E UTC-6(5) Elev 971' A5024 D-13 LO5 RCAP
OPR	Nueltin Fly-in Lodges Ltd 204-788-8805 Fax 204-677-2926 Reg PPR Ldg fees
PF	C-1
FLT PLN	NOTAM FILE CYBQ
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 01(010°)/19(190°) 4700x100 compacted clay/silt
RCR	Opr No win maint.
COMM	
ATF	treeline UNICOM ltd hrs O/T tfc 129.6 5NM 4000 ASL

